

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759001

1. $5x + \frac{1}{5} = 4$

6. $5x + \frac{1}{5} = 4$

2. $3x + \frac{7}{8} = \frac{1}{3}$

7. $\frac{5}{6} = 3x - \frac{4}{7}$

3. $-3x = -5x + \frac{9}{11}$

8. $x - \frac{2}{3} = -2x + 3$

4. $-2x + \frac{6}{7} = -3x - 4$

9. $2x = -5x - \frac{2}{11}$

5. $\frac{7}{11}x + \frac{7}{9} = 0$

10. $-\frac{2}{3}x + \frac{6}{11} = 1$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759002

1. $-\frac{1}{11}x - \frac{7}{9} = -5$

6. $-\frac{4}{9}x + \frac{3}{4} = 0$

2. $-x + \frac{6}{7} = -5$

7. $-\frac{9}{11}x + \frac{5}{6} = 0$

3. $0 = \frac{6}{7}x - \frac{3}{4}$

8. $-1 = \frac{1}{3}x - \frac{5}{6}$

4. $-4x = -5x - \frac{3}{10}$

9. $0 = \frac{7}{11}x + \frac{1}{2}$

5. $-\frac{3}{4}x + \frac{9}{11} = 0$

10. $-3 = -\frac{10}{11}x + \frac{2}{5}$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759003

1. $-2x + \frac{1}{7} = -3$

6. $-\frac{2}{3} = -2x - \frac{4}{7}$

2. $-\frac{1}{7}x - \frac{6}{7} = 0$

7. $4 = -\frac{7}{10}x - \frac{7}{8}$

3. $\frac{1}{5}x + \frac{4}{7} = -1$

8. $0 = \frac{1}{3}x + \frac{8}{9}$

4. $\frac{5}{7}x + \frac{6}{11} = 0$

9. $4x = 3x + \frac{1}{4}$

5. $-3x - 5 = -2x - \frac{1}{6}$

10. $\frac{5}{7}x - \frac{4}{7} = 4$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759004

1. $-3x + \frac{2}{7} = 2x - 3$

6. $-\frac{1}{9}x - \frac{1}{4} = 1$

2. $2x - \frac{2}{3} = -1$

7. $-\frac{5}{11} = -5x + \frac{7}{9}$

3. $2x = -5x - \frac{9}{11}$

8. $-1 = \frac{1}{2}x + \frac{5}{8}$

4. $x - \frac{3}{7} = \frac{9}{10}$

9. $2x + \frac{3}{5} = -4$

5. $-1 = -\frac{3}{5}x - \frac{4}{7}$

10. $\frac{5}{6}x + \frac{6}{7} = 0$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759005

1. $4x + \frac{8}{9} = 5$

6. $-1 = -3x - \frac{3}{5}$

2. $-5 = 5x + \frac{1}{2}$

7. $\frac{1}{3}x + \frac{1}{2} = 0$

3. $2x + \frac{2}{11} = -\frac{2}{5}$

8. $-5 = 5x - \frac{2}{11}$

4. $-2x - \frac{1}{8} = -5x$

9. $2x + \frac{2}{5} = -5x + 5$

5. $-4 = -\frac{2}{9}x - \frac{5}{9}$

10. $\frac{1}{8}x + \frac{1}{7} = 0$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759006

1. $-\frac{1}{2}x + \frac{2}{7} = 1$

6. $\frac{1}{3}x - \frac{1}{8} = 0$

2. $2 = -4x - \frac{5}{9}$

7. $-\frac{7}{12}x + \frac{2}{7} = 0$

3. $-5x + \frac{7}{10} = -x + 2$

8. $x - \frac{1}{9} = 3$

4. $\frac{3}{10}x - \frac{4}{11} = 0$

9. $0 = \frac{2}{7}x + \frac{1}{6}$

5. $2x + \frac{4}{5} = -3x + 4$

10. $-\frac{3}{5}x - \frac{3}{5} = -2$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759007

1. $-5 = \frac{5}{9}x - \frac{2}{7}$

6. $-x - \frac{8}{9} = 2x$

2. $-\frac{4}{11}x - \frac{2}{9} = 0$

7. $-\frac{1}{11}x - \frac{2}{7} = -5$

3. $0 = \frac{3}{8}x - \frac{11}{12}$

8. $2x + \frac{3}{4} = 3$

4. $-\frac{8}{11}x + \frac{2}{3} = 0$

9. $5x + 3 = -4x - \frac{5}{8}$

5. $5 = 2x - \frac{1}{5}$

10. $-\frac{1}{11}x + \frac{2}{3} = 0$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759008

1. $\frac{1}{7}x - \frac{4}{9} = 0$

6. $-\frac{10}{11} = -3x - \frac{5}{12}$

2. $-4 = -\frac{1}{8}x + \frac{3}{10}$

7. $-x + 5 = 3x + \frac{3}{4}$

3. $0 = -\frac{3}{10}x - \frac{7}{9}$

8. $-\frac{1}{4}x - \frac{3}{11} = 0$

4. $-2x - \frac{9}{11} = x - 1$

9. $-5x - \frac{3}{8} = -\frac{2}{9}$

5. $-\frac{1}{7}x + \frac{3}{7} = 4$

10. $-\frac{1}{8}x - \frac{7}{12} = 0$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759009

1. $2x = 5x - \frac{3}{11}$

6. $4 = 3x - \frac{3}{5}$

2. $-\frac{3}{5}x + \frac{5}{7} = 3$

7. $0 = -\frac{3}{4}x + \frac{5}{7}$

3. $3 = x + \frac{5}{8}$

8. $-x = 2x - \frac{5}{7}$

4. $-2 = 5x + \frac{8}{9}$

9. $-\frac{7}{9}x - \frac{1}{6} = 0$

5. $-4x = -3x + \frac{1}{4}$

10. $\frac{3}{7}x + \frac{2}{7} = -5$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759010

1. $\frac{1}{11}x + \frac{7}{9} = -2$

6. $-\frac{3}{7}x - \frac{7}{8} = 3$

2. $-4x - \frac{7}{11} = \frac{1}{4}$

7. $x = -x + \frac{1}{10}$

3. $-2x = 3x - \frac{4}{11}$

8. $-2 = -\frac{3}{4}x - \frac{1}{11}$

4. $x + 1 = 2x - \frac{3}{4}$

9. $-4 = 2x - \frac{2}{3}$

5. $-2x - \frac{5}{6} = -\frac{7}{11}$

10. $-3x - \frac{7}{9} = \frac{1}{8}$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759011

1. $4x - \frac{3}{11} = -1$

6. $4x + 5 = -5x - \frac{3}{5}$

2. $x - \frac{4}{5} = \frac{3}{4}$

7. $\frac{5}{6}x + \frac{1}{9} = 0$

3. $\frac{7}{10}x + \frac{1}{9} = 0$

8. $5 = -\frac{1}{2}x + \frac{2}{3}$

4. $-\frac{1}{2}x - \frac{1}{5} = 5$

9. $\frac{5}{11}x - \frac{8}{11} = 0$

5. $-\frac{7}{8} = -4x + \frac{3}{4}$

10. $4 = -\frac{2}{3}x - \frac{2}{5}$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759012

1. $\frac{11}{12}x - \frac{1}{7} = 0$

6. $3 = 4x + \frac{1}{10}$

2. $-4x - \frac{5}{6} = -3x$

7. $-2x - \frac{7}{8} = -5$

3. $2x - 4 = 4x - \frac{1}{6}$

8. $-\frac{1}{2}x - \frac{1}{2} = 0$

4. $-x + \frac{2}{3} = x + 4$

9. $4x + \frac{6}{11} = x$

5. $-3x + \frac{3}{11} = -5$

10. $-5 = 2x - \frac{4}{5}$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759013

1. $\frac{1}{6}x - \frac{1}{3} = 0$

6. $-x - \frac{1}{5} = x$

2. $-5x + \frac{1}{10} = 5$

7. $\frac{2}{11}x + \frac{1}{4} = 0$

3. $-4 = \frac{2}{3}x - \frac{2}{9}$

8. $5 = 3x + \frac{4}{9}$

4. $3x - \frac{5}{6} = -3$

9. $3x - \frac{1}{7} = 2$

5. $-2x + \frac{3}{7} = -4x$

10. $-3x - \frac{2}{9} = 5x - 4$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759014

1. $-\frac{5}{11}x + \frac{8}{9} = 0$

6. $\frac{4}{5}x + \frac{1}{5} = 0$

2. $x - \frac{7}{8} = -\frac{1}{4}$

7. $-\frac{5}{11} = 2x - \frac{1}{2}$

3. $-1 = \frac{4}{5}x + \frac{4}{11}$

8. $-5 = \frac{5}{7}x - \frac{8}{11}$

4. $-\frac{2}{9} = 4x - \frac{5}{9}$

9. $-3x + \frac{6}{11} = -\frac{7}{11}$

5. $-5x + \frac{8}{9} = -3x + 5$

10. $-\frac{2}{3}x - \frac{2}{7} = 0$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759015

1. $-\frac{1}{3}x + \frac{1}{3} = 2$

6. $\frac{1}{3}x + \frac{6}{7} = 0$

2. $-\frac{1}{9}x + \frac{4}{7} = 0$

7. $\frac{3}{4} = -3x - \frac{5}{7}$

3. $-4x + \frac{1}{6} = 4x + 3$

8. $5x + \frac{1}{5} = \frac{3}{7}$

4. $3 = -\frac{1}{10}x - \frac{4}{11}$

9. $-4 = -3x - \frac{4}{11}$

5. $\frac{1}{4}x - \frac{4}{7} = 0$

10. $\frac{2}{3}x + \frac{1}{8} = 1$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759016

1. $4x + \frac{6}{11} = \frac{9}{11}$

6. $3 = -\frac{4}{9}x + \frac{1}{12}$

2. $-x + \frac{5}{7} = -4x - 4$

7. $\frac{1}{7}x - \frac{1}{6} = 0$

3. $\frac{7}{8}x - \frac{7}{9} = 0$

8. $2 = -4x - \frac{1}{11}$

4. $-2x + \frac{1}{6} = \frac{1}{2}$

9. $0 = -\frac{3}{8}x - \frac{3}{4}$

5. $-2x - \frac{1}{3} = 5x + 3$

10. $-\frac{9}{11}x - \frac{5}{6} = 0$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759017

1. $3 = -\frac{5}{9}x + \frac{5}{7}$

6. $0 = -\frac{1}{2}x + \frac{8}{9}$

2. $\frac{7}{8}x + \frac{1}{2} = 0$

7. $-2x + 1 = 2x + \frac{5}{7}$

3. $4 = -2x - \frac{9}{10}$

8. $3 = 5x - \frac{1}{5}$

4. $5x + \frac{2}{5} = 3$

9. $-2 = \frac{4}{5}x - \frac{2}{3}$

5. $-\frac{4}{5}x + \frac{3}{4} = 0$

10. $-5x + \frac{2}{9} = -1$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759018

1. $5x + \frac{2}{11} = 2x$

6. $-5x + \frac{3}{10} = 4x$

2. $3x = 2x + \frac{1}{2}$

7. $\frac{5}{6}x + \frac{8}{11} = -2$

3. $-\frac{5}{7}x - \frac{2}{11} = 0$

8. $\frac{4}{5}x - \frac{2}{9} = 0$

4. $\frac{5}{8}x + \frac{6}{7} = 0$

9. $-3 = \frac{1}{2}x + \frac{1}{7}$

5. $-3x + \frac{4}{7} = -5x - 1$

10. $x + \frac{3}{5} = -3$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759019

1. $-5x + \frac{8}{9} = -\frac{2}{3}$

6. $-3 = -4x - \frac{4}{9}$

2. $-\frac{1}{6} = -3x - \frac{3}{10}$

7. $\frac{1}{2} = -5x - \frac{1}{4}$

3. $-5x + \frac{3}{7} = -2$

8. $-1 = 4x + \frac{1}{2}$

4. $x + \frac{5}{8} = -1$

9. $-5x - \frac{7}{12} = \frac{2}{5}$

5. $x - \frac{3}{11} = -4$

10. $-\frac{6}{7}x - \frac{5}{8} = 1$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759020

1. $-x - \frac{1}{4} = 2$

6. $3x - \frac{1}{7} = -5$

2. $3x - 3 = -x - \frac{1}{7}$

7. $\frac{4}{11}x - \frac{8}{11} = 0$

3. $-5x - \frac{1}{2} = 5x$

8. $3 = -3x - \frac{4}{9}$

4. $-4x - \frac{5}{9} = 5x$

9. $-\frac{7}{8} = -2x + \frac{3}{11}$

5. $\frac{4}{11}x - \frac{1}{8} = 0$

10. $x + \frac{2}{7} = -2$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759021

1. $x - \frac{3}{5} = 5$

6. $\frac{2}{3}x + \frac{5}{11} = 3$

2. $\frac{2}{3}x - \frac{5}{6} = 0$

7. $x - \frac{1}{9} = -\frac{5}{6}$

3. $\frac{2}{5}x + \frac{3}{7} = 1$

8. $2x + \frac{8}{9} = -\frac{1}{5}$

4. $-3x - \frac{2}{5} = -4$

9. $\frac{2}{3}x + \frac{4}{11} = 0$

5. $-\frac{1}{6}x - \frac{7}{11} = 0$

10. $0 = \frac{9}{10}x + \frac{4}{11}$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759022

1. $-4x - \frac{3}{5} = -3x - 3$

6. $4x - \frac{4}{7} = x + 1$

2. $-\frac{5}{12}x - \frac{4}{7} = 4$

7. $\frac{2}{7}x - \frac{4}{5} = 0$

3. $-\frac{6}{7} = -x - \frac{5}{6}$

8. $-\frac{4}{5}x - \frac{6}{11} = 0$

4. $\frac{4}{7}x - \frac{4}{9} = -5$

9. $-4x + \frac{6}{7} = -5$

5. $0 = -\frac{1}{6}x - \frac{4}{9}$

10. $-\frac{10}{11} = x + \frac{2}{3}$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759023

1. $5x - \frac{4}{11} = -x + 2$

6. $-1 = \frac{1}{11}x + \frac{4}{5}$

2. $4x - \frac{5}{9} = -2x$

7. $\frac{2}{3} = 4x + \frac{2}{7}$

3. $-2x - 2 = 5x - \frac{1}{2}$

8. $\frac{3}{5}x + \frac{2}{5} = 0$

4. $-5 = 4x - \frac{2}{7}$

9. $4x - 3 = -4x + \frac{1}{2}$

5. $-2x - \frac{8}{11} = -3x$

10. $x - \frac{1}{11} = -3x - 1$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759024

1. $3x + \frac{2}{3} = 2$

6. $3 = x + \frac{6}{7}$

2. $\frac{2}{7}x + \frac{3}{8} = 0$

7. $-5x + \frac{8}{9} = \frac{3}{8}$

3. $3x + \frac{3}{5} = -x + 5$

8. $x - \frac{3}{4} = -5$

4. $4x - \frac{3}{8} = -5$

9. $-4 = -\frac{1}{4}x - \frac{1}{9}$

5. $\frac{7}{9} = -3x + \frac{8}{11}$

10. $\frac{2}{9}x + \frac{1}{9} = 5$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759025

1. $\frac{1}{5}x - \frac{8}{9} = 0$

6. $-3 = -4x - \frac{2}{5}$

2. $-5x - 3 = 5x + \frac{1}{9}$

7. $-4x = 2x + \frac{7}{9}$

3. $2 = \frac{1}{5}x + \frac{3}{5}$

8. $5x - \frac{1}{5} = -2$

4. $-\frac{2}{5}x - \frac{3}{8} = 0$

9. $5x + \frac{1}{3} = x$

5. $-5x - \frac{7}{10} = 4x + 4$

10. $\frac{4}{7}x + \frac{1}{2} = 0$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759026

1. $3 = \frac{4}{7}x + \frac{3}{7}$

6. $-2 = 4x - \frac{7}{9}$

2. $\frac{1}{8}x - \frac{1}{2} = 0$

7. $\frac{1}{3} = 3x - \frac{1}{5}$

3. $4 = 5x + \frac{4}{9}$

8. $\frac{7}{8}x - \frac{7}{8} = 0$

4. $\frac{1}{5} = -4x + \frac{3}{8}$

9. $-5x + \frac{3}{4} = 5$

5. $-4x - \frac{1}{7} = -1$

10. $-1 = 3x + \frac{10}{11}$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759027

1. $-x + 4 = 3x - \frac{2}{5}$

6. $2x - 5 = -2x + \frac{1}{6}$

2. $\frac{1}{10}x + \frac{2}{3} = 0$

7. $4 = \frac{1}{5}x + \frac{1}{12}$

3. $\frac{8}{11}x + \frac{7}{9} = 2$

8. $-\frac{3}{8}x + \frac{5}{9} = 0$

4. $-4 = \frac{7}{11}x - \frac{5}{9}$

9. $\frac{5}{6} = -3x - \frac{5}{9}$

5. $4x - \frac{2}{11} = -2$

10. $-\frac{1}{4}x + \frac{11}{12} = -3$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759028

1. $-3x + 1 = x + \frac{10}{11}$

6. $\frac{5}{7} = -x + \frac{3}{11}$

2. $2x + \frac{3}{5} = -3x + 3$

7. $-3x - \frac{7}{10} = -\frac{7}{10}$

3. $2x - \frac{5}{8} = -5$

8. $-\frac{7}{8}x - \frac{10}{11} = 0$

4. $\frac{4}{7}x - \frac{2}{7} = 5$

9. $\frac{9}{10}x - \frac{3}{5} = -5$

5. $\frac{3}{4}x - \frac{1}{3} = 0$

10. $3x + \frac{6}{7} = -5$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759029

1. $\frac{1}{11}x - \frac{7}{9} = 2$

6. $2x + \frac{3}{5} = -2$

2. $\frac{4}{11}x - \frac{2}{3} = 0$

7. $\frac{10}{11} = x - \frac{2}{11}$

3. $3x + 1 = -4x + \frac{1}{10}$

8. $-5x + \frac{11}{12} = -1$

4. $-3x + \frac{5}{9} = -\frac{1}{3}$

9. $\frac{1}{2}x + \frac{1}{12} = 0$

5. $x + \frac{3}{11} = 3x$

10. $5x - \frac{8}{9} = -\frac{2}{11}$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759030

1. $\frac{1}{6}x + \frac{1}{7} = 0$

6. $-x - \frac{4}{9} = 4x - 2$

2. $4x + \frac{5}{11} = 5$

7. $-\frac{2}{7}x + \frac{1}{2} = -2$

3. $-5x - \frac{11}{12} = -x - 1$

8. $3x = 4x - \frac{4}{9}$

4. $-5 = 3x + \frac{1}{9}$

9. $4x + \frac{5}{9} = -\frac{1}{5}$

5. $3x - \frac{3}{10} = 1$

10. $-\frac{1}{2}x + \frac{1}{8} = 0$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759031

1. $4 = 5x - \frac{1}{8}$

6. $5 = 3x - \frac{7}{8}$

2. $-4 = \frac{1}{11}x + \frac{9}{10}$

7. $-\frac{1}{6}x - \frac{3}{7} = 0$

3. $-x + \frac{1}{9} = -4$

8. $-4 = -\frac{1}{3}x + \frac{3}{7}$

4. $0 = -\frac{2}{3}x + \frac{11}{12}$

9. $\frac{1}{6}x - \frac{4}{7} = 0$

5. $-\frac{2}{3} = -3x - \frac{4}{7}$

10. $3 = -2x - \frac{2}{7}$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759032

1. $0 = -\frac{3}{7}x + \frac{5}{8}$

6. $-1 = x - \frac{7}{8}$

2. $-\frac{7}{12}x + \frac{1}{5} = 0$

7. $-\frac{1}{4} = -4x + \frac{2}{11}$

3. $\frac{5}{7}x + \frac{4}{7} = 0$

8. $-5 = -4x + \frac{7}{10}$

4. $2 = -\frac{1}{9}x - \frac{1}{2}$

9. $\frac{2}{5}x - \frac{5}{7} = 0$

5. $-\frac{6}{7}x + \frac{4}{11} = 0$

10. $3 = -3x + \frac{7}{9}$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759033

1. $4x - \frac{1}{3} = -x$

6. $0 = \frac{1}{10}x + \frac{4}{5}$

2. $-x + \frac{3}{4} = 1$

7. $-5x - \frac{4}{9} = -4$

3. $x - \frac{5}{6} = -5$

8. $3x + \frac{3}{8} = -2$

4. $2 = -\frac{5}{8}x + \frac{4}{11}$

9. $-1 = -\frac{5}{9}x - \frac{1}{7}$

5. $-\frac{2}{5}x - \frac{8}{9} = -5$

10. $-\frac{5}{8} = -2x + \frac{2}{3}$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759034

1. $4 = -\frac{7}{9}x + \frac{1}{3}$

6. $-\frac{1}{4} = -4x + \frac{5}{11}$

2. $5x = 2x + \frac{4}{5}$

7. $5x = -3x + \frac{1}{4}$

3. $\frac{3}{5} = -5x + \frac{2}{9}$

8. $-\frac{11}{12}x + \frac{1}{6} = 0$

4. $\frac{5}{12}x - \frac{5}{9} = 0$

9. $-5x + \frac{1}{4} = -2$

5. $x - \frac{5}{7} = -5x - 5$

10. $3 = \frac{11}{12}x + \frac{8}{9}$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759035

1. $\frac{6}{11} = 4x - \frac{4}{7}$

6. $5 = 2x - \frac{4}{9}$

2. $\frac{2}{11}x - \frac{1}{7} = 0$

7. $-\frac{6}{7}x - \frac{7}{8} = 0$

3. $2x + \frac{7}{8} = 4x$

8. $-\frac{4}{11}x + \frac{3}{4} = -1$

4. $2x + \frac{1}{5} = -x + 5$

9. $-\frac{1}{6} = 4x + \frac{1}{7}$

5. $-1 = 3x - \frac{3}{4}$

10. $x - \frac{4}{9} = 2x + 5$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759036

1. $-\frac{1}{8} = -4x + \frac{7}{10}$

6. $-4x + \frac{2}{5} = 4x - 3$

2. $\frac{3}{7}x + \frac{1}{5} = 0$

7. $-\frac{3}{10}x - \frac{7}{10} = 0$

3. $-4x + \frac{5}{11} = 2x$

8. $-\frac{9}{10}x + \frac{1}{10} = 0$

4. $2 = \frac{1}{10}x - \frac{1}{7}$

9. $-4 = -\frac{9}{11}x + \frac{3}{11}$

5. $-\frac{6}{7}x - \frac{7}{8} = 0$

10. $-\frac{4}{5} = 3x - \frac{2}{7}$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759037

1. $-\frac{3}{11}x + \frac{3}{11} = 0$

6. $-4x - \frac{5}{6} = 1$

2. $\frac{5}{6}x - \frac{4}{11} = 0$

7. $4x - \frac{1}{2} = -x - 4$

3. $-1 = -3x + \frac{1}{8}$

8. $-3x = -x - \frac{3}{4}$

4. $4 = -\frac{4}{9}x - \frac{3}{7}$

9. $\frac{8}{9}x - \frac{2}{3} = 0$

5. $-2 = -\frac{1}{4}x - \frac{1}{6}$

10. $\frac{4}{5} = -4x + \frac{1}{3}$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759038

1. $-4x + \frac{1}{2} = -1$

6. $\frac{4}{7}x - \frac{1}{4} = 0$

2. $\frac{2}{3} = -3x + \frac{6}{11}$

7. $-4 = -2x + \frac{1}{9}$

3. $-3 = \frac{2}{3}x - \frac{4}{11}$

8. $3x - \frac{10}{11} = -3x$

4. $-3 = \frac{7}{8}x + \frac{7}{12}$

9. $1 = -3x - \frac{7}{8}$

5. $0 = \frac{2}{11}x - \frac{7}{8}$

10. $3 = 4x + \frac{7}{9}$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759039

1. $4x - 1 = -2x + \frac{5}{9}$

6. $-\frac{2}{7} = 5x - \frac{3}{5}$

2. $-5x = 2x + \frac{8}{9}$

7. $3 = -2x + \frac{2}{9}$

3. $-2x + \frac{4}{11} = 2$

8. $\frac{5}{7}x + \frac{3}{4} = 0$

4. $4x + 5 = x - \frac{6}{11}$

9. $5x - \frac{1}{3} = -4x - 1$

5. $\frac{2}{3} = -5x + \frac{3}{7}$

10. $-\frac{2}{9}x - \frac{1}{2} = -5$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759040

1. $x - \frac{1}{7} = -\frac{2}{7}$

6. $3x - \frac{4}{5} = 2x$

2. $\frac{1}{6}x - \frac{4}{7} = 4$

7. $-\frac{10}{11}x + \frac{2}{3} = 0$

3. $3x - \frac{1}{4} = 5x + 5$

8. $x = -4x - \frac{1}{2}$

4. $2 = -\frac{1}{3}x - \frac{3}{7}$

9. $-3 = 2x + \frac{5}{7}$

5. $\frac{3}{7}x + \frac{8}{9} = 0$

10. $-5x - \frac{4}{9} = 2x - 1$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759041

1. $-5 = -\frac{3}{5}x - \frac{4}{5}$

6. $-2x + \frac{9}{10} = 4$

2. $-\frac{1}{10}x + \frac{2}{9} = 3$

7. $-2x - 2 = -3x + \frac{3}{5}$

3. $-x + \frac{3}{11} = 5$

8. $5x - \frac{5}{8} = -4$

4. $5 = -\frac{7}{10}x - \frac{1}{9}$

9. $\frac{2}{3}x - \frac{1}{5} = 0$

5. $4 = -\frac{2}{5}x - \frac{7}{12}$

10. $2 = \frac{3}{4}x + \frac{4}{7}$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759042

1. $0 = \frac{8}{9}x - \frac{2}{5}$

6. $\frac{4}{11} = -4x + \frac{7}{10}$

2. $4 = -x - \frac{2}{7}$

7. $-5x + 1 = 4x + \frac{3}{4}$

3. $-\frac{3}{4}x + \frac{7}{10} = 0$

8. $-x + \frac{2}{11} = 5x + 3$

4. $5x + \frac{3}{11} = 2x - 1$

9. $-3x + \frac{1}{4} = -1$

5. $3x + \frac{3}{7} = -4x$

10. $-5x = -4x + \frac{7}{11}$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759043

1. $-2 = 5x + \frac{7}{9}$

6. $-\frac{2}{7} = 4x + \frac{5}{8}$

2. $-\frac{1}{6}x + \frac{7}{9} = 0$

7. $\frac{1}{2}x - \frac{6}{7} = 1$

3. $-\frac{3}{8}x - \frac{2}{3} = 3$

8. $-4 = \frac{7}{11}x - \frac{4}{5}$

4. $-\frac{1}{2}x - \frac{4}{7} = 0$

9. $-5x - \frac{8}{9} = -4x + 3$

5. $\frac{5}{12}x + \frac{3}{10} = 0$

10. $2 = \frac{2}{5}x - \frac{5}{7}$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759044

1. $-3x - \frac{4}{9} = -2$

6. $2x - \frac{7}{8} = x - 3$

2. $-x - \frac{1}{6} = 3x - 5$

7. $-\frac{7}{10} = 2x - \frac{3}{11}$

3. $-2 = \frac{1}{6}x - \frac{1}{4}$

8. $-4x - \frac{8}{9} = -5x - 2$

4. $-x - \frac{1}{2} = -4x$

9. $-4 = -2x - \frac{9}{10}$

5. $-x + 2 = 4x - \frac{3}{5}$

10. $\frac{4}{5}x + \frac{3}{4} = 0$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759045

1. $-x + \frac{1}{6} = 2x - 1$

6. $-\frac{2}{3}x + \frac{2}{7} = -5$

2. $\frac{4}{7}x + \frac{3}{4} = 0$

7. $-x + \frac{5}{8} = -\frac{8}{9}$

3. $x + \frac{1}{3} = -\frac{2}{11}$

8. $2x - \frac{3}{5} = -4$

4. $-\frac{7}{10} = -5x - \frac{2}{5}$

9. $\frac{1}{7} = -4x - \frac{3}{10}$

5. $-5x - \frac{1}{7} = 2x$

10. $-x = 3x - \frac{3}{10}$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759046

1. $0 = \frac{7}{9}x - \frac{1}{9}$

6. $5x - \frac{1}{8} = -x + 4$

2. $2x = 4x - \frac{1}{4}$

7. $5x - \frac{1}{4} = 1$

3. $2 = \frac{1}{3}x - \frac{1}{6}$

8. $\frac{7}{9} = -3x + \frac{11}{12}$

4. $\frac{7}{8}x - \frac{1}{6} = 5$

9. $4x + \frac{4}{9} = -\frac{1}{5}$

5. $-\frac{3}{4}x - \frac{3}{5} = 3$

10. $2 = -\frac{3}{11}x + \frac{1}{6}$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759047

1. $-2 = -\frac{1}{3}x - \frac{8}{11}$

6. $-5x = 3x - \frac{3}{4}$

2. $1 = -4x - \frac{4}{5}$

7. $3 = -4x + \frac{1}{3}$

3. $-\frac{1}{2} = x + \frac{4}{11}$

8. $4 = \frac{6}{7}x - \frac{1}{3}$

4. $-\frac{7}{8}x + \frac{1}{3} = 0$

9. $-3x + \frac{4}{5} = -2x - 2$

5. $3x - \frac{3}{5} = 2x$

10. $4x = -2x + \frac{6}{7}$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759048

1. $\frac{7}{8} = -5x - \frac{5}{11}$

6. $\frac{7}{11} = 2x - \frac{9}{10}$

2. $-\frac{8}{9} = -2x - \frac{1}{3}$

7. $-4 = -\frac{1}{5}x - \frac{5}{11}$

3. $3 = 4x + \frac{5}{11}$

8. $-\frac{8}{11}x - \frac{1}{7} = 0$

4. $5x = -4x + \frac{4}{9}$

9. $-\frac{1}{8}x + \frac{7}{11} = 3$

5. $4x - \frac{1}{3} = -4$

10. $3 = -2x - \frac{3}{7}$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759049

1. $-2 = 3x + \frac{7}{9}$

6. $-2x + \frac{5}{6} = 5x + 5$

2. $\frac{1}{3} = 4x + \frac{1}{5}$

7. $-\frac{1}{2} = -5x + \frac{3}{5}$

3. $-\frac{2}{9} = 5x - \frac{5}{12}$

8. $0 = -\frac{7}{11}x + \frac{2}{3}$

4. $2x - \frac{9}{11} = -1$

9. $4x + \frac{7}{8} = -5$

5. $-x + \frac{1}{10} = \frac{5}{8}$

10. $-5x - \frac{4}{7} = -2$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759050

1. $\frac{1}{5}x - \frac{4}{5} = 0$

6. $3x - \frac{1}{8} = -2x - 3$

2. $2x - \frac{7}{12} = -x + 4$

7. $-\frac{1}{9}x + \frac{7}{10} = 0$

3. $3x + \frac{10}{11} = \frac{1}{2}$

8. $-3 = -\frac{1}{5}x - \frac{7}{12}$

4. $4x - 4 = 5x + \frac{1}{8}$

9. $\frac{4}{5}x + \frac{3}{5} = 0$

5. $-x = x - \frac{1}{7}$

10. $-2x - 2 = -3x - \frac{3}{7}$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759051

1. $5x + \frac{7}{8} = 1$

6. $-\frac{1}{2}x - \frac{2}{5} = 0$

2. $1 = \frac{4}{7}x - \frac{6}{7}$

7. $3 = 5x - \frac{1}{3}$

3. $-5x + \frac{1}{6} = -\frac{1}{12}$

8. $\frac{4}{5}x + \frac{7}{9} = -4$

4. $\frac{5}{9}x - \frac{5}{7} = 0$

9. $4x + \frac{2}{11} = -5x + 4$

5. $-3x - \frac{5}{7} = 5x + 1$

10. $0 = -\frac{8}{9}x - \frac{2}{7}$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759052

1. $-2x - \frac{3}{5} = -3x$

6. $-3 = 4x + \frac{4}{5}$

2. $5 = 3x - \frac{1}{5}$

7. $\frac{5}{8}x - \frac{4}{11} = 0$

3. $\frac{3}{5} = -4x - \frac{2}{7}$

8. $-3 = -2x + \frac{4}{9}$

4. $-4x + \frac{3}{4} = \frac{6}{7}$

9. $0 = \frac{2}{7}x + \frac{4}{5}$

5. $\frac{4}{11} = -x - \frac{4}{5}$

10. $-\frac{1}{5}x - \frac{2}{5} = 0$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759053

1. $-4x - \frac{2}{3} = -1$

6. $x - 1 = -x + \frac{4}{7}$

2. $-2x = 5x - \frac{2}{3}$

7. $\frac{1}{6}x + \frac{4}{7} = 0$

3. $\frac{3}{8}x + \frac{3}{5} = -4$

8. $2 = 5x + \frac{11}{12}$

4. $\frac{4}{9}x - \frac{4}{5} = 0$

9. $-5x + \frac{1}{2} = -\frac{5}{6}$

5. $\frac{1}{4}x - \frac{1}{8} = 0$

10. $3x = -3x - \frac{1}{9}$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759054

1. $4x + \frac{2}{7} = 1$

6. $-\frac{3}{11}x - \frac{4}{7} = 2$

2. $0 = \frac{1}{2}x + \frac{4}{5}$

7. $4x + \frac{5}{12} = -4$

3. $-2x - \frac{7}{10} = 4$

8. $5 = \frac{1}{5}x + \frac{1}{2}$

4. $\frac{5}{8} = -2x + \frac{1}{8}$

9. $-5x - \frac{2}{5} = \frac{1}{4}$

5. $3x - 1 = 4x - \frac{3}{11}$

10. $\frac{11}{12}x + \frac{3}{4} = 3$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759055

1. $\frac{3}{5}x - \frac{2}{5} = -4$

6. $5 = \frac{2}{7}x + \frac{1}{4}$

2. $-5x + \frac{1}{5} = 1$

7. $0 = \frac{2}{3}x - \frac{1}{5}$

3. $4 = \frac{1}{10}x - \frac{7}{9}$

8. $-\frac{8}{11}x - \frac{3}{5} = 0$

4. $-\frac{5}{11}x - \frac{7}{10} = 0$

9. $\frac{5}{8}x - \frac{1}{7} = 0$

5. $-\frac{4}{5}x - \frac{1}{6} = 0$

10. $0 = -\frac{1}{2}x + \frac{1}{5}$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759056

1. $-4 = -\frac{7}{8}x - \frac{7}{8}$

6. $-\frac{1}{6}x + \frac{5}{8} = 1$

2. $-\frac{1}{2} = -4x + \frac{1}{5}$

7. $-2x + 4 = -4x - \frac{6}{7}$

3. $0 = \frac{1}{4}x + \frac{5}{11}$

8. $1 = -\frac{2}{5}x - \frac{2}{7}$

4. $3x - \frac{1}{12} = -\frac{3}{11}$

9. $2x = 5x - \frac{1}{4}$

5. $5 = \frac{7}{8}x - \frac{3}{4}$

10. $2 = \frac{5}{8}x + \frac{2}{3}$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759057

1. $-\frac{5}{7} = -x + \frac{1}{11}$

6. $-5 = -\frac{5}{6}x + \frac{2}{3}$

2. $\frac{1}{3}x + \frac{5}{8} = -3$

7. $4 = -\frac{3}{11}x - \frac{4}{9}$

3. $0 = \frac{2}{9}x + \frac{4}{9}$

8. $\frac{9}{11}x - \frac{3}{11} = -4$

4. $-\frac{5}{9}x + \frac{2}{5} = 3$

9. $-x + \frac{1}{11} = 2$

5. $2x + \frac{5}{8} = -2$

10. $-\frac{2}{9} = -5x + \frac{8}{9}$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759058

1. $1 = 5x - \frac{3}{10}$

6. $-4 = \frac{3}{8}x - \frac{2}{3}$

2. $-\frac{10}{11}x - \frac{1}{8} = 0$

7. $\frac{2}{7} = 2x - \frac{8}{11}$

3. $-\frac{3}{11}x - \frac{3}{5} = 0$

8. $-5x + \frac{1}{2} = 2x + 3$

4. $-3x = 2x + \frac{1}{10}$

9. $2x + \frac{1}{2} = -2$

5. $3x + \frac{1}{2} = -3$

10. $3 = 4x + \frac{3}{11}$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759059

1. $1 = -x + \frac{9}{10}$

6. $1 = 4x + \frac{8}{9}$

2. $-x + \frac{1}{5} = \frac{7}{8}$

7. $-\frac{6}{11}x + \frac{1}{10} = 0$

3. $-5x + \frac{1}{5} = \frac{1}{3}$

8. $4x - \frac{5}{7} = -4x$

4. $-2x = -5x - \frac{1}{4}$

9. $4 = 2x + \frac{1}{5}$

5. $3 = -\frac{8}{11}x - \frac{3}{7}$

10. $5x - \frac{5}{7} = 3x - 5$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759060

1. $-x - \frac{3}{4} = 3x$

6. $4 = 3x - \frac{1}{9}$

2. $4 = -x - \frac{9}{10}$

7. $\frac{2}{5}x + \frac{2}{3} = -4$

3. $-\frac{4}{5}x - \frac{8}{11} = 0$

8. $x - \frac{1}{4} = 5x$

4. $5 = -4x + \frac{3}{4}$

9. $3 = -x + \frac{2}{3}$

5. $-\frac{1}{2}x + \frac{4}{7} = 0$

10. $-\frac{1}{4}x - \frac{3}{10} = 0$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759061

1. $-\frac{10}{11}x - \frac{2}{7} = -4$

6. $-5 = \frac{2}{3}x + \frac{1}{3}$

2. $1 = -2x - \frac{1}{9}$

7. $5 = \frac{1}{2}x + \frac{1}{2}$

3. $5x - 1 = -5x - \frac{1}{9}$

8. $2x + \frac{5}{9} = 4x$

4. $4 = \frac{8}{9}x - \frac{1}{2}$

9. $-2x + \frac{2}{3} = -3$

5. $-\frac{4}{5} = x + \frac{1}{2}$

10. $\frac{1}{9}x + \frac{4}{9} = 0$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759062

1. $x + 5 = 5x - \frac{3}{7}$

6. $x - \frac{1}{12} = -2$

2. $5x = -5x + \frac{1}{6}$

7. $-1 = -\frac{5}{6}x + \frac{1}{5}$

3. $5x - \frac{3}{8} = -1$

8. $-\frac{7}{11}x + \frac{2}{5} = -1$

4. $4x - 2 = -2x - \frac{1}{5}$

9. $\frac{2}{9}x - \frac{8}{11} = 0$

5. $x + \frac{6}{11} = -5$

10. $3x + \frac{7}{11} = -5$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759063

1. $3 = 5x + \frac{2}{3}$

6. $3x + \frac{9}{11} = -\frac{3}{7}$

2. $-4 = -3x + \frac{1}{2}$

7. $\frac{1}{6}x - \frac{4}{9} = 0$

3. $-\frac{1}{6}x - \frac{3}{10} = 0$

8. $\frac{4}{5}x + \frac{5}{7} = 5$

4. $3x - \frac{1}{3} = -5$

9. $-\frac{1}{3}x - \frac{4}{5} = 0$

5. $-\frac{1}{2} = 5x + \frac{4}{5}$

10. $-\frac{1}{5}x - \frac{1}{8} = 0$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759064

1. $-x + \frac{7}{9} = 1$

6. $5 = \frac{3}{5}x + \frac{2}{7}$

2. $-2x = -x - \frac{5}{6}$

7. $-\frac{1}{3} = 5x - \frac{7}{10}$

3. $-2x = x - \frac{1}{5}$

8. $5x + \frac{3}{8} = \frac{5}{8}$

4. $\frac{3}{4}x - \frac{5}{8} = 0$

9. $-2x - \frac{3}{10} = -\frac{7}{10}$

5. $-\frac{4}{7}x + \frac{2}{3} = 0$

10. $-5x - \frac{6}{7} = -\frac{3}{7}$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759065

1. $-5 = -\frac{2}{5}x + \frac{2}{3}$

6. $3 = 5x - \frac{1}{4}$

2. $-2x + \frac{4}{5} = -3$

7. $2x = -5x - \frac{4}{11}$

3. $2x + \frac{2}{9} = -1$

8. $0 = \frac{2}{9}x + \frac{4}{5}$

4. $5x + \frac{2}{3} = -3x$

9. $5 = 2x - \frac{1}{4}$

5. $-3 = -5x + \frac{5}{7}$

10. $\frac{1}{6}x - \frac{2}{9} = 0$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759066

1. $-\frac{3}{7}x + \frac{5}{7} = 0$

6. $0 = \frac{9}{11}x - \frac{4}{5}$

2. $-5 = \frac{5}{7}x - \frac{6}{11}$

7. $\frac{4}{5}x - \frac{1}{5} = -3$

3. $-5x + \frac{7}{8} = \frac{2}{3}$

8. $\frac{6}{11}x + \frac{2}{5} = 2$

4. $\frac{5}{6}x + \frac{5}{8} = 0$

9. $-\frac{3}{5}x + \frac{1}{4} = 0$

5. $1 = \frac{1}{8}x + \frac{3}{4}$

10. $x + 1 = -5x + \frac{1}{12}$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759067

1. $\frac{4}{7}x - \frac{4}{7} = 0$

6. $3 = -2x - \frac{2}{5}$

2. $\frac{2}{5} = -3x + \frac{6}{7}$

7. $2x + \frac{1}{3} = 5$

3. $\frac{6}{7} = 4x + \frac{5}{9}$

8. $-\frac{1}{5}x + \frac{7}{8} = 0$

4. $3x + \frac{1}{2} = -2x$

9. $-x + \frac{3}{7} = 1$

5. $-4 = -x - \frac{1}{2}$

10. $-\frac{1}{2} = -3x + \frac{1}{3}$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759068

1. $-3x + 3 = -x + \frac{2}{3}$

6. $-\frac{11}{12} = 5x + \frac{1}{5}$

2. $-5x - \frac{3}{4} = 2x$

7. $-x - \frac{1}{6} = 3x$

3. $\frac{4}{7}x + \frac{1}{11} = 0$

8. $-\frac{3}{11}x + \frac{1}{10} = -4$

4. $\frac{1}{8} = -2x + \frac{5}{6}$

9. $4 = \frac{3}{5}x + \frac{5}{6}$

5. $3 = -\frac{1}{11}x - \frac{2}{11}$

10. $-\frac{1}{4}x + \frac{7}{9} = 0$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759069

1. $\frac{10}{11}x - \frac{1}{6} = 0$

6. $\frac{3}{8}x + \frac{3}{10} = 0$

2. $4 = -\frac{6}{7}x + \frac{2}{5}$

7. $-\frac{5}{12}x - \frac{1}{4} = 0$

3. $-\frac{3}{4}x + \frac{2}{5} = 0$

8. $-\frac{6}{7}x - \frac{1}{4} = 0$

4. $4x + \frac{1}{4} = -5$

9. $-\frac{5}{12} = -5x + \frac{3}{4}$

5. $-5x + \frac{5}{9} = 2$

10. $x - \frac{3}{5} = 5x - 2$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759070

1. $4 = -\frac{6}{7}x - \frac{8}{11}$

6. $-x + \frac{9}{10} = -3$

2. $-2 = -3x - \frac{3}{4}$

7. $3x + \frac{5}{6} = -\frac{1}{7}$

3. $\frac{3}{7} = 3x + \frac{4}{7}$

8. $-3 = -\frac{2}{7}x + \frac{3}{4}$

4. $-\frac{3}{10} = -5x + \frac{2}{3}$

9. $\frac{1}{6} = 3x + \frac{6}{7}$

5. $-\frac{5}{9}x + \frac{6}{7} = 0$

10. $-\frac{5}{6} = -5x - \frac{5}{7}$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759071

1. $-3 = 4x + \frac{1}{8}$

6. $3x - \frac{9}{11} = 5$

2. $-2x = -x - \frac{4}{5}$

7. $3x = -2x - \frac{9}{11}$

3. $2x - 1 = -5x - \frac{1}{9}$

8. $-\frac{5}{8} = 5x - \frac{2}{5}$

4. $-x - \frac{2}{5} = -3$

9. $\frac{1}{4} = x - \frac{6}{7}$

5. $\frac{2}{7}x - \frac{1}{11} = 0$

10. $\frac{3}{10}x - \frac{4}{11} = 2$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759072

1. $3 = -\frac{2}{3}x - \frac{10}{11}$

6. $\frac{1}{6} = -5x - \frac{5}{8}$

2. $-3 = -\frac{2}{11}x - \frac{5}{8}$

7. $\frac{2}{3}x + \frac{5}{6} = 0$

3. $2 = 5x - \frac{3}{4}$

8. $-\frac{5}{9}x + \frac{9}{10} = 4$

4. $5 = -5x + \frac{3}{8}$

9. $-3x + \frac{1}{10} = -x$

5. $0 = -\frac{7}{8}x + \frac{2}{7}$

10. $-\frac{2}{5}x + \frac{7}{10} = 5$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759073

1. $3x - \frac{4}{5} = \frac{2}{3}$

6. $2x + \frac{1}{2} = 4$

2. $\frac{5}{9}x + \frac{5}{11} = 0$

7. $-2x + 2 = 4x + \frac{8}{11}$

3. $\frac{1}{8} = -4x + \frac{5}{12}$

8. $-4x - \frac{8}{9} = 5$

4. $-\frac{7}{12}x - \frac{1}{5} = 0$

9. $\frac{3}{4} = -2x - \frac{3}{7}$

5. $\frac{5}{11}x + \frac{8}{11} = 0$

10. $0 = -\frac{2}{3}x + \frac{3}{4}$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759074

1. $-2x + \frac{6}{11} = 4x$

6. $-\frac{1}{7} = -5x + \frac{3}{8}$

2. $3 = \frac{1}{12}x - \frac{5}{6}$

7. $-2x + \frac{1}{4} = -4$

3. $2 = -3x + \frac{1}{10}$

8. $-3x + \frac{1}{5} = -4$

4. $-1 = -4x - \frac{4}{5}$

9. $5 = \frac{1}{2}x - \frac{6}{11}$

5. $x + \frac{7}{8} = -4$

10. $-\frac{2}{3} = 3x + \frac{2}{9}$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759075

1. $-\frac{5}{12}x - \frac{4}{7} = -1$

6. $4x = -4x - \frac{2}{5}$

2. $\frac{4}{9}x + \frac{5}{8} = 0$

7. $\frac{1}{7}x + \frac{6}{7} = 0$

3. $5 = 3x - \frac{1}{12}$

8. $\frac{9}{11}x - \frac{3}{10} = 0$

4. $5x + \frac{1}{11} = 2x - 2$

9. $\frac{2}{3}x + \frac{1}{5} = 2$

5. $\frac{2}{5}x - \frac{4}{11} = 0$

10. $\frac{8}{9}x - \frac{8}{9} = 0$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759076

1. $-\frac{1}{6}x + \frac{7}{9} = 0$

6. $-5x - \frac{4}{11} = 5x + 3$

2. $-\frac{1}{9} = 3x - \frac{1}{6}$

7. $-4 = \frac{3}{5}x + \frac{2}{3}$

3. $-3 = -\frac{5}{9}x - \frac{3}{8}$

8. $\frac{3}{11}x + \frac{1}{9} = 0$

4. $\frac{1}{2} = 5x + \frac{8}{9}$

9. $4x - \frac{7}{11} = -5x$

5. $-\frac{1}{9}x - \frac{1}{4} = 0$

10. $-4x - \frac{1}{8} = \frac{1}{6}$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759077

1. $-4x + \frac{1}{3} = -\frac{3}{7}$

6. $-\frac{5}{7} = 3x + \frac{1}{5}$

2. $\frac{5}{8}x + \frac{5}{11} = 0$

7. $-\frac{5}{7} = -3x - \frac{3}{5}$

3. $5x + \frac{5}{9} = 1$

8. $5x - \frac{5}{8} = 4x$

4. $4x - \frac{3}{8} = -\frac{1}{10}$

9. $-3x - 3 = 4x + \frac{1}{3}$

5. $3x - 3 = x - \frac{8}{9}$

10. $-2x + \frac{5}{11} = 4x - 1$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759078

1. $-\frac{1}{10}x - \frac{3}{4} = 0$

6. $-2x - 1 = 2x - \frac{5}{9}$

2. $-3x + \frac{4}{5} = 3x + 3$

7. $-5x + 3 = -x + \frac{3}{7}$

3. $\frac{8}{9}x - \frac{3}{4} = 0$

8. $\frac{9}{11}x + \frac{6}{7} = 3$

4. $2x - \frac{1}{9} = -\frac{1}{7}$

9. $-5x - \frac{1}{2} = 1$

5. $-5 = x - \frac{1}{3}$

10. $-5 = 5x - \frac{2}{7}$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759079

1. $-\frac{7}{8}x + \frac{1}{5} = 0$

6. $-\frac{4}{7}x + \frac{5}{6} = -3$

2. $4x + \frac{2}{3} = 5$

7. $-\frac{1}{5}x + \frac{7}{8} = 0$

3. $\frac{2}{3} = -3x - \frac{5}{6}$

8. $0 = \frac{1}{2}x + \frac{1}{2}$

4. $4x - \frac{7}{8} = -1$

9. $-2 = 5x - \frac{4}{11}$

5. $\frac{1}{12}x - \frac{2}{11} = 0$

10. $-3x + \frac{1}{5} = 2$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759080

1. $x - \frac{2}{3} = \frac{6}{7}$

6. $\frac{5}{8}x - \frac{1}{4} = 3$

2. $\frac{9}{10} = 2x + \frac{4}{5}$

7. $-\frac{9}{11}x + \frac{3}{5} = 0$

3. $-\frac{3}{8}x + \frac{1}{2} = 0$

8. $0 = \frac{2}{11}x - \frac{5}{7}$

4. $-\frac{4}{5}x - \frac{1}{6} = 0$

9. $-\frac{7}{9}x + \frac{8}{11} = 0$

5. $4x = -3x - \frac{7}{11}$

10. $x - 4 = -x - \frac{5}{9}$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759081

1. $-\frac{4}{9}x + \frac{3}{5} = -2$

6. $-\frac{3}{4}x + \frac{1}{7} = 0$

2. $\frac{4}{5}x - \frac{3}{4} = 2$

7. $\frac{9}{10}x - \frac{2}{11} = 0$

3. $3 = 4x - \frac{9}{10}$

8. $-\frac{7}{8}x - \frac{4}{5} = 4$

4. $3 = -x + \frac{1}{8}$

9. $-5x + 4 = -3x - \frac{3}{7}$

5. $\frac{3}{11}x - \frac{4}{9} = -1$

10. $-2 = 4x + \frac{1}{2}$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759082

1. $-\frac{1}{11}x + \frac{2}{3} = 0$

6. $-\frac{1}{2} = 4x - \frac{1}{3}$

2. $2x - \frac{5}{11} = 1$

7. $3 = -5x - \frac{2}{11}$

3. $\frac{4}{7}x + \frac{2}{5} = 0$

8. $5 = -\frac{1}{8}x - \frac{6}{7}$

4. $-4x + \frac{2}{3} = -5x - 3$

9. $-x = -5x - \frac{3}{10}$

5. $5x + \frac{1}{2} = -\frac{9}{10}$

10. $-\frac{1}{6}x + \frac{9}{11} = -5$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759083

1. $3x + \frac{1}{7} = -4$

6. $\frac{1}{7}x - \frac{4}{7} = 0$

2. $-\frac{7}{10}x - \frac{3}{4} = 0$

7. $2x - \frac{2}{5} = -5$

3. $-\frac{2}{3}x + \frac{5}{9} = 0$

8. $3x - \frac{7}{12} = 5$

4. $4 = -3x - \frac{7}{9}$

9. $-3x - \frac{1}{2} = 5$

5. $0 = -\frac{3}{7}x - \frac{5}{7}$

10. $-\frac{2}{5}x - \frac{3}{5} = -5$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759084

1. $\frac{7}{12}x - \frac{7}{12} = 0$

6. $4x - \frac{1}{2} = -5x$

2. $-\frac{5}{11} = -x - \frac{2}{9}$

7. $-\frac{1}{5}x - \frac{4}{11} = 3$

3. $x - \frac{2}{3} = -x$

8. $-4x + \frac{1}{6} = -5x$

4. $-1 = 4x - \frac{5}{9}$

9. $5 = -\frac{9}{11}x + \frac{7}{8}$

5. $\frac{5}{8}x - \frac{1}{4} = 0$

10. $3 = -\frac{3}{11}x - \frac{6}{11}$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759085

1. $-x - \frac{5}{7} = 3$

6. $-\frac{2}{7}x + \frac{5}{9} = 0$

2. $-\frac{3}{8}x - \frac{7}{10} = -1$

7. $-1 = 3x - \frac{3}{4}$

3. $\frac{1}{7}x + \frac{1}{8} = 0$

8. $-\frac{1}{5}x + \frac{1}{3} = 0$

4. $3x + \frac{1}{3} = -4$

9. $3 = 4x - \frac{3}{8}$

5. $\frac{3}{5} = 4x + \frac{4}{7}$

10. $-4x + \frac{1}{4} = \frac{1}{2}$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759086

1. $2 = -2x - \frac{1}{11}$

6. $5x = 3x - \frac{9}{10}$

2. $-4x + \frac{1}{4} = 3$

7. $-x - \frac{4}{5} = -3$

3. $-2x + \frac{3}{4} = -3$

8. $5x - \frac{4}{5} = -2x + 5$

4. $5x - \frac{3}{10} = 3$

9. $5x = -3x + \frac{5}{6}$

5. $2x - \frac{1}{10} = -3$

10. $3x = 2x + \frac{1}{5}$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759087

1. $-4 = \frac{3}{8}x + \frac{1}{7}$

6. $-\frac{4}{5}x - \frac{1}{5} = 0$

2. $5 = 4x - \frac{1}{4}$

7. $\frac{5}{9} = -x + \frac{1}{3}$

3. $-\frac{5}{9}x - \frac{1}{2} = -3$

8. $-\frac{7}{10}x - \frac{2}{7} = 0$

4. $-\frac{1}{12} = -4x - \frac{7}{8}$

9. $\frac{1}{7}x - \frac{1}{11} = 0$

5. $-\frac{5}{9}x + \frac{3}{7} = 3$

10. $-\frac{3}{10}x + \frac{1}{5} = 0$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759088

1. $2x + \frac{2}{7} = -\frac{2}{11}$

6. $-\frac{1}{10}x - \frac{3}{10} = 0$

2. $-x + \frac{2}{11} = -4$

7. $-\frac{3}{10}x - \frac{7}{9} = -3$

3. $\frac{7}{10}x + \frac{1}{3} = -3$

8. $\frac{7}{11} = 2x + \frac{7}{11}$

4. $\frac{1}{7}x - \frac{1}{9} = 0$

9. $3 = 4x + \frac{2}{5}$

5. $-\frac{1}{9}x + \frac{2}{7} = 0$

10. $\frac{1}{2} = 3x - \frac{2}{7}$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759089

1. $-3x + \frac{5}{11} = \frac{3}{7}$

6. $4x + \frac{1}{8} = x$

2. $0 = \frac{1}{11}x + \frac{7}{10}$

7. $2 = -5x + \frac{8}{9}$

3. $1 = 4x - \frac{5}{9}$

8. $-3 = -4x - \frac{1}{11}$

4. $-\frac{2}{5}x + \frac{1}{4} = 5$

9. $-5x = 2x + \frac{5}{7}$

5. $-5 = \frac{3}{5}x - \frac{1}{3}$

10. $4 = \frac{5}{7}x + \frac{1}{4}$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759090

1. $\frac{6}{11}x + \frac{1}{2} = 3$

6. $-3x + \frac{8}{9} = -\frac{1}{4}$

2. $\frac{5}{11} = 2x + \frac{1}{6}$

7. $-\frac{7}{11}x - \frac{7}{11} = 0$

3. $3 = -\frac{6}{7}x + \frac{1}{7}$

8. $\frac{2}{7} = -5x + \frac{8}{9}$

4. $0 = -\frac{5}{12}x - \frac{7}{10}$

9. $\frac{1}{9}x - \frac{1}{11} = -2$

5. $-\frac{2}{7}x + \frac{2}{7} = 0$

10. $\frac{2}{3} = -3x - \frac{3}{4}$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759091

1. $-4x - \frac{1}{3} = 2$

6. $5x + \frac{4}{9} = -\frac{2}{9}$

2. $-1 = -5x + \frac{3}{7}$

7. $-2x - \frac{1}{8} = 5$

3. $-2 = -4x + \frac{3}{10}$

8. $\frac{2}{3}x - \frac{2}{5} = 0$

4. $-3x - \frac{2}{5} = -2$

9. $-5x - \frac{5}{6} = 3x - 3$

5. $-2x - 2 = 5x - \frac{2}{3}$

10. $x + 4 = 3x + \frac{4}{9}$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759092

1. $-\frac{1}{6}x + \frac{6}{11} = 0$

6. $-4 = \frac{4}{7}x - \frac{7}{12}$

2. $4x - 1 = 3x - \frac{5}{6}$

7. $-\frac{8}{9}x - \frac{5}{8} = 0$

3. $-5 = 5x - \frac{8}{9}$

8. $-5x - \frac{5}{8} = 4x$

4. $-2x + \frac{3}{11} = 2$

9. $-5x + \frac{5}{9} = -x$

5. $\frac{4}{5}x - \frac{3}{8} = 0$

10. $4x = -4x - \frac{5}{6}$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759093

1. $4x + \frac{9}{11} = 2x$

6. $-3x + \frac{3}{5} = 2$

2. $x - \frac{1}{4} = -\frac{1}{7}$

7. $-\frac{5}{6} = 3x + \frac{2}{9}$

3. $-2 = \frac{1}{5}x - \frac{1}{5}$

8. $-3x + \frac{4}{11} = 4x$

4. $\frac{9}{11}x - \frac{4}{7} = 0$

9. $-1 = \frac{5}{9}x + \frac{5}{8}$

5. $2x - \frac{2}{3} = 5x + 4$

10. $-2 = -\frac{1}{2}x + \frac{1}{3}$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759094

1. $-4x = 2x - \frac{5}{6}$

6. $x + \frac{4}{9} = -3x + 2$

2. $\frac{2}{7}x - \frac{5}{6} = 2$

7. $-\frac{2}{5}x + \frac{3}{4} = 0$

3. $-2x + \frac{1}{11} = -4x - 5$

8. $-3 = -x - \frac{2}{3}$

4. $-\frac{3}{11}x - \frac{1}{6} = 0$

9. $\frac{7}{10}x - \frac{5}{8} = 0$

5. $-3x - 1 = -x - \frac{4}{5}$

10. $3 = -\frac{2}{7}x + \frac{2}{7}$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759095

1. $-\frac{7}{10}x - \frac{1}{3} = 0$

6. $1 = -\frac{6}{7}x + \frac{1}{7}$

2. $-\frac{3}{8}x + \frac{8}{11} = 4$

7. $1 = \frac{5}{6}x + \frac{2}{3}$

3. $-\frac{1}{2} = -3x - \frac{1}{8}$

8. $-\frac{2}{7} = -2x + \frac{1}{3}$

4. $\frac{2}{3}x - \frac{2}{5} = 0$

9. $\frac{5}{6}x + \frac{9}{10} = 0$

5. $4x + \frac{1}{8} = 5x + 2$

10. $3x = x - \frac{6}{7}$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759096

1. $3x - \frac{2}{5} = \frac{3}{5}$

6. $-x + \frac{3}{4} = -3$

2. $\frac{4}{7}x - \frac{1}{4} = 0$

7. $-x - \frac{5}{6} = -4$

3. $2x + \frac{6}{11} = -x$

8. $\frac{1}{10}x + \frac{1}{9} = 0$

4. $\frac{7}{10}x - \frac{1}{2} = -2$

9. $-\frac{1}{2}x + \frac{1}{5} = 3$

5. $-\frac{3}{5}x - \frac{2}{3} = 1$

10. $-2x - \frac{7}{10} = 1$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759097

1. $2 = -2x - \frac{4}{5}$

6. $-2 = 2x - \frac{2}{9}$

2. $5 = 2x + \frac{1}{5}$

7. $\frac{1}{5}x - \frac{4}{9} = 0$

3. $-4x - \frac{3}{4} = 4$

8. $x - \frac{3}{4} = 5x - 1$

4. $-3x + \frac{1}{4} = -2x$

9. $\frac{4}{11}x + \frac{2}{3} = 0$

5. $-\frac{7}{10} = 5x + \frac{1}{2}$

10. $0 = -\frac{8}{9}x - \frac{1}{3}$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759098

1. $-4x + \frac{3}{8} = 2x - 5$

6. $-5x - 2 = 2x + \frac{3}{11}$

2. $0 = \frac{7}{8}x + \frac{3}{10}$

7. $4x + \frac{3}{4} = -5x + 5$

3. $x = -5x - \frac{1}{11}$

8. $-2x - \frac{1}{3} = -x$

4. $3 = -\frac{2}{7}x - \frac{4}{5}$

9. $-\frac{1}{3} = -x + \frac{5}{11}$

5. $\frac{1}{7}x + \frac{5}{7} = 3$

10. $\frac{2}{3}x + \frac{1}{10} = 0$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759099

1. $-\frac{1}{6}x + \frac{7}{10} = 0$

6. $-5 = -\frac{2}{5}x - \frac{1}{4}$

2. $-\frac{1}{4}x + \frac{1}{7} = -2$

7. $-2 = -\frac{3}{10}x + \frac{1}{8}$

3. $x = 4x - \frac{5}{8}$

8. $0 = \frac{1}{2}x + \frac{6}{7}$

4. $\frac{7}{9} = 5x - \frac{1}{5}$

9. $-\frac{2}{11} = -2x - \frac{6}{7}$

5. $\frac{2}{5} = x - \frac{1}{5}$

10. $-\frac{1}{7} = -x + \frac{3}{7}$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQF8759100

1. $-\frac{8}{9}x + \frac{1}{9} = 0$

6. $\frac{2}{3}x + \frac{1}{12} = 0$

2. $\frac{1}{4}x + \frac{4}{5} = 0$

7. $1 = -\frac{1}{3}x - \frac{2}{3}$

3. $3 = \frac{3}{10}x + \frac{1}{6}$

8. $-3x + \frac{1}{2} = -4x$

4. $0 = \frac{2}{11}x - \frac{9}{10}$

9. $-3 = -x - \frac{1}{9}$

5. $3 = 5x - \frac{7}{11}$

10. $4x - 5 = 5x + \frac{3}{5}$

Document No. EQF8759001

1. $\frac{19}{25}$
2. $-\frac{13}{72}$

3. $\frac{9}{22}$
4. $-\frac{34}{7}$
5. $-\frac{11}{9}$
6. $\frac{19}{25}$
7. $\frac{126}{59}$
8. $\frac{11}{9}$
9. $-\frac{2}{77}$
10. $-\frac{15}{22}$

Document No. EQF8759002

1. $\frac{418}{9}$
2. $\frac{41}{7}$
3. $\frac{7}{8}$
4. $-\frac{3}{10}$
5. $\frac{12}{11}$
6. $\frac{27}{16}$
7. $\frac{56}{54}$
8. $-\frac{1}{2}$
9. $-\frac{11}{14}$
10. $\frac{187}{50}$

Document No. EQF8759003

1. $\frac{11}{7}$
2. -6
3. $-\frac{55}{7}$
4. $-\frac{42}{55}$
5. $-\frac{39}{29}$
6. $\frac{1}{21}$
7. $-\frac{195}{28}$
8. $-\frac{8}{3}$
9. $\frac{1}{4}$
10. $\frac{32}{5}$

Document No. EQF8759004

1. $\frac{23}{35}$
2. $-\frac{1}{6}$
3. $-\frac{9}{77}$
4. $\frac{93}{70}$
5. $\frac{5}{7}$
6. $-\frac{45}{4}$
7. $\frac{122}{495}$
8. $-\frac{13}{4}$
9. $-\frac{23}{10}$
10. $-\frac{36}{35}$

Document No. EQF8759005

1. $\frac{37}{36}$

2. $-\frac{11}{10}$
3. $-\frac{16}{55}$
4. $\frac{1}{24}$
5. $\frac{31}{2}$
6. $\frac{15}{2}$
7. $-\frac{3}{2}$
8. $-\frac{53}{55}$
9. $\frac{23}{35}$
10. $-\frac{8}{7}$

Document No. EQF8759006

1. $-\frac{10}{7}$
2. $-\frac{23}{36}$
3. $-\frac{13}{40}$
4. $\frac{40}{33}$
5. $\frac{16}{25}$
6. $\frac{3}{8}$
7. $\frac{24}{49}$
8. $\frac{28}{9}$
9. $-\frac{7}{12}$
10. $\frac{7}{3}$

Document No. EQF8759007

1. $-\frac{297}{35}$
2. $-\frac{11}{18}$
3. $\frac{22}{9}$
4. $\frac{11}{13}$
5. $\frac{13}{5}$
6. $-\frac{8}{27}$
7. $\frac{363}{7}$
8. $\frac{9}{8}$
9. $-\frac{29}{72}$
10. $\frac{22}{3}$

Document No. EQF8759008

1. $\frac{28}{9}$
2. $\frac{172}{5}$
3. $-\frac{70}{27}$
4. $\frac{2}{33}$
5. -25
6. $\frac{65}{396}$
7. $\frac{17}{16}$
8. $-\frac{12}{11}$
9. $-\frac{11}{360}$
10. $-\frac{14}{3}$

Document No. EQF8759009

1. $\frac{1}{11}$
2. $-\frac{80}{21}$
3. $\frac{19}{8}$
4. $-\frac{26}{45}$
5. $-\frac{1}{4}$
6. $\frac{23}{15}$
7. $\frac{20}{21}$
8. $\frac{5}{21}$
9. $-\frac{3}{14}$
10. $-\frac{37}{3}$

Document No. EQF8759010

1. $-\frac{275}{9}$
2. $-\frac{39}{176}$
3. $\frac{4}{55}$
4. $\frac{7}{4}$
5. $-\frac{13}{132}$
6. $-\frac{217}{24}$
7. $\frac{1}{20}$
8. $\frac{28}{11}$
9. $-\frac{5}{3}$
10. $-\frac{65}{216}$

Document No. EQF8759011

1. $-\frac{2}{11}$
2. $\frac{31}{20}$
3. $-\frac{10}{63}$
4. $-\frac{52}{5}$
5. $\frac{13}{32}$
6. $-\frac{28}{45}$
7. $-\frac{2}{15}$
8. $-\frac{26}{3}$
9. $\frac{8}{5}$
10. $-\frac{33}{5}$

Document No. EQF8759012

1. $\frac{12}{77}$
2. $-\frac{5}{6}$
3. $-\frac{23}{12}$
4. $-\frac{5}{3}$
5. $\frac{58}{33}$
6. $\frac{29}{40}$
7. $\frac{33}{16}$
8. -1
9. $-\frac{2}{11}$
10. $-\frac{21}{10}$

Document No. EQF8759013

1. 2
2. $-\frac{49}{50}$
3. $-\frac{17}{3}$
4. $-\frac{13}{18}$
5. $-\frac{3}{14}$
6. $-\frac{1}{10}$
7. $-\frac{11}{8}$
8. $\frac{41}{27}$
9. $\frac{5}{7}$
10. $\frac{17}{36}$

Document No. EQF8759014

1. $\frac{88}{45}$
2. $\frac{5}{8}$
3. $-\frac{75}{44}$
4. $\frac{1}{12}$
5. $-\frac{37}{18}$
6. $-\frac{1}{4}$
7. $\frac{1}{44}$
8. $-\frac{329}{55}$
9. $\frac{13}{33}$
10. $-\frac{3}{7}$

Document No. EQF8759015

1. -5
2. $\frac{36}{7}$
3. $-\frac{17}{48}$
4. $-\frac{370}{11}$
5. $\frac{16}{7}$
6. $-\frac{18}{7}$
7. $-\frac{41}{84}$
8. $\frac{8}{175}$
9. $\frac{40}{33}$
10. $\frac{21}{16}$

Document No. EQF8759016

1. $\frac{3}{44}$
2. $-\frac{11}{7}$
3. $\frac{8}{9}$
4. $-\frac{1}{6}$
5. $-\frac{10}{21}$
6. $-\frac{105}{16}$
7. $\frac{7}{6}$
8. $-\frac{23}{44}$
9. -2
10. $-\frac{55}{54}$

Document No. EQF8759017

1. $-\frac{144}{35}$
2. $-\frac{4}{7}$
3. $-\frac{49}{20}$
4. $\frac{13}{25}$
5. $\frac{15}{15}$
6. $\frac{16}{16}$
7. $\frac{9}{9}$
8. $\frac{14}{25}$
9. $-\frac{5}{3}$
10. $\frac{11}{45}$

Document No. EQF8759018

1. $-\frac{2}{33}$
2. $\frac{1}{2}$
3. $-\frac{14}{55}$
4. $-\frac{48}{35}$
5. $-\frac{11}{14}$
6. $\frac{1}{30}$
7. $-\frac{36}{11}$
8. $\frac{5}{18}$
9. $-\frac{44}{7}$
10. $-\frac{18}{5}$

Document No. EQF8759019

1. $\frac{14}{45}$
2. $-\frac{2}{45}$
3. $\frac{17}{35}$
4. $-\frac{13}{8}$
5. $-\frac{41}{11}$
6. $\frac{23}{36}$
7. $-\frac{3}{20}$
8. $-\frac{3}{8}$
9. $-\frac{59}{300}$
10. $-\frac{91}{48}$

Document No. EQF8759020

1. $-\frac{9}{4}$
2. $\frac{5}{7}$
3. $-\frac{1}{20}$
4. $-\frac{5}{81}$
5. $\frac{11}{32}$
6. $-\frac{34}{21}$
7. 2
8. $-\frac{31}{27}$
9. $\frac{101}{176}$

10. $-\frac{16}{7}$

Document No. EQF8759021

1. $\frac{28}{5}$
2. $\frac{4}{5}$
3. $\frac{10}{7}$
4. $\frac{6}{5}$
5. $-\frac{42}{11}$
6. $\frac{42}{11}$
7. $-\frac{13}{18}$
8. $-\frac{49}{90}$
9. $-\frac{6}{11}$
10. $-\frac{40}{99}$

Document No. EQF8759022

1. $\frac{12}{5}$
2. $-\frac{384}{35}$
3. $\frac{1}{42}$
4. $-\frac{287}{36}$
5. $-\frac{8}{3}$
6. $\frac{11}{21}$
7. $\frac{14}{5}$
8. $-\frac{15}{22}$
9. $\frac{41}{28}$
10. $-\frac{52}{33}$

Document No. EQF8759023

1. $\frac{13}{33}$
2. $\frac{9}{54}$
3. $-\frac{3}{14}$
4. $-\frac{33}{28}$
5. $\frac{8}{11}$
6. $-\frac{99}{5}$
7. $\frac{2}{21}$
8. $-\frac{2}{3}$
9. $\frac{7}{16}$
10. $-\frac{5}{22}$

Document No. EQF8759024

1. $\frac{4}{9}$
2. $-\frac{21}{16}$
3. $\frac{11}{10}$
4. $-\frac{37}{32}$
5. $-\frac{5}{297}$
6. $\frac{15}{7}$
7. $\frac{37}{360}$
8. $-\frac{17}{4}$

9. $\frac{140}{9}$
10. 22

Document No. EQF8759025

1. $\frac{40}{9}$
2. $-\frac{14}{45}$
3. 7
4. $-\frac{15}{16}$
5. $-\frac{47}{90}$
6. $\frac{13}{20}$
7. $-\frac{7}{54}$
8. $-\frac{9}{25}$
9. $-\frac{1}{12}$
10. $-\frac{7}{8}$

Document No. EQF8759026

1. $\frac{9}{2}$
2. 4
3. $\frac{32}{45}$
4. $\frac{7}{160}$
5. $\frac{3}{14}$
6. $-\frac{11}{36}$
7. $\frac{8}{45}$
8. 1
9. $-\frac{17}{20}$
10. $-\frac{7}{11}$

Document No. EQF8759027

1. $\frac{11}{10}$
2. $-\frac{20}{3}$
3. $\frac{121}{72}$
4. $-\frac{341}{63}$
5. $-\frac{5}{11}$
6. $\frac{31}{24}$
7. $\frac{235}{12}$
8. $\frac{40}{27}$
9. $-\frac{25}{54}$
10. $\frac{47}{3}$

Document No. EQF8759028

1. $\frac{1}{44}$
2. $\frac{12}{25}$
3. $-\frac{35}{16}$
4. $\frac{37}{4}$
5. $\frac{4}{9}$
6. $-\frac{34}{77}$
7. 0

8. $-\frac{80}{77}$
9. $-\frac{44}{9}$
10. $-\frac{41}{21}$

Document No. EQF8759029

1. $\frac{275}{9}$
2. $\frac{11}{6}$
3. $-\frac{9}{70}$
4. $\frac{8}{27}$
5. $\frac{3}{22}$
6. $-\frac{13}{10}$
7. $\frac{12}{23}$
8. $\frac{11}{60}$
9. $-\frac{1}{6}$
10. $\frac{14}{99}$

Document No. EQF8759030

1. $-\frac{6}{7}$
2. $\frac{25}{22}$
3. $\frac{1}{48}$
4. $-\frac{46}{27}$
5. $\frac{13}{30}$
6. $\frac{14}{45}$
7. $\frac{4}{35}$
8. $\frac{4}{9}$
9. $-\frac{17}{90}$
10. $\frac{1}{4}$

Document No. EQF8759031

1. $\frac{33}{40}$
2. $-\frac{539}{10}$
3. $\frac{37}{9}$
4. $\frac{11}{8}$
5. $\frac{63}{47}$
6. $\frac{24}{18}$
7. $-\frac{18}{7}$
8. $\frac{93}{7}$
9. $\frac{24}{7}$
10. $-\frac{23}{14}$

Document No. EQF8759032

1. $\frac{35}{24}$
2. $\frac{12}{35}$
3. $-\frac{4}{5}$
4. $-\frac{45}{2}$
5. $\frac{14}{33}$
6. $-\frac{1}{8}$

7. $\frac{19}{176}$
8. $\frac{57}{40}$
9. $\frac{25}{14}$
10. $-\frac{20}{27}$

Document No. EQF8759033

1. $\frac{1}{15}$
2. $-\frac{1}{4}$
3. $-\frac{6}{25}$
4. $-\frac{144}{55}$
5. $\frac{185}{18}$
6. -8
7. $\frac{32}{45}$
8. $-\frac{19}{24}$
9. $\frac{54}{35}$
10. $\frac{31}{48}$

Document No. EQF8759034

1. $-\frac{33}{7}$
2. $\frac{4}{15}$
3. $-\frac{17}{225}$
4. $\frac{4}{3}$
5. $-\frac{5}{7}$
6. $\frac{31}{176}$
7. $\frac{1}{32}$
8. $\frac{2}{11}$
9. $\frac{9}{20}$
10. $\frac{76}{33}$

Document No. EQF8759035

1. $\frac{43}{154}$
2. $\frac{11}{14}$
3. $\frac{7}{16}$
4. $\frac{8}{5}$
5. $-\frac{1}{12}$
6. $\frac{49}{18}$
7. $-\frac{49}{48}$
8. $\frac{77}{16}$
9. $-\frac{13}{168}$
10. $-\frac{49}{9}$

Document No. EQF8759036

1. $\frac{33}{160}$
2. $-\frac{7}{15}$
3. $\frac{5}{66}$
4. $\frac{150}{7}$
5. $-\frac{49}{48}$

6. $\frac{17}{40}$
7. $-\frac{7}{3}$
8. $\frac{1}{9}$
9. $\frac{47}{9}$
10. $-\frac{6}{35}$

Document No. EQF8759037

1. 1
2. $\frac{24}{35}$
3. $\frac{3}{8}$
4. $-\frac{279}{28}$
5. $\frac{22}{3}$
6. $-\frac{11}{24}$
7. $-\frac{7}{10}$
8. $\frac{3}{8}$
9. $\frac{3}{4}$
10. $-\frac{7}{60}$

Document No. EQF8759038

1. $\frac{3}{8}$
2. $-\frac{4}{99}$
3. $-\frac{87}{22}$
4. $-\frac{86}{21}$
5. $\frac{77}{16}$
6. $\frac{7}{16}$
7. $\frac{37}{18}$
8. $\frac{5}{33}$
9. $-\frac{5}{8}$
10. $\frac{5}{9}$

Document No. EQF8759039

1. $\frac{7}{27}$
2. $-\frac{8}{63}$
3. $-\frac{9}{11}$
4. $-\frac{61}{33}$
5. $-\frac{1}{21}$
6. $\frac{11}{175}$
7. $-\frac{25}{18}$
8. $-\frac{21}{20}$
9. $-\frac{2}{27}$
10. $\frac{81}{4}$

Document No. EQF8759040

1. $-\frac{1}{7}$
2. $\frac{192}{7}$
3. $-\frac{21}{8}$
4. $-\frac{51}{7}$

5. $-\frac{56}{27}$
6. $\frac{4}{5}$
7. $\frac{11}{15}$
8. $-\frac{1}{10}$
9. $-\frac{13}{7}$
10. $\frac{5}{63}$

Document No. EQF8759041

1. 7
2. $-\frac{250}{9}$
3. $-\frac{52}{11}$
4. $-\frac{460}{63}$
5. $-\frac{275}{24}$
6. $-\frac{31}{20}$
7. $\frac{13}{5}$
8. $-\frac{27}{40}$
9. $\frac{3}{10}$
10. $\frac{40}{21}$

Document No. EQF8759042

1. $\frac{9}{20}$
2. $-\frac{30}{7}$
3. $\frac{14}{15}$
4. $-\frac{14}{33}$
5. $-\frac{3}{49}$
6. $\frac{37}{440}$
7. $\frac{1}{36}$
8. $-\frac{31}{66}$
9. $\frac{5}{12}$
10. $-\frac{7}{11}$

Document No. EQF8759043

1. $-\frac{5}{9}$
2. $\frac{14}{3}$
3. $-\frac{88}{9}$
4. $-\frac{8}{7}$
5. $-\frac{18}{25}$
6. $-\frac{51}{224}$
7. $\frac{26}{7}$
8. $-\frac{176}{35}$
9. $-\frac{35}{9}$
10. $\frac{95}{14}$

Document No. EQF8759044

1. $\frac{14}{27}$
2. $\frac{29}{24}$
3. $-\frac{21}{2}$

4. $\frac{1}{6}$
5. $\frac{13}{25}$
6. $-\frac{17}{8}$
7. $-\frac{47}{220}$
8. $-\frac{10}{9}$
9. $\frac{31}{20}$
10. $-\frac{15}{16}$

Document No. EQF8759045

1. $\frac{7}{18}$
2. $-\frac{21}{16}$
3. $-\frac{17}{33}$
4. $\frac{3}{50}$
5. $-\frac{1}{49}$
6. $\frac{111}{14}$
7. $\frac{109}{72}$
8. $-\frac{17}{10}$
9. $-\frac{31}{280}$
10. $\frac{3}{40}$

Document No. EQF8759046

1. $\frac{1}{7}$
2. $\frac{1}{8}$
3. $\frac{13}{2}$
4. $\frac{124}{21}$
5. $-\frac{24}{5}$
6. $\frac{11}{16}$
7. $\frac{1}{4}$
8. $\frac{5}{108}$
9. $-\frac{29}{180}$
10. $-\frac{121}{18}$

Document No. EQF8759047

1. $\frac{42}{11}$
2. $-\frac{9}{20}$
3. $-\frac{19}{22}$
4. $\frac{8}{21}$
5. $\frac{3}{5}$
6. $\frac{32}{3}$
7. $-\frac{2}{3}$
8. $\frac{91}{18}$
9. $\frac{14}{5}$
10. $\frac{1}{7}$

Document No. EQF8759048

1. $-\frac{117}{440}$
2. $\frac{5}{18}$

3. $\frac{7}{11}$
4. $\frac{4}{81}$
5. $-\frac{11}{12}$
6. $\frac{169}{220}$
7. $\frac{195}{195}$
8. $-\frac{11}{56}$
9. $-\frac{208}{11}$
10. $-\frac{12}{7}$

Document No. EQF8759049

1. $-\frac{25}{27}$
2. $\frac{1}{30}$
3. $\frac{7}{180}$
4. $-\frac{1}{11}$
5. $-\frac{21}{40}$
6. $-\frac{25}{42}$
7. $\frac{11}{50}$
8. $\frac{22}{21}$
9. $-\frac{47}{32}$
10. $\frac{2}{7}$

Document No. EQF8759050

1. 4
2. $\frac{55}{36}$
3. $-\frac{3}{22}$
4. $-\frac{33}{8}$
5. $\frac{1}{14}$
6. $-\frac{23}{40}$
7. $\frac{63}{10}$
8. $\frac{145}{12}$
9. $-\frac{3}{4}$
10. $\frac{11}{7}$

Document No. EQF8759051

1. $\frac{1}{40}$
2. $\frac{13}{4}$
3. $\frac{1}{20}$
4. $\frac{9}{7}$
5. $-\frac{3}{14}$
6. $-\frac{4}{5}$
7. $\frac{2}{3}$
8. $-\frac{215}{36}$
9. $\frac{14}{33}$
10. $-\frac{9}{28}$

Document No. EQF8759052

1. $\frac{3}{5}$

2. $\frac{26}{15}$
3. $-\frac{31}{140}$
4. $-\frac{112}{64}$
5. $-\frac{55}{19}$
6. $-\frac{55}{20}$
7. $\frac{32}{31}$
8. $\frac{31}{18}$
9. $-\frac{14}{5}$
10. -2

Document No. EQF8759053

1. $\frac{1}{12}$
2. $\frac{2}{21}$
3. $-\frac{184}{15}$
4. $\frac{9}{5}$
5. $\frac{1}{2}$
6. $\frac{11}{14}$
7. $-\frac{24}{7}$
8. $\frac{13}{60}$
9. $\frac{4}{15}$
10. $-\frac{1}{54}$

Document No. EQF8759054

1. $\frac{5}{28}$
2. $-\frac{8}{5}$
3. $-\frac{47}{20}$
4. $-\frac{1}{4}$
5. $-\frac{8}{11}$
6. $-\frac{66}{7}$
7. $-\frac{53}{48}$
8. $\frac{45}{2}$
9. $-\frac{13}{100}$
10. $\frac{27}{11}$

Document No. EQF8759055

1. -6
2. $-\frac{4}{25}$
3. $\frac{430}{9}$
4. $-\frac{77}{50}$
5. $-\frac{5}{24}$
6. $\frac{133}{8}$
7. $\frac{3}{10}$
8. $-\frac{33}{40}$
9. $\frac{8}{35}$
10. $\frac{2}{5}$

Document No. EQF8759056

1. $\frac{25}{7}$
2. $\frac{7}{40}$
3. $-\frac{20}{11}$
4. $-\frac{25}{396}$
5. $\frac{46}{7}$
6. $-\frac{9}{4}$
7. $-\frac{17}{7}$
8. $-\frac{45}{14}$
9. $\frac{1}{12}$
10. $\frac{32}{15}$

Document No. EQF8759057

1. $\frac{62}{77}$
2. $-\frac{87}{8}$
3. -2
4. $-\frac{117}{25}$
5. $-\frac{21}{16}$
6. $\frac{34}{5}$
7. $-\frac{440}{27}$
8. $-\frac{41}{9}$
9. $-\frac{21}{11}$
10. $\frac{2}{9}$

Document No. EQF8759058

1. $\frac{13}{50}$
2. $-\frac{11}{80}$
3. $-\frac{11}{5}$
4. $-\frac{1}{50}$
5. $-\frac{7}{6}$
6. $-\frac{80}{9}$
7. $\frac{39}{77}$
8. $-\frac{5}{14}$
9. $-\frac{5}{4}$
10. $\frac{15}{22}$

Document No. EQF8759059

1. $-\frac{1}{10}$
2. $-\frac{40}{27}$
3. $-\frac{2}{75}$
4. $-\frac{1}{12}$
5. $-\frac{33}{7}$
6. $\frac{1}{36}$
7. $\frac{11}{60}$
8. $\frac{5}{56}$
9. $\frac{19}{10}$
10. $-\frac{15}{7}$

Document No. EQF8759060

1. $-\frac{3}{16}$
2. $-\frac{10}{49}$
3. $-\frac{10}{17}$
4. $-\frac{17}{16}$
5. $\frac{8}{7}$
6. $\frac{37}{27}$
7. $-\frac{35}{3}$
8. $-\frac{1}{16}$
9. $-\frac{7}{3}$
10. $-\frac{6}{5}$

Document No. EQF8759061

1. $\frac{143}{35}$
2. $-\frac{5}{9}$
3. $\frac{4}{45}$
4. $\frac{45}{81}$
5. $-\frac{13}{16}$
6. -8
7. 9
8. $\frac{5}{18}$
9. $\frac{11}{6}$
10. -4

Document No. EQF8759062

1. $\frac{19}{14}$
2. $\frac{1}{60}$
3. $-\frac{1}{8}$
4. $\frac{3}{10}$
5. $-\frac{61}{11}$
6. $-\frac{23}{12}$
7. $\frac{36}{25}$
8. $\frac{11}{5}$
9. $\frac{36}{11}$
10. $-\frac{62}{33}$

Document No. EQF8759063

1. $\frac{7}{15}$
2. $\frac{3}{2}$
3. $-\frac{9}{5}$
4. $-\frac{14}{9}$
5. $-\frac{13}{50}$
6. $-\frac{32}{77}$
7. $\frac{8}{3}$
8. $\frac{75}{14}$
9. $-\frac{12}{5}$
10. $-\frac{5}{8}$

Document No. EQF8759064

1. $-\frac{2}{9}$
2. $\frac{5}{6}$
3. $\frac{1}{15}$
4. $\frac{5}{6}$
5. $\frac{1}{7}$
6. $\frac{55}{7}$
7. $\frac{11}{150}$
8. $\frac{1}{20}$
9. $\frac{1}{5}$
10. $-\frac{3}{35}$

Document No. EQF8759065

1. $\frac{85}{6}$
2. $\frac{19}{10}$
3. $-\frac{11}{18}$
4. $-\frac{1}{12}$
5. $\frac{26}{35}$
6. $\frac{13}{20}$
7. $-\frac{4}{77}$
8. $-\frac{18}{5}$
9. $\frac{21}{8}$
10. $\frac{4}{3}$

Document No. EQF8759066

1. $\frac{5}{3}$
2. $-\frac{343}{55}$
3. $\frac{1}{24}$
4. $-\frac{3}{4}$
5. 2
6. $\frac{44}{45}$
7. $-\frac{7}{2}$
8. $\frac{44}{15}$
9. $\frac{5}{12}$
10. $-\frac{11}{72}$

Document No. EQF8759067

1. 1
2. $\frac{16}{105}$
3. $\frac{19}{252}$
4. $-\frac{1}{10}$
5. $\frac{7}{2}$
6. $-\frac{17}{10}$
7. $\frac{7}{3}$
8. $\frac{35}{8}$
9. $-\frac{4}{7}$

10. $\frac{5}{18}$

Document No. EQF8759068

1. $\frac{7}{6}$
2. $-\frac{3}{28}$
3. $-\frac{7}{44}$
4. $\frac{17}{48}$
5. -35
6. $-\frac{67}{300}$
7. $-\frac{1}{24}$
8. $\frac{451}{30}$
9. $\frac{95}{18}$
10. $\frac{28}{9}$

Document No. EQF8759069

1. $\frac{11}{60}$
2. $-\frac{21}{5}$
3. $\frac{8}{15}$
4. $-\frac{21}{16}$
5. $-\frac{13}{45}$
6. $-\frac{4}{3}$
7. $-\frac{3}{5}$
8. $-\frac{7}{24}$
9. $\frac{7}{30}$
10. $\frac{7}{20}$

Document No. EQF8759070

1. $-\frac{182}{33}$
2. $\frac{5}{12}$
3. $-\frac{1}{21}$
4. $\frac{29}{150}$
5. $\frac{54}{35}$
6. $\frac{39}{10}$
7. $-\frac{41}{126}$
8. $\frac{105}{8}$
9. $-\frac{29}{126}$
10. $\frac{1}{42}$

Document No. EQF8759071

1. $-\frac{25}{32}$
2. $\frac{4}{5}$
3. $\frac{5}{8}$
4. $\frac{63}{13}$
5. $\frac{7}{2}$
6. $\frac{64}{33}$
7. $-\frac{9}{53}$
8. $-\frac{9}{200}$

9. $\frac{31}{28}$
10. $\frac{260}{33}$

Document No. EQF8759072

1. $-\frac{129}{22}$
2. $\frac{209}{16}$
3. $\frac{11}{20}$
4. $-\frac{37}{40}$
5. $\frac{16}{49}$
6. $-\frac{19}{120}$
7. $-\frac{5}{4}$
8. $-\frac{279}{50}$
9. $\frac{1}{20}$
10. $-\frac{43}{4}$

Document No. EQF8759073

1. $\frac{22}{45}$
2. $-\frac{9}{11}$
3. $\frac{7}{96}$
4. $-\frac{12}{35}$
5. $-\frac{8}{5}$
6. $\frac{7}{4}$
7. $\frac{7}{33}$
8. $-\frac{53}{36}$
9. $-\frac{33}{56}$
10. $\frac{9}{8}$

Document No. EQF8759074

1. $\frac{1}{11}$
2. 46
3. $-\frac{19}{30}$
4. $\frac{1}{20}$
5. $-\frac{39}{8}$
6. $\frac{29}{280}$
7. $\frac{17}{8}$
8. $\frac{7}{5}$
9. $\frac{122}{11}$
10. $-\frac{8}{27}$

Document No. EQF8759075

1. $\frac{36}{35}$
2. $-\frac{45}{32}$
3. $\frac{61}{36}$
4. $-\frac{23}{33}$
5. $\frac{10}{11}$
6. $-\frac{1}{20}$
7. -6

8. $\frac{11}{30}$
9. $\frac{27}{10}$
10. 1

Document No. EQF8759076

1. $\frac{14}{3}$
2. $\frac{1}{3}$
3. $\frac{54}{189}$
4. $-\frac{7}{40}$
5. $-\frac{9}{90}$
6. $-\frac{4}{37}$
7. $-\frac{70}{110}$
8. $-\frac{9}{11}$
9. $\frac{7}{27}$
10. $-\frac{7}{99}$

Document No. EQF8759077

1. $\frac{4}{21}$
2. $-\frac{8}{11}$
3. $\frac{4}{45}$
4. $\frac{11}{160}$
5. $\frac{19}{18}$
6. $-\frac{32}{105}$
7. $\frac{4}{105}$
8. $\frac{5}{8}$
9. $-\frac{10}{21}$
10. $\frac{8}{33}$

Document No. EQF8759078

1. $-\frac{15}{2}$
2. $-\frac{11}{30}$
3. $\frac{27}{32}$
4. $-\frac{1}{63}$
5. $-\frac{14}{3}$
6. $-\frac{1}{9}$
7. $\frac{9}{14}$
8. $\frac{14}{55}$
9. $-\frac{3}{21}$
10. $-\frac{33}{10}$

Document No. EQF8759079

1. $\frac{8}{35}$
2. $\frac{13}{12}$
3. $-\frac{1}{2}$
4. $-\frac{1}{32}$
5. $\frac{24}{11}$
6. $\frac{161}{24}$

7. $\frac{35}{8}$
8. -1
9. $-\frac{18}{55}$
10. $-\frac{3}{5}$

Document No. EQF8759080

1. $\frac{32}{21}$
2. $\frac{1}{20}$
3. $\frac{4}{3}$
4. $-\frac{5}{24}$
5. $-\frac{1}{11}$
6. $\frac{26}{11}$
7. $\frac{5}{11}$
8. $\frac{15}{55}$
9. $\frac{14}{72}$
10. $\frac{31}{18}$

Document No. EQF8759081

1. $\frac{117}{20}$
2. $\frac{55}{16}$
3. $\frac{39}{40}$
4. $-\frac{23}{8}$
5. $-\frac{55}{27}$
6. $\frac{4}{21}$
7. $\frac{20}{99}$
8. $-\frac{192}{35}$
9. $\frac{31}{14}$
10. $-\frac{5}{8}$

Document No. EQF8759082

1. $\frac{22}{3}$
2. $\frac{8}{11}$
3. $-\frac{7}{10}$
4. $-\frac{11}{3}$
5. $-\frac{7}{25}$
6. $-\frac{1}{24}$
7. $-\frac{11}{7}$
8. $-\frac{11}{328}$
9. $-\frac{3}{40}$
10. $\frac{384}{11}$

Document No. EQF8759083

1. $-\frac{29}{21}$
2. $-\frac{15}{14}$
3. $\frac{5}{6}$
4. $-\frac{43}{27}$
5. $-\frac{5}{3}$

6. 4
7. $-\frac{23}{10}$
8. $\frac{67}{36}$
9. $-\frac{11}{6}$
10. 11

Document No. EQF8759084

1. 1
2. $\frac{23}{99}$
3. $\frac{1}{3}$
4. $-\frac{1}{9}$
5. $\frac{2}{5}$
6. $\frac{1}{18}$
7. $-\frac{185}{11}$
8. $-\frac{1}{6}$
9. $-\frac{121}{24}$
10. -13

Document No. EQF8759085

1. $-\frac{26}{7}$
2. $\frac{4}{5}$
3. $-\frac{7}{8}$
4. $-\frac{13}{9}$
5. $\frac{1}{140}$
6. $\frac{35}{18}$
7. $-\frac{1}{12}$
8. $\frac{5}{3}$
9. $\frac{27}{32}$
10. $-\frac{1}{16}$

Document No. EQF8759086

1. $-\frac{23}{22}$
2. $-\frac{11}{16}$
3. $\frac{15}{8}$
4. $\frac{33}{50}$
5. $-\frac{29}{20}$
6. $-\frac{20}{9}$
7. $\frac{11}{5}$
8. $\frac{29}{35}$
9. $\frac{5}{48}$
10. $\frac{1}{5}$

Document No. EQF8759087

1. $-\frac{232}{21}$
2. $\frac{21}{16}$
3. $\frac{9}{2}$
4. $-\frac{19}{96}$

5. $-\frac{162}{35}$
6. $-\frac{1}{4}$
7. $-\frac{9}{20}$
8. $-\frac{7}{49}$
9. $\frac{11}{2}$
10. $\frac{2}{3}$

Document No. EQF8759088

1. $-\frac{18}{77}$
2. $\frac{46}{11}$
3. $-\frac{100}{21}$
4. $\frac{7}{9}$
5. $\frac{18}{7}$
6. -3
7. $\frac{200}{27}$
8. 0
9. $\frac{13}{20}$
10. $\frac{11}{42}$

Document No. EQF8759089

1. $\frac{2}{231}$
2. $-\frac{7}{10}$
3. $\frac{7}{18}$
4. $-\frac{95}{8}$
5. $-\frac{70}{9}$
6. $-\frac{1}{24}$
7. $-\frac{2}{9}$
8. $\frac{8}{11}$
9. $-\frac{5}{49}$
10. $\frac{21}{4}$

Document No. EQF8759090

1. $\frac{55}{12}$
2. $\frac{19}{132}$
3. $-\frac{10}{3}$
4. $-\frac{42}{25}$
5. 1
6. $\frac{41}{108}$
7. -1
8. $\frac{38}{315}$
9. $-\frac{189}{11}$
10. $-\frac{17}{36}$

Document No. EQF8759091

1. $-\frac{7}{12}$
2. $\frac{2}{7}$
3. $\frac{23}{40}$

4. $\frac{8}{15}$
5. $-\frac{4}{21}$
6. $-\frac{15}{41}$
7. $-\frac{41}{16}$
8. $\frac{3}{5}$
9. $\frac{13}{48}$
10. $\frac{16}{9}$

Document No. EQF8759092

1. $\frac{36}{11}$
2. $\frac{1}{6}$
3. $-\frac{37}{45}$
4. $-\frac{19}{22}$
5. $\frac{15}{32}$
6. $-\frac{287}{48}$
7. $-\frac{45}{64}$
8. $-\frac{5}{72}$
9. $\frac{5}{36}$
10. $-\frac{5}{48}$

Document No. EQF8759093

1. $-\frac{9}{22}$
2. $\frac{3}{28}$
3. -9
4. $\frac{44}{63}$
5. $-\frac{14}{9}$
6. $-\frac{7}{15}$
7. $-\frac{19}{54}$
8. $\frac{4}{77}$
9. $-\frac{117}{40}$
10. $\frac{14}{3}$

Document No. EQF8759094

1. $\frac{5}{36}$
2. $\frac{119}{12}$
3. $-\frac{28}{11}$
4. $-\frac{18}{11}$
5. $-\frac{1}{10}$
6. $\frac{7}{15}$
7. $\frac{18}{5}$
8. $\frac{7}{8}$
9. $\frac{35}{28}$
10. $-\frac{19}{2}$

Document No. EQF8759095

1. $-\frac{10}{21}$
2. $-\frac{96}{11}$

3. $\frac{1}{513301}$
4. $\frac{5}{13}$
5. $-\frac{15}{8}$
6. -1
7. $\frac{2}{5}$
8. $\frac{13}{42}$
9. $-\frac{27}{25}$
10. $-\frac{3}{7}$

Document No. EQF8759096

1. $\frac{1}{3}$
2. $\frac{7}{16}$
3. $-\frac{2}{11}$
4. $-\frac{15}{7}$
5. $-\frac{25}{9}$
6. $\frac{15}{4}$
7. $\frac{19}{6}$
8. $-\frac{10}{9}$
9. $-\frac{28}{5}$
10. $-\frac{17}{20}$

Document No. EQF8759097

1. $-\frac{7}{5}$
2. $\frac{12}{5}$
3. $-\frac{19}{16}$
4. $\frac{1}{4}$
5. $-\frac{6}{25}$
6. $-\frac{8}{9}$
7. $\frac{20}{9}$
8. $\frac{1}{16}$
9. $-\frac{11}{6}$
10. $-\frac{6}{8}$

Document No. EQF8759098

1. $\frac{43}{48}$
2. $-\frac{12}{35}$
3. $-\frac{1}{66}$
4. $-\frac{133}{10}$
5. 16
6. $-\frac{25}{77}$
7. $\frac{17}{36}$
8. $-\frac{1}{3}$
9. $\frac{26}{33}$
10. $-\frac{3}{20}$

Document No. EQF8759099

1. $\frac{21}{5}$

2. $\frac{60}{7}$
3. $\frac{5}{24}$
4. $\frac{44}{3^{25}}$
5. $\frac{3}{95}$
6. $\frac{8}{85}$
7. $\frac{12}{12}$
8. $-\frac{12}{7}$
9. $-\frac{26}{77}$
10. $\frac{4}{7}$

Document No. EQF8759100

1. $\frac{1}{8}$
2. $-\frac{16}{5}$
3. $\frac{85}{9}$
4. $\frac{99}{20}$
5. $\frac{8}{11}$
6. $-\frac{1}{8}$
7. -5
8. $-\frac{1}{2}$
9. $\frac{26}{9}$
10. $-\frac{28}{5}$