

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451001

1. $-3x + 8 = -10$

7. $9 = -3x + 0$

2. $-4x + 23 = 2x - 25$

8. $1 = -2x - 9$

3. $-2 = 2x + 0$

9. $3x - 7 = 2x - 1$

4. $-3x + 54 = 3x$

10. $-x + 8 = 0$

5. $-3x + 17 = -10$

11. $4x = -x + 15$

6. $-x - 2 = 4$

12. $-4x - 24 = 0$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451002

1. $5x + 16 = -3x - 8$

7. $-4 = -2x + 12$

2. $-5x - 6 = 9$

8. $0 = -x + 3$

3. $5x + 15 = 0$

9. $5x - 24 = 16$

4. $2x + 45 = -3x$

10. $4x + 28 = 0$

5. $-2x + 10 = 0$

11. $2x = -5x + 42$

6. $0 = -2x - 6$

12. $-x + 10 = x$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451003

1. $5x + 30 = 0$

7. $-5x + 20 = -x$

2. $-2x - 12 = 0$

8. $0 = -4x + 12$

3. $-2x - 14 = 0$

9. $5x = -2x - 42$

4. $2x + 4 = -10$

10. $-2x + 12 = 0$

5. $2 = -2x + 0$

11. $3 = 5x - 12$

6. $4x - 10 = 18$

12. $-5x + 27 = 4x$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451004

1. $4x + 48 = -2x$

7. $-5x - 3 = 2$

2. $5x + 19 = -16$

8. $-2x + 9 = 2x + 1$

3. $5x = 2x - 18$

9. $-4x + 6 = -14$

4. $4x + 42 = -3x$

10. $-4x = 2x - 42$

5. $-4x + 24 = 0$

11. $3x - 1 = -7$

6. $-3x - 5 = 2x$

12. $5x = -4x - 54$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451005

1. $-3x - 24 = 0$

7. $2x = -3x + 25$

2. $4x = -x + 40$

8. $-4x = 5x + 81$

3. $0 = 5x - 45$

9. $-5x + 2 = -3$

4. $5x + 28 = -4x - 17$

10. $0 = 5x + 10$

5. $5x + 16 = -2x - 19$

11. $-5x - 20 = 15$

6. $4x + 19 = -9$

12. $5x + 30 = 0$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451006

1. $2x - 8 = -4x + 4$

7. $4x = -2x + 42$

2. $-4x + 24 = 0$

8. $0 = -2x - 4$

3. $-3x = -2x - 3$

9. $-2x - 10 = 2$

4. $-5x + 80 = 5x$

10. $-5x + 10 = 0$

5. $-2x - 1 = 3$

11. $4x - 7 = 17$

6. $-5x - 13 = 7$

12. $-x - 15 = -4x$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451007

1. $0 = -4x + 28$

7. $-x = -4x - 9$

2. $0 = 3x + 6$

8. $4x + 33 = -4x - 39$

3. $2x = -4x - 12$

9. $-5x - 30 = 0$

4. $-2x - 3 = 1$

10. $x = -5x - 18$

5. $3x - 21 = 0$

11. $0 = 5x + 20$

6. $0 = 3x + 21$

12. $0 = -x - 5$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451008

1. $-x - 9 = 2x$

7. $-5x - 41 = 4x + 31$

2. $-8 = -4x + 4$

8. $0 = 4x - 4$

3. $-2x = 2x - 28$

9. $5x - 10 = -4x + 8$

4. $3x + 27 = 0$

10. $-11 = 3x + 10$

5. $-5x - 35 = 0$

11. $-2x + 1 = -x - 8$

6. $4x + 10 = -6$

12. $8 = -x + 1$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451009

1. $-3x + 1 = -4x$

7. $4x + 4 = -2x - 2$

2. $13 = -5x - 22$

8. $-5x + 11 = 2x - 3$

3. $-x - 20 = -5x$

9. $-x = -2$

4. $-2x + 10 = 0$

10. $4x + 24 = -2x$

5. $2x - 4 = 0$

11. $-6 = 3x + 9$

6. $-1 = -3x + 8$

12. $-3x = -9$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451010

1. $-2x - 12 = -4x + 4$

7. $3x + 6 = 0$

2. $-6 = -3x + 12$

8. $-3x = 4x - 42$

3. $x = -x + 12$

9. $-20 = 5x + 25$

4. $-4x + 3 = -13$

10. $-3x - 25 = 4x + 17$

5. $x = -4x - 35$

11. $-3x + 48 = 5x$

6. $0 = 2x - 18$

12. $3x = 4x - 1$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451011

1. $2x = 4x - 10$

7. $-5x - 16 = 2x + 19$

2. $-21 = 5x + 19$

8. $2x + 1 = 3$

3. $-10 = 3x + 2$

9. $0 = -4x - 20$

4. $-2x = 5x - 7$

10. $-5x + 45 = 0$

5. $-4x - 20 = 0$

11. $0 = -4x + 24$

6. $5x = -3x - 24$

12. $-3x = 2x - 40$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451012

1. $-3x - 24 = 0$

7. $2x - 2 = -2x - 6$

2. $-2 = 5x - 7$

8. $-3x = 6$

3. $-2x - 3 = 7$

9. $-4x = -3x + 3$

4. $-x - 2 = -2x + 4$

10. $-4x = -2x + 4$

5. $2x - 2 = 0$

11. $6 = -x + 5$

6. $0 = 4x - 4$

12. $4x - 8 = 3x$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451013

1. $18 = -5x - 27$

7. $-3x - 9 = 3$

2. $-x + 1 = -5$

8. $3x = 5x + 8$

3. $-4x + 2 = -6$

9. $-5x + 2 = -4x + 4$

4. $3x = 5x + 6$

10. $0 = -2x - 14$

5. $-3x + 64 = 5x$

11. $-2x + 35 = 5x$

6. $-4x + 12 = 0$

12. $2x + 2 = 0$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451014

1. $2x - 3 = 9$

7. $11 = -2x - 3$

2. $x = -4x + 40$

8. $-3x + 15 = 0$

3. $5x - 18 = 17$

9. $0 = 2x + 18$

4. $2x - 12 = 2$

10. $-5x - 14 = 16$

5. $0 = -x + 7$

11. $0 = -5x - 5$

6. $-3 = -3x - 6$

12. $2x - 5 = 3$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451015

1. $-5x + 24 = x$

7. $5x + 7 = -3$

2. $-3 = -4x - 7$

8. $5x - 14 = 11$

3. $-3x + 14 = 2x - 21$

9. $-4x - 1 = -3x$

4. $5x - 13 = -2x + 8$

10. $3x + 19 = -5x - 29$

5. $2x - 7 = x$

11. $-3x + 54 = 3x$

6. $-5x + 45 = 0$

12. $3 = 3x + 0$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451016

1. $-3x - 18 = -x$

7. $6 = -4x - 14$

2. $-3x - 2 = -5x + 12$

8. $4x - 32 = 0$

3. $0 = 2x + 2$

9. $2 = 4x - 10$

4. $3x - 10 = 5x$

10. $-8 = 3x + 13$

5. $3x + 24 = 0$

11. $5x - 9 = -5x + 1$

6. $-3x = -x - 10$

12. $0 = -4x + 12$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451017

1. $-4x = 2x + 18$

7. $5x + 6 = 3x + 2$

2. $-3x = -5x + 12$

8. $-x + 2 = -3$

3. $0 = 2x + 16$

9. $2x + 4 = x - 5$

4. $5x = -3x - 56$

10. $-5 = 3x + 13$

5. $2x + 8 = x$

11. $3x + 21 = -4x$

6. $-5x + 13 = 4x - 14$

12. $4x = 5x + 6$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451018

1. $2x + 8 = 0$

7. $0 = -x - 4$

2. $4x + 8 = -4$

8. $-2x - 4 = -6$

3. $4x - 4 = -2x + 8$

9. $5x + 18 = -27$

4. $5x + 50 = -5x$

10. $5x + 25 = 0$

5. $-2x - 2 = 0$

11. $16 = -4x - 12$

6. $-10 = 5x + 20$

12. $-2x = 5x + 42$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451019

1. $-4x = -5x - 7$

7. $-19 = -5x + 11$

2. $-3x - 5 = -2x$

8. $-3x - 15 = 2x$

3. $-5x - 30 = 0$

9. $-4x - 11 = 4x + 5$

4. $0 = 5x + 5$

10. $4x = -3x - 35$

5. $-3x + 6 = -2x - 3$

11. $0 = 4x - 4$

6. $-5x + 35 = 0$

12. $3x - 8 = 19$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451020

1. $5x - 10 = 0$

7. $5x - 1 = 4x + 0$

2. $5 = -5x - 15$

8. $-2x - 6 = -3x$

3. $0 = 3x + 24$

9. $-3x - 9 = 0$

4. $-3x + 13 = -11$

10. $2x + 10 = -4$

5. $-5x + 18 = x$

11. $-16 = -5x + 19$

6. $-x + 3 = -4$

12. $3x = -4x - 42$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451021

1. $-5x - 10 = 0$

7. $5x - 45 = 0$

2. $0 = 4x + 16$

8. $2x + 5 = 4x - 9$

3. $2 = 2x + 0$

9. $-3x - 9 = 15$

4. $0 = 5x + 25$

10. $0 = -4x - 16$

5. $5x + 20 = 0$

11. $0 = -5x + 35$

6. $-3x - 24 = 5x$

12. $0 = -3x + 9$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451022

1. $5x + 10 = 0$

7. $2x + 20 = -2x$

2. $-5x - 4 = -4x$

8. $2x = 5x + 24$

3. $-5 = 2x + 11$

9. $-3x - 15 = 0$

4. $3x = -4x + 14$

10. $2x - 8 = 0$

5. $-1 = -3x - 4$

11. $0 = -5x - 20$

6. $0 = -x - 3$

12. $-x - 4 = 0$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451023

1. $-x - 2 = 2x + 4$

7. $-2x + 3 = -x + 6$

2. $-5x - 8 = -4x$

8. $10 = 3x - 8$

3. $4x = -2x - 54$

9. $3x - 10 = 5$

4. $2x - 11 = -x + 13$

10. $-2x - 5 = 2x + 3$

5. $-5x - 20 = 0$

11. $2x + 3 = 3x$

6. $4x + 7 = 3$

12. $3x - 15 = 6$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451024

1. $x = 4x + 3$

7. $-2x = -x - 2$

2. $0 = 5x - 5$

8. $3x - 14 = x$

3. $-5x - 15 = 0$

9. $4x + 12 = -16$

4. $-x + 9 = -5x + 1$

10. $5x = 3x - 2$

5. $-5x - 40 = 4x + 32$

11. $2 = -x + 6$

6. $3x - 18 = 0$

12. $0 = -3x + 27$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451025

1. $-x - 5 = -4$

7. $2x - 4 = -4x + 14$

2. $0 = 5x - 35$

8. $-x + 3 = 0$

3. $0 = -3x - 18$

9. $0 = -5x + 45$

4. $13 = -5x - 7$

10. $5x + 45 = 0$

5. $3x = -2x + 10$

11. $3x - 6 = 0$

6. $-3x - 28 = 3x + 26$

12. $9 = 4x - 11$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451026

1. $4x + 6 = 2$

7. $-x = 5x - 54$

2. $-2x + 2 = -6$

8. $3x - 3 = 0$

3. $-3x - 16 = 5x$

9. $3x - 12 = 3$

4. $2x + 8 = -2$

10. $-10 = 4x + 14$

5. $-2x - 18 = 0$

11. $0 = 2x - 6$

6. $-4x - 2 = -x + 1$

12. $3x = -x + 28$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451027

1. $-4x = 5x - 18$

7. $-5x + 12 = -x$

2. $2x = -5x - 7$

8. $-2x = 3x - 35$

3. $-3x - 3 = -2x + 1$

9. $0 = -4x + 20$

4. $1 = 3x + 7$

10. $0 = -x + 7$

5. $7 = 2x + 1$

11. $-x + 8 = -5x$

6. $-x + 8 = 0$

12. $-x + 2 = x - 4$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451028

1. $-2x = -4x + 14$

7. $-6 = 2x + 8$

2. $0 = -5x - 20$

8. $-5x + 35 = 2x$

3. $-5x - 8 = 4x + 1$

9. $5x + 12 = -x$

4. $0 = 4x - 28$

10. $-4x + 27 = 5x$

5. $5x - 4 = x$

11. $-8 = 3x + 1$

6. $-3x - 18 = 0$

12. $-5 = 3x - 2$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451029

1. $5x = -5x + 80$

7. $-x + 10 = 1$

2. $3x = 4x - 8$

8. $-2x = -x - 1$

3. $-x + 2 = 0$

9. $-x - 4 = -2x + 0$

4. $-3x = -4x - 5$

10. $2x = 4x + 8$

5. $4 = 5x - 6$

11. $5x - 40 = 0$

6. $-3x = 5x + 24$

12. $5x = 4x - 5$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451030

1. $5x - 25 = 0$

7. $-4x + 11 = x - 4$

2. $0 = 3x - 15$

8. $-4x + 4 = -2x + 6$

3. $-3x + 12 = x$

9. $0 = -5x - 45$

4. $-4x - 1 = -5x + 6$

10. $8 = -4x - 12$

5. $3x - 5 = 2x$

11. $3x - 6 = 0$

6. $-4x + 2 = -3x - 4$

12. $4x - 24 = 0$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451031

1. $-5x + 24 = -16$

7. $-x + 12 = -5x$

2. $-5x - 7 = 2x$

8. $-x = 4x - 20$

3. $-2x - 6 = 4x$

9. $0 = 3x + 27$

4. $5x = -3x + 16$

10. $2x - 15 = 5x$

5. $-x + 3 = 6$

11. $0 = -x + 5$

6. $4 = 2x - 8$

12. $4x + 1 = -5x + 10$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451032

1. $-5x + 45 = 0$

7. $4x + 5 = -3$

2. $0 = 5x + 10$

8. $2x - 6 = 0$

3. $-5 = -2x - 1$

9. $2x - 20 = -5x + 29$

4. $0 = 5x - 20$

10. $0 = 4x - 4$

5. $-5x + 6 = x + 0$

11. $-2x + 6 = 0$

6. $4x - 12 = 4$

12. $4x - 11 = 1$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451033

1. $-x - 6 = 0$

7. $-3x + 16 = -x$

2. $-x - 2 = 1$

8. $-3x + 30 = 3x$

3. $2x + 1 = 3x$

9. $0 = 5x - 40$

4. $0 = 5x + 25$

10. $-5x = -4x - 6$

5. $3x - 7 = 14$

11. $-5x + 13 = 3x - 19$

6. $28 = 5x - 17$

12. $4 = 2x - 12$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451034

1. $-x = -5x + 12$

7. $0 = 5x - 15$

2. $5x - 40 = -5x + 50$

8. $-3x - 5 = -2x$

3. $-5x - 12 = 23$

9. $23 = 5x - 17$

4. $4x = -2x - 30$

10. $x = 3x + 10$

5. $0 = -5x - 35$

11. $-2x - 35 = 5x$

6. $0 = -4x - 36$

12. $2x = 4x - 16$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451035

1. $-x + 5 = 4$

7. $-5x - 48 = x$

2. $0 = -4x + 8$

8. $0 = -5x - 25$

3. $0 = -x - 7$

9. $13 = -4x - 3$

4. $0 = -5x - 25$

10. $-3x - 17 = 2x + 13$

5. $3x + 11 = -13$

11. $-4x - 12 = 0$

6. $-5x + 15 = 0$

12. $-2x - 14 = 0$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451036

1. $-3x + 4 = -14$

7. $-5x + 13 = -22$

2. $-x = -3$

8. $-x + 21 = 5x - 27$

3. $4x - 7 = x - 1$

9. $-5x + 4 = -4x - 1$

4. $5x - 45 = 0$

10. $1 = 3x - 5$

5. $-3x - 10 = -5x$

11. $-8 = -2x + 4$

6. $-5x + 45 = 4x$

12. $0 = 3x - 12$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451037

1. $-19 = -4x + 13$

7. $-2x + 5 = -3$

2. $0 = -4x + 4$

8. $-2x - 6 = -4x$

3. $-2x - 10 = 0$

9. $-9 = -3x + 3$

4. $-3x + 9 = 4x - 5$

10. $-5x + 5 = 0$

5. $-3x - 5 = 2x$

11. $4x - 40 = -x$

6. $3x - 12 = 0$

12. $-4x - 16 = 0$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451038

1. $-12 = 2x + 6$

7. $-4x + 35 = 3x$

2. $2x = -3x - 40$

8. $-4x - 2 = -2x + 8$

3. $-2x = -3x - 5$

9. $0 = -5x + 5$

4. $-2x + 4 = -x + 2$

10. $-4x = 4x - 72$

5. $3 = 2x + 1$

11. $12 = -3x - 9$

6. $0 = -4x + 28$

12. $-2x = -3x + 5$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451039

1. $-3x = -5x + 8$

7. $x = 2x + 7$

2. $0 = -5x + 10$

8. $4x + 20 = 0$

3. $5x - 32 = -3x$

9. $2x = -2x + 8$

4. $13 = 3x - 11$

10. $4x = 3x - 8$

5. $0 = -5x + 25$

11. $4x - 36 = 0$

6. $-2x - 42 = 5x$

12. $-3x + 27 = 0$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451040

1. $5x - 11 = 9$

7. $-5x - 18 = 12$

2. $5x - 40 = 0$

8. $3x = -x - 8$

3. $4x - 6 = 2$

9. $-x - 6 = 0$

4. $4x + 19 = -9$

10. $-4x = 5x - 9$

5. $0 = 4x + 4$

11. $-5x + 27 = 2x - 36$

6. $5x + 21 = -24$

12. $-8 = 5x + 12$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451041

1. $0 = 5x - 20$

7. $0 = -3x + 24$

2. $-x + 8 = 0$

8. $3x + 16 = -2x - 14$

3. $3x + 11 = -16$

9. $5x + 26 = -19$

4. $-5x + 40 = 0$

10. $-7 = -x + 0$

5. $-5x - 11 = 2x + 10$

11. $-x = 8$

6. $-5x + 5 = -4x + 0$

12. $20 = 5x - 15$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451042

1. $5x - 63 = -4x$

7. $0 = -x + 3$

2. $-10 = 4x + 2$

8. $-3x + 15 = 0$

3. $-2x = -4$

9. $2x + 14 = -x - 4$

4. $-5x + 13 = -22$

10. $-x + 2 = 0$

5. $-2x - 6 = -4$

11. $-2x - 14 = 5x$

6. $-2x + 3 = -5$

12. $2x - 3 = 3x$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451043

1. $6 = 3x - 3$

7. $-2x + 14 = 0$

2. $-x = 3x - 8$

8. $-5x - 10 = -3x$

3. $4x - 28 = 0$

9. $4x - 8 = 12$

4. $4x - 2 = 10$

10. $-5x + 6 = -4x$

5. $x = -3x + 20$

11. $-2x + 5 = -3x$

6. $-4x - 2 = 6$

12. $-1 = -x - 7$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451044

1. $-9 = 2x + 7$

7. $5x - 28 = x$

2. $-2x = 5x + 63$

8. $-x + 2 = -3x$

3. $8 = 2x - 10$

9. $3x + 2 = 4x$

4. $0 = -2x + 16$

10. $4x - 9 = x$

5. $5x - 17 = -x + 7$

11. $3x = -3x - 18$

6. $5x - 35 = 0$

12. $-2x = -4x + 10$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451045

1. $5x + 30 = -x$

7. $2x - 20 = -2x$

2. $5x = -2x + 14$

8. $3x + 63 = -4x$

3. $9 = 2x + 1$

9. $-4x - 36 = 0$

4. $-2x - 1 = -3x - 8$

10. $0 = 2x - 2$

5. $5x + 42 = -x$

11. $-x = 4x + 10$

6. $2x = -5x + 63$

12. $2x - 3 = -x$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451046

1. $-2x - 24 = 2x$

7. $-x - 2 = -3x + 4$

2. $-12 = 3x + 3$

8. $-3x - 3 = -2x$

3. $5x + 45 = -4x$

9. $5x + 40 = -5x$

4. $x = -4x - 40$

10. $-2x + 36 = 2x$

5. $-2x - 3 = 9$

11. $-3x - 25 = 5x + 23$

6. $-x + 2 = -3x$

12. $-x + 1 = -8$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451047

1. $-5x + 11 = 4x - 7$

7. $0 = -x - 6$

2. $3x + 7 = -4x$

8. $-5x - 14 = 21$

3. $0 = -5x - 25$

9. $3x - 10 = x$

4. $-1 = 4x + 11$

10. $-5x = -2x + 3$

5. $5 = -x + 0$

11. $-4x - 16 = 4x$

6. $0 = -x + 7$

12. $0 = -5x + 25$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451048

1. $-4x + 14 = -18$

7. $3x - 21 = 0$

2. $x = 2x + 5$

8. $4x + 21 = -3x$

3. $2x = -5x + 56$

9. $-3x - 42 = 4x$

4. $4x - 17 = 7$

10. $0 = -4x + 16$

5. $-6 = -x - 3$

11. $-3x + 19 = 3x - 29$

6. $-4x - 6 = 14$

12. $-3x + 18 = x - 10$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451049

1. $-2x + 12 = 0$

7. $-5x = 5x + 10$

2. $12 = -3x - 3$

8. $0 = -2x + 12$

3. $-3x - 4 = -4x + 2$

9. $0 = 3x - 6$

4. $0 = -4x + 4$

10. $-3x - 10 = -5x$

5. $4x - 4 = 0$

11. $-3x - 14 = 4x$

6. $5x - 37 = -5x + 43$

12. $-x = 4x + 10$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451050

1. $-4x - 32 = 0$

7. $3x - 4 = -3x + 14$

2. $-5x + 4 = -1$

8. $-3x + 24 = 0$

3. $-3x + 1 = -4x + 10$

9. $6 = 4x + 2$

4. $-4x + 4 = -5x - 5$

10. $5 = -x + 6$

5. $-5x + 24 = -2x$

11. $3x + 3 = 6$

6. $-9 = 4x + 19$

12. $-2x + 8 = 0$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451051

1. $-3x + 4 = -2x$

7. $-3x - 10 = 2x + 0$

2. $-x - 3 = -3x + 9$

8. $0 = 4x + 28$

3. $15 = 3x - 6$

9. $0 = -x - 3$

4. $-2x + 7 = 3$

10. $-4x - 8 = 12$

5. $-6 = 2x - 2$

11. $-4x - 3 = -3x$

6. $4x - 28 = 0$

12. $-x = 3x + 8$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451052

1. $-2x + 18 = -5x$

7. $4x + 32 = 0$

2. $2x - 3 = -1$

8. $-7 = -x + 2$

3. $0 = 3x + 18$

9. $0 = 4x + 12$

4. $0 = 2x + 16$

10. $10 = -2x - 8$

5. $5x = -5x - 10$

11. $-5x + 23 = -17$

6. $19 = 4x - 17$

12. $-x + 2 = -3x$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451053

1. $0 = -x + 2$

7. $3x + 7 = -2$

2. $-4x + 17 = -15$

8. $4x - 6 = 3x + 3$

3. $3 = 2x - 1$

9. $3x - 15 = 0$

4. $-5x + 15 = 0$

10. $-5x + 6 = -3x$

5. $2x + 4 = 6$

11. $-3x = -4x - 5$

6. $-5x + 80 = 5x$

12. $2x = -4x - 48$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451054

1. $-5x - 42 = 2x$

7. $-x + 2 = -4$

2. $5x - 10 = 0$

8. $5x = -5x + 90$

3. $0 = 4x - 20$

9. $2x + 6 = 4$

4. $-4x - 36 = 0$

10. $-4x - 25 = x$

5. $-2x = 5x - 28$

11. $-3x - 15 = 0$

6. $0 = 5x + 10$

12. $5 = 3x - 10$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451055

1. $2x + 14 = -4$

7. $-4x + 23 = 2x - 13$

2. $-x - 8 = -4x + 13$

8. $3x - 24 = 0$

3. $2x = -4$

9. $-3x + 20 = 2x$

4. $-4x = 3x - 63$

10. $-13 = 3x + 5$

5. $0 = 2x - 8$

11. $5x + 64 = -3x$

6. $-17 = -5x + 8$

12. $-x = -3x - 2$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451056

1. $-2x - 8 = -5x + 13$

7. $-2x - 12 = 0$

2. $3x - 4 = 2x - 3$

8. $2x = 8$

3. $-3x = 5x - 8$

9. $3x + 12 = -6$

4. $2x - 15 = -4x + 9$

10. $-3x = 3x - 12$

5. $-5x + 8 = -x - 12$

11. $-5x - 80 = 5x$

6. $-2x - 10 = 0$

12. $-3x + 30 = 2x$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451057

1. $2x - 8 = 0$

7. $4x - 26 = -5x + 19$

2. $-2x + 14 = 0$

8. $0 = 2x + 8$

3. $0 = -4x + 8$

9. $4x - 5 = 3$

4. $3x - 7 = 2x$

10. $0 = -x + 7$

5. $-4x = -5x + 7$

11. $3x + 14 = -4x$

6. $4x + 36 = 0$

12. $1 = -5x + 6$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451058

1. $-x + 13 = x - 5$

7. $3x - 9 = 2x$

2. $x = -5x + 42$

8. $3x = 2x - 6$

3. $2x = 5x + 3$

9. $5x + 30 = 0$

4. $5x + 15 = -5$

10. $-5x - 8 = -3x$

5. $5x - 10 = -5x + 0$

11. $2x + 1 = 7$

6. $-3x - 27 = 0$

12. $-3x - 9 = 15$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451059

1. $2x + 7 = -5x$

7. $-5x - 2 = 8$

2. $-3x - 3 = 0$

8. $2x + 16 = -2x$

3. $-4x + 72 = 4x$

9. $7 = -3x - 11$

4. $5x - 8 = -x + 16$

10. $4x - 11 = 21$

5. $-2x + 3 = -4x + 5$

11. $0 = 2x + 14$

6. $3x = -3x + 30$

12. $5x = 2x - 15$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451060

1. $-4x = 4x - 56$

7. $-24 = -5x + 21$

2. $-4x - 32 = 4x + 40$

8. $28 = 5x - 17$

3. $3x - 8 = 16$

9. $x = -5x - 54$

4. $0 = -2x - 2$

10. $-3x - 12 = 0$

5. $-4x = -x - 21$

11. $2x = 5x - 12$

6. $-3x = -2x + 9$

12. $2x = 3x + 3$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451061

1. $0 = 5x + 45$

7. $4x = 2x - 8$

2. $0 = -5x - 15$

8. $-3x - 8 = -2x$

3. $3x + 21 = 0$

9. $-3x - 2 = -x$

4. $5x + 35 = 0$

10. $4x = 5x + 3$

5. $-3x - 6 = x + 2$

11. $5x + 81 = -4x$

6. $13 = 5x - 7$

12. $3x + 30 = -4x - 26$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451062

1. $-4x - 12 = 4$

7. $2x = -x - 18$

2. $-12 = 3x + 15$

8. $-4x - 16 = 0$

3. $9 = -5x - 6$

9. $-5x - 14 = 6$

4. $-5x + 13 = 2x - 22$

10. $-3x + 15 = -9$

5. $2x + 4 = 0$

11. $-12 = 5x + 8$

6. $x = -5x + 42$

12. $-4x + 36 = 0$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451063

1. $2x - 7 = -3$

7. $5x - 19 = 11$

2. $-2x = 4x + 36$

8. $7 = 4x + 3$

3. $-2x - 2 = -x$

9. $2x + 16 = 0$

4. $-4x - 20 = 5x + 16$

10. $22 = -4x - 14$

5. $0 = 2x + 10$

11. $0 = -2x + 2$

6. $0 = -2x + 18$

12. $4x - 4 = 12$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451064

1. $-2x + 18 = 0$

7. $0 = -x + 6$

2. $-x - 24 = 2x$

8. $4x = 3x - 5$

3. $0 = 2x + 4$

9. $0 = 5x - 25$

4. $5x + 8 = 2x - 10$

10. $2x + 11 = 5x - 16$

5. $-5x + 17 = -23$

11. $-x + 7 = x - 11$

6. $0 = -5x - 25$

12. $0 = -2x - 14$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451065

1. $-4x - 9 = -x$

7. $3x - 11 = -x + 5$

2. $2x + 36 = -4x$

8. $0 = 4x + 36$

3. $-2x + 2 = 0$

9. $2x - 10 = 0$

4. $4x = -4x + 32$

10. $0 = -4x - 32$

5. $2x = -5x + 42$

11. $-5x + 1 = 6$

6. $4x - 10 = 2$

12. $-3x + 2 = -4x + 5$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451066

1. $-2x + 7 = -5x - 2$

7. $-3x + 18 = 4x - 24$

2. $-3x + 10 = 1$

8. $3x - 15 = 0$

3. $2x = -x - 6$

9. $-4x + 8 = 0$

4. $-4x - 8 = 0$

10. $-x + 6 = 0$

5. $-2x - 18 = 0$

11. $0 = 5x + 20$

6. $-4x + 7 = x + 2$

12. $8 = 2x - 2$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451067

1. $0 = -4x + 32$

7. $0 = 5x - 30$

2. $4x + 16 = 0$

8. $-3x + 37 = 4x - 26$

3. $-3x - 11 = 16$

9. $-5x = -2x + 6$

4. $3x + 4 = x + 6$

10. $-5x + 25 = 0$

5. $-x = 3x + 28$

11. $-7 = 3x + 5$

6. $-3x + 30 = 4x - 33$

12. $-2x - 12 = x + 3$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451068

1. $1 = 2x + 9$

7. $0 = -3x - 18$

2. $-x + 18 = -3x$

8. $0 = -2x - 8$

3. $2x - 14 = 0$

9. $0 = 3x + 15$

4. $-x = -2x - 4$

10. $4x + 9 = 3x + 2$

5. $0 = -5x + 10$

11. $-5x + 6 = -2x$

6. $2x - 6 = 0$

12. $-6 = -x + 1$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451069

1. $-1 = -x - 3$

7. $0 = -5x - 10$

2. $5x - 24 = x$

8. $2x + 8 = 3x$

3. $0 = -4x + 24$

9. $-4x = 2x + 24$

4. $0 = -4x - 36$

10. $-3x = 5x - 8$

5. $-5x - 7 = -2$

11. $0 = 5x + 30$

6. $3x + 6 = 5x$

12. $-5x - 2 = -3x + 0$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451070

1. $x = -3x - 20$

7. $-2x + 2 = -8$

2. $-3x - 15 = 0$

8. $3x + 24 = 0$

3. $-x - 8 = x + 2$

9. $5x + 5 = 0$

4. $-2x = 3x + 45$

10. $2x - 3 = 7$

5. $-4x + 8 = -2x$

11. $5x - 72 = -4x$

6. $0 = 2x - 14$

12. $-3x = -x + 10$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451071

1. $4 = -3x - 14$

7. $4x = 3x - 9$

2. $-4x = -3x + 5$

8. $0 = 4x + 16$

3. $3x + 27 = 0$

9. $5x + 5 = 0$

4. $-3x = -x - 10$

10. $15 = 4x - 17$

5. $2x - 15 = -x$

11. $2x = -2x - 24$

6. $-x - 6 = 0$

12. $4x - 21 = -3x + 28$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451072

1. $-3x = 2x + 5$

7. $3x = -3x + 48$

2. $-2x - 5 = -3x - 2$

8. $2x - 20 = -3x + 25$

3. $0 = -3x - 3$

9. $0 = 2x + 14$

4. $2x - 9 = 4x + 3$

10. $3x + 1 = 10$

5. $-2x + 8 = 2$

11. $-3x + 6 = 4x - 8$

6. $-4x + 2 = 6$

12. $4x + 5 = -15$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451073

1. $2x - 18 = 0$

7. $3x + 11 = -5x - 5$

2. $4x + 8 = 0$

8. $-2x - 5 = 13$

3. $20 = -5x - 15$

9. $4x - 16 = 8$

4. $-3x + 72 = 5x$

10. $5x - 14 = x + 10$

5. $-x + 6 = 5x + 0$

11. $3x = -5x - 64$

6. $-5x + 18 = -7$

12. $5x - 11 = 9$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451074

1. $4x - 16 = 0$

7. $-3x - 63 = 4x$

2. $-2x - 24 = 4x + 30$

8. $3x = -4x - 21$

3. $2x - 4 = 3x - 6$

9. $-2x + 2 = 8$

4. $-2 = -x + 4$

10. $0 = 4x - 12$

5. $0 = 4x + 32$

11. $-x + 9 = 0$

6. $-6 = -x - 3$

12. $-3x + 3 = -4x$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451075

1. $-16 = 5x + 14$

7. $2x + 8 = 0$

2. $-x - 5 = 0$

8. $-x = 4x + 15$

3. $-4x + 7 = -13$

9. $-4x + 9 = -3$

4. $-5x = 5x - 30$

10. $-2x + 1 = 3$

5. $3x + 3 = 0$

11. $-5x - 12 = -2x + 3$

6. $-5x = -4x - 5$

12. $-14 = 5x + 16$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451076

1. $-5x - 10 = 0$

7. $-4x + 40 = 4x$

2. $x = -x + 12$

8. $3x - 3 = 4x$

3. $0 = -x - 3$

9. $5x + 4 = -x - 14$

4. $-4x - 28 = 0$

10. $3x + 21 = 0$

5. $0 = 4x - 20$

11. $3x = -5x - 40$

6. $-x = 4x + 20$

12. $13 = -3x - 5$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451077

1. $5x - 12 = -x$

7. $0 = -3x + 15$

2. $0 = -3x + 12$

8. $4x + 3 = 2x - 11$

3. $0 = 2x + 8$

9. $-5x + 30 = 0$

4. $2x + 16 = -x - 5$

10. $-5x - 2 = 8$

5. $3x - 21 = 0$

11. $5x - 30 = 0$

6. $5x + 26 = -x - 22$

12. $-5x + 30 = 2x - 19$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451078

1. $0 = -3x + 24$

7. $-4x - 16 = 0$

2. $x = 3x - 12$

8. $-x - 5 = 0$

3. $-4x = 2x - 36$

9. $0 = -4x + 16$

4. $-3x - 6 = -x$

10. $-4x = 2x + 36$

5. $-4x - 10 = 4x + 6$

11. $-5x - 11 = -2x + 16$

6. $-2x - 1 = -x$

12. $2x - 4 = 0$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451079

1. $-2 = -3x + 10$

7. $-5x + 11 = -x - 13$

2. $-2 = 5x + 13$

8. $3x = 5x - 8$

3. $4x - 16 = 0$

9. $0 = -x + 3$

4. $3x + 24 = -5x$

10. $-4x - 32 = 5x + 22$

5. $-2x + 8 = -6$

11. $2x - 16 = 0$

6. $7 = -x - 1$

12. $4x = -4x + 16$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451080

1. $-2x - 3 = 13$

7. $-1 = 2x - 3$

2. $-2x = 4x + 18$

8. $3x = -5x - 56$

3. $-2x + 16 = -4x$

9. $0 = 3x - 21$

4. $-3x = -4x - 4$

10. $5x - 1 = 2x + 5$

5. $-5x + 30 = 0$

11. $5x = -4x - 45$

6. $4x = -3x - 28$

12. $-3x - 18 = -x$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451081

1. $4x = -4$

7. $-5x = 3x - 16$

2. $2x - 11 = 7$

8. $-2x = -4x - 18$

3. $0 = 4x - 36$

9. $16 = 4x - 20$

4. $-2x + 8 = -2$

10. $0 = -3x + 18$

5. $-4x = 4x + 24$

11. $3x = -4x - 63$

6. $8 = -2x - 6$

12. $-2x - 54 = 4x$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451082

1. $0 = 2x - 14$

7. $3x = x + 8$

2. $0 = -3x + 12$

8. $x = 5x + 16$

3. $-4x + 6 = -5x$

9. $-4x + 3 = -5x + 4$

4. $5x + 21 = -24$

10. $-3x = -x + 10$

5. $-3x = -4x + 7$

11. $5x = -2x + 49$

6. $-11 = 5x + 19$

12. $3x = 2x + 6$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451083

1. $-5x - 1 = -4x - 8$

7. $-3x + 8 = -x$

2. $-3x = 4x - 7$

8. $2x + 12 = -4$

3. $2x + 4 = 4x$

9. $-2x + 9 = -7$

4. $4x + 13 = -3$

10. $-4x - 5 = -1$

5. $0 = 5x - 25$

11. $-4x - 1 = -5x + 5$

6. $4x + 14 = x - 7$

12. $5x = -4x - 45$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451084

1. $-4x + 8 = -2x$

7. $1 = -x - 3$

2. $2x + 12 = 0$

8. $0 = -5x - 40$

3. $-3x + 8 = -1$

9. $2x = -2x - 24$

4. $-2x + 7 = 3$

10. $-4x - 48 = 2x$

5. $3x = -x - 8$

11. $-4x = 3x + 28$

6. $-5x + 6 = -14$

12. $-x = -3x + 18$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451085

1. $3x = 2x + 5$

7. $4x - 54 = -5x$

2. $4x = -5x - 81$

8. $-3x = 4x + 63$

3. $3x - 48 = -5x$

9. $-13 = -4x + 15$

4. $-3x - 8 = 16$

10. $4x + 7 = 5x + 0$

5. $x = -5x + 42$

11. $-x + 2 = 0$

6. $-4x + 16 = 0$

12. $-5x - 5 = 0$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451086

1. $0 = -x - 7$

7. $0 = 5x + 35$

2. $-4x - 20 = x$

8. $-3x + 3 = -4x$

3. $2x = 5x + 12$

9. $-3x = -x - 6$

4. $0 = -x - 9$

10. $18 = -5x - 7$

5. $-25 = -5x + 15$

11. $0 = 3x + 15$

6. $3x + 15 = -9$

12. $-x + 16 = 5x - 20$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451087

1. $0 = -x - 3$

7. $-5x - 40 = 0$

2. $4x = -x - 20$

8. $-5x - 15 = 20$

3. $0 = -2x + 18$

9. $5x = -5x + 60$

4. $-4x = 3x + 42$

10. $4x - 6 = 14$

5. $4x = -x - 20$

11. $-2x + 18 = 0$

6. $-5x - 15 = 25$

12. $0 = -3x - 6$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451088

1. $8 = 5x + 3$

7. $18 = -5x - 22$

2. $-5x + 20 = 0$

8. $4x - 18 = -5x$

3. $-3x + 27 = 0$

9. $4x - 13 = 19$

4. $-3x - 24 = 0$

10. $0 = 2x + 12$

5. $3x + 9 = 0$

11. $5x - 5 = 3x + 1$

6. $-4x + 24 = 0$

12. $5x - 9 = 11$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451089

1. $-2x + 5 = -9$

7. $-4x - 1 = -3x + 7$

2. $4x - 14 = -3x$

8. $2x - 10 = 0$

3. $-3x - 14 = 4$

9. $-2x - 9 = 3$

4. $x = 4x + 21$

10. $0 = -5x - 40$

5. $-x + 35 = 4x$

11. $-5x + 35 = 0$

6. $-2x - 8 = 6$

12. $4x + 5 = -x$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451090

1. $-9 = 4x - 1$

7. $-x - 7 = 0$

2. $-2x = -4x + 16$

8. $6 = -2x + 2$

3. $3x + 9 = -6$

9. $-5x - 8 = x - 2$

4. $5x + 8 = 4x + 1$

10. $-4x = -x - 6$

5. $2x - 18 = 0$

11. $-4x = 5x + 72$

6. $x = -x - 16$

12. $18 = 5x - 22$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451091

1. $0 = 5x + 10$

7. $-3x - 5 = -4x + 1$

2. $0 = 5x - 45$

8. $4x - 12 = 0$

3. $-3x + 3 = -2x + 7$

9. $3x + 3 = 0$

4. $3x - 18 = 0$

10. $5x = -x - 12$

5. $5x = 2x + 15$

11. $-3x - 17 = 10$

6. $5x - 10 = -x + 2$

12. $2x + 35 = -3x$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451092

1. $5x + 25 = 0$

7. $-2x - 12 = 0$

2. $-2x - 18 = 0$

8. $-x + 7 = 5x - 5$

3. $0 = -4x - 20$

9. $-3x = -x - 18$

4. $-13 = 3x + 5$

10. $0 = 3x + 27$

5. $0 = 3x + 12$

11. $-5x + 60 = 5x$

6. $-x = -2x + 8$

12. $2x - 18 = 0$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451093

1. $0 = 3x - 15$

7. $0 = -2x - 8$

2. $-2x = 2x - 20$

8. $-x - 7 = 0$

3. $0 = 4x - 20$

9. $0 = -5x - 5$

4. $-2x + 1 = -3x - 2$

10. $-7 = -x - 2$

5. $-x - 21 = -4x$

11. $-20 = -5x + 25$

6. $2x - 12 = 0$

12. $-4x = x - 10$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451094

1. $-4x = 3x + 7$

7. $3x = -5x + 16$

2. $4x - 9 = x + 15$

8. $-4x + 7 = 2x - 11$

3. $-4x - 12 = 16$

9. $-21 = -4x + 15$

4. $-x + 7 = -4x - 11$

10. $0 = -2x + 4$

5. $-12 = -3x + 15$

11. $-4x + 18 = -2x$

6. $-5x + 6 = -14$

12. $2x + 7 = -5$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451095

1. $-4x + 22 = 2x - 20$

7. $2x - 2 = 12$

2. $-2x + 6 = -5x$

8. $4 = -x + 1$

3. $-2x + 12 = -5x$

9. $0 = -4x - 24$

4. $5x - 30 = 0$

10. $5x + 14 = -6$

5. $-2x = 2x + 16$

11. $-3x - 3 = -2x$

6. $-5x = -4x + 7$

12. $-3x + 32 = x$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451096

1. $0 = -3x - 18$

7. $-3x - 9 = 0$

2. $-5x - 18 = 27$

8. $-x - 2 = -5$

3. $-4x = 5x + 81$

9. $0 = -4x - 16$

4. $-2x = -5x + 9$

10. $-3x + 28 = 4x$

5. $4x - 10 = 18$

11. $-3x - 12 = 6$

6. $4x + 20 = 0$

12. $-5x - 35 = 0$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451097

1. $13 = -3x - 14$

7. $2x = 3x - 9$

2. $5x - 12 = x + 8$

8. $-8 = 2x + 6$

3. $6 = -2x + 4$

9. $-x - 1 = 0$

4. $-4x + 9 = -3$

10. $4x + 5 = 3x$

5. $-3x - 10 = 17$

11. $-x + 3 = 0$

6. $5 = 4x - 7$

12. $0 = 5x + 5$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451098

1. $0 = -x + 9$

7. $4x - 28 = 0$

2. $3x + 16 = x$

8. $-4x + 23 = 3x - 19$

3. $0 = 3x - 15$

9. $0 = 2x + 6$

4. $3x + 5 = 4x$

10. $-4x - 5 = x$

5. $-4x - 36 = 0$

11. $-2x + 12 = 0$

6. $4x = -5x + 18$

12. $5x - 3 = 7$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451099

1. $5x + 30 = 0$

7. $3x + 11 = -7$

2. $-5x - 12 = 18$

8. $4x + 10 = -x - 5$

3. $-5x = -2x + 27$

9. $-2x + 1 = 3$

4. $5x + 1 = -9$

10. $0 = 4x + 32$

5. $3x + 20 = -3x - 22$

11. $0 = 4x + 24$

6. $-x + 1 = 0$

12. $2x + 6 = 0$

Put into a simple improper fraction and reduce to lowest terms. Document No.EQI6451100

1. $4x + 9 = 5x$

7. $4x = -2x - 30$

2. $0 = -x - 6$

8. $2x - 6 = x - 3$

3. $-4x + 16 = 0$

9. $-2x - 10 = 2$

4. $-2x = 4x + 36$

10. $3x + 21 = 0$

5. $-x = 2x + 21$

11. $-2x + 2 = 0$

6. $5x + 7 = x - 9$

12. $4 = -5x - 6$

Document No. EQI6451001

1. 6
2. 8
3. -1
4. 9
5. 9
6. -6
7. -3
8. -5
9. 6
10. 8
11. 3
12. -6

Document No. EQI6451002

1. -3
2. -3
3. -3
4. -9
5. 5
6. -3
7. 8
8. 3
9. 8
10. -7
11. 6
12. 5

Document No. EQI6451003

1. -6
2. -6
3. -7
4. -7
5. -1
6. 7
7. 5
8. 3
9. -6
10. 6
11. 3
12. 3

Document No. EQI6451004

1. -8
2. -7
3. -6
4. -6

5. 6
6. -1
7. -1
8. 2
9. 5
10. 7
11. -2
12. -6

Document No. EQI6451005

1. -8
2. 8
3. 9
4. -5
5. -5
6. -7
7. 5
8. -9
9. 1
10. -2
11. -7
12. -6

Document No. EQI6451006

1. 2
2. 6
3. 3
4. 8
5. -2
6. -4
7. 7
8. -2
9. -6
10. 2
11. 6
12. 5

Document No. EQI6451007

1. 7
2. -2
3. -2
4. -2
5. 7
6. -7
7. -3
8. -9
9. -6

10. -3
11. -4
12. -5

Document No. EQI6451008

1. -3
2. 3
3. 7
4. -9
5. -7
6. -4
7. -8
8. 1
9. 2
10. -7
11. 9
12. -7

Document No. EQI6451009

1. -1
2. -7
3. 5
4. 5
5. 2
6. 3
7. -1
8. 2
9. 2
10. -4
11. -5
12. 3

Document No. EQI6451010

1. 8
2. 6
3. 6
4. 4
5. -7
6. 9
7. -2
8. 6
9. -9
10. -6
11. 6
12. 1

Document No. EQI6451011

1. 5
2. -8
3. -4
4. 1
5. -5
6. -3
7. -5
8. 1
9. -5
10. 9
11. 6
12. 8

Document No. EQI6451012

1. -8
2. 1
3. -5
4. 6
5. 1
6. 1
7. -1
8. -2
9. -3
10. -2
11. -1
12. 8

Document No. EQI6451013

1. -9
2. 6
3. 2
4. -3
5. 8
6. 3
7. -4
8. -4
9. -2
10. -7
11. 5
12. -1

Document No. EQI6451014

1. 6
2. 8
3. 7
4. 7
5. 7

6. -1
7. -7
8. 5
9. -9
10. -6
11. -1
12. 4

Document No. EQI6451015

1. 4
2. -1
3. 7
4. 3
5. 7
6. 9
7. -2
8. 5
9. -1
10. -6
11. 9
12. 1

Document No. EQI6451016

1. -9
2. 7
3. -1
4. -5
5. -8
6. 5
7. -5
8. 8
9. 3
10. -7
11. 1
12. 3

Document No. EQI6451017

1. -3
2. 6
3. -8
4. -7
5. -8
6. 3
7. -2
8. 5
9. -9
10. -6

11. -3
12. -6

Document No. EQI6451018

1. -4
2. -3
3. 2
4. -5
5. -1
6. -6
7. -4
8. 1
9. -9
10. -5
11. -7
12. -6

Document No. EQI6451019

1. -7
2. -5
3. -6
4. -1
5. 9
6. 7
7. 6
8. -3
9. -2
10. -5
11. 1
12. 9

Document No. EQI6451020

1. 2
2. -4
3. -8
4. 8
5. 3
6. 7
7. 1
8. 6
9. -3
10. -7
11. 7
12. -6

Document No. EQI6451021

1. -2

2. -4
3. 1
4. -5
5. -4
6. -3
7. 9
8. 7
9. -8
10. -4
11. 7
12. 3

Document No. EQI6451022

1. -2
2. -4
3. -8
4. 2
5. -1
6. -3
7. -5
8. -8
9. -5
10. 4
11. -4
12. -4

Document No. EQI6451023

1. -2
2. -8
3. -9
4. 8
5. -4
6. -1
7. -3
8. 6
9. 5
10. -2
11. 3
12. 7

Document No. EQI6451024

1. -1
2. 1
3. -3
4. -2
5. -8
6. 6

7. 2
8. 7
9. -7
10. -1
11. 4
12. 9

Document No. EQI6451025

1. -1
2. 7
3. -6
4. -4
5. 2
6. -9
7. 3
8. 3
9. 9
10. -9
11. 2
12. 5

Document No. EQI6451026

1. -1
2. 4
3. -2
4. -5
5. -9
6. -1
7. 9
8. 1
9. 5
10. -6
11. 3
12. 7

Document No. EQI6451027

1. 2
2. -1
3. -4
4. -2
5. 3
6. 8
7. 3
8. 7
9. 5
10. 7
11. -2

12. 3

Document No. EQI6451028

1. 7
2. -4
3. -1
4. 7
5. 1
6. -6
7. -7
8. 5
9. -2
10. 3
11. -3
12. -1

Document No. EQI6451029

1. 8
2. 8
3. 2
4. -5
5. 2
6. -3
7. 9
8. 1
9. 4
10. -4
11. 8
12. -5

Document No. EQI6451030

1. 5
2. 5
3. 3
4. 7
5. 5
6. 6
7. 3
8. -1
9. -9
10. -5
11. 2
12. 6

Document No. EQI6451031

1. 8
2. -1

3. -1

4. 2
5. -3
6. 6
7. -3
8. 4
9. -9
10. -5
11. 5
12. 1

Document No. EQI6451032

1. 9
2. -2
3. 2
4. 4
5. 1
6. 4
7. -2
8. 3
9. 7
10. 1
11. 3
12. 3

Document No. EQI6451033

1. -6
2. -3
3. 1
4. -5
5. 7
6. 9
7. 8
8. 5
9. 8
10. 6
11. 4
12. 8

Document No. EQI6451034

1. 3
2. 9
3. -7
4. -5
5. -7
6. -9
7. 3

8. -5
9. 8
10. -5
11. -5
12. 8

Document No. EQI6451035

1. 1
2. 2
3. -7
4. -5
5. -8
6. 3
7. -8
8. -5
9. -4
10. -6
11. -3
12. -7

Document No. EQI6451036

1. 6
2. 3
3. 2
4. 9
5. 5
6. 5
7. 7
8. 8
9. 5
10. 2
11. 6
12. 4

Document No. EQI6451037

1. 8
2. 1
3. -5
4. 2
5. -1
6. 4
7. 4
8. 3
9. 4
10. 1
11. 8
12. -4

Document No. EQI6451038

1. -9
2. -8
3. -5
4. 2
5. 1
6. 7
7. 5
8. -5
9. 1
10. 9
11. -7
12. 5

Document No. EQI6451039

1. 4
2. 2
3. 4
4. 8
5. 5
6. -6
7. -7
8. -5
9. 2
10. -8
11. 9
12. 9

Document No. EQI6451040

1. 4
2. 8
3. 2
4. -7
5. -1
6. -9
7. -6
8. -2
9. -6
10. 1
11. 9
12. -4

Document No. EQI6451041

1. 4
2. 8
3. -9

4. 8
5. -3
6. 5
7. 8
8. -6
9. -9
10. 7
11. -8
12. 7

Document No. EQI6451042

1. 7
2. -3
3. 2
4. 7
5. -1
6. 4
7. 3
8. 5
9. -6
10. 2
11. -2
12. -3

Document No. EQI6451043

1. 3
2. 2
3. 7
4. 3
5. 5
6. -2
7. 7
8. -5
9. 5
10. 6
11. -5
12. -6

Document No. EQI6451044

1. -8
2. -9
3. 9
4. 8
5. 4
6. 7
7. 7
8. -1

9. 2
10. 3
11. -3
12. 5

Document No. EQI6451045

1. -5
2. 2
3. 4
4. -7
5. -7
6. 9
7. 5
8. -9
9. -9
10. 1
11. -2
12. 1

Document No. EQI6451046

1. -6
2. -5
3. -5
4. -8
5. -6
6. -1
7. 3
8. -3
9. -4
10. 9
11. -6
12. 9

Document No. EQI6451047

1. 2
2. -1
3. -5
4. -3
5. -5
6. 7
7. -6
8. -7
9. 5
10. -1
11. -2
12. 5

Document No. EQI6451048

1. 8
2. -5
3. 8
4. 6
5. 3
6. -5
7. 7
8. -3
9. -6
10. 4
11. 8
12. 7

Document No. EQI6451049

1. 6
2. -5
3. 6
4. 1
5. 1
6. 8
7. -1
8. 6
9. 2
10. 5
11. -2
12. -2

Document No. EQI6451050

1. -8
2. 1
3. 9
4. -9
5. 8
6. -7
7. 3
8. 8
9. 1
10. 1
11. 1
12. 4

Document No. EQI6451051

1. 4
2. 6
3. 7
4. 2

5. -2
6. 7
7. -2
8. -7
9. -3
10. -5
11. -3
12. -2

Document No. EQI6451052

1. -6
2. 1
3. -6
4. -8
5. -1
6. 9
7. -8
8. 9
9. -3
10. -9
11. 8
12. -1

Document No. EQI6451053

1. 2
2. 8
3. 2
4. 3
5. 1
6. 8
7. -3
8. 9
9. 5
10. 3
11. -5
12. -8

Document No. EQI6451054

1. -6
2. 2
3. 5
4. -9
5. 4
6. -2
7. 6
8. 9
9. -1

10. -5
11. -5
12. 5

Document No. EQI6451055

1. -9
2. 7
3. -2
4. 9
5. 4
6. 5
7. 6
8. 8
9. 4
10. -6
11. -8
12. -1

Document No. EQI6451056

1. 7
2. 1
3. 1
4. 4
5. 5
6. -5
7. -6
8. 4
9. -6
10. 2
11. -8
12. 6

Document No. EQI6451057

1. 4
2. 7
3. 2
4. 7
5. 7
6. -9
7. 5
8. -4
9. 2
10. 7
11. -2
12. 1

Document No. EQI6451058

1. 9
2. 7
3. -1
4. -4
5. 1
6. -9
7. 9
8. -6
9. -6
10. -4
11. 3
12. -8

Document No. EQI6451059

1. -1
2. -1
3. 9
4. 4
5. 1
6. 5
7. -2
8. -4
9. -6
10. 8
11. -7
12. -5

Document No. EQI6451060

1. 7
2. -9
3. 8
4. -1
5. 7
6. -9
7. 9
8. 9
9. -9
10. -4
11. 4
12. -3

Document No. EQI6451061

1. -9
2. -3
3. -7
4. -7
5. -2

6. 4
7. -4
8. -8
9. -1
10. -3
11. -9
12. -8

Document No. EQI6451062

1. -4
2. -9
3. -3
4. 5
5. -2
6. 7
7. -6
8. -4
9. -4
10. 8
11. -4
12. 9

Document No. EQI6451063

1. 2
2. -6
3. -2
4. -4
5. -5
6. 9
7. 6
8. 1
9. -8
10. -9
11. 1
12. 4

Document No. EQI6451064

1. 9
2. -8
3. -2
4. -6
5. 8
6. -5
7. 6
8. -5
9. 5
10. 9

11. 9
12. -7

Document No. EQI6451065

1. -3
2. -6
3. 1
4. 4
5. 6
6. 3
7. 4
8. -9
9. 5
10. -8
11. -1
12. 3

Document No. EQI6451066

1. -3
2. 3
3. -2
4. -2
5. -9
6. 1
7. 6
8. 5
9. 2
10. 6
11. -4
12. 5

Document No. EQI6451067

1. 8
2. -4
3. -9
4. 1
5. -7
6. 9
7. 6
8. 9
9. -2
10. 5
11. -4
12. -5

Document No. EQI6451068

1. -4

2. -9
3. 7
4. -4
5. 2
6. 3
7. -6
8. -4
9. -5
10. -7
11. 2
12. 7

Document No. EQI6451069

1. -2
2. 6
3. 6
4. -9
5. -1
6. 3
7. -2
8. 8
9. -4
10. 1
11. -6
12. -1

Document No. EQI6451070

1. -5
2. -5
3. -5
4. -9
5. 4
6. 7
7. 5
8. -8
9. -1
10. 5
11. 8
12. -5

Document No. EQI6451071

1. -6
2. -5
3. -9
4. 5
5. 5
6. -6

7. -9
8. -4
9. -1
10. 8
11. -6
12. 7

Document No. EQI6451072

1. -1
2. 3
3. -1
4. -6
5. 3
6. -1
7. 8
8. 9
9. -7
10. 3
11. 2
12. -5

Document No. EQI6451073

1. 9
2. -2
3. -7
4. 9
5. 1
6. 5
7. -2
8. -9
9. 6
10. 6
11. -8
12. 4

Document No. EQI6451074

1. 4
2. -9
3. 2
4. 6
5. -8
6. 3
7. -9
8. -3
9. -3
10. 3
11. 9

12. -3

Document No. EQI6451075

1. -6

2. -5

3. 5

4. 3

5. -1

6. 5

7. -4

8. -3

9. 3

10. -1

11. -5

12. -6

Document No. EQI6451076

1. -2

2. 6

3. -3

4. -7

5. 5

6. -4

7. 5

8. -3

9. -3

10. -7

11. -5

12. -6

Document No. EQI6451077

1. 2

2. 4

3. -4

4. -7

5. 7

6. -8

7. 5

8. -7

9. 6

10. -2

11. 6

12. 7

Document No. EQI6451078

1. 8

2. 6

3. 6

4. -3

5. -2

6. -1

7. -4

8. -5

9. 4

10. -6

11. -9

12. 2

Document No. EQI6451079

1. 4

2. -3

3. 4

4. -3

5. 7

6. -8

7. 6

8. 4

9. 3

10. -6

11. 8

12. 2

Document No. EQI6451080

1. -8

2. -3

3. -8

4. -4

5. 6

6. -4

7. 1

8. -7

9. 7

10. 2

11. -5

12. -9

Document No. EQI6451081

1. -1

2. 9

3. 9

4. 5

5. -3

6. -7

7. 2

8. -9
9. 9
10. 6
11. -9
12. -9

Document No. EQI6451082

1. 7
2. 4
3. -6
4. -9
5. 7
6. -6
7. 4
8. -4
9. 1
10. -5
11. 7
12. 6

Document No. EQI6451083

1. 7
2. 1
3. 2
4. -4
5. 5
6. -7
7. 4
8. -8
9. 8
10. -1
11. 6
12. -5

Document No. EQI6451084

1. 4
2. -6
3. 3
4. 2
5. -2
6. 4
7. -4
8. -8
9. -6
10. -8
11. -4
12. 9

Document No. EQI6451085

1. 5
2. -9
3. 6
4. -8
5. 7
6. 4
7. 6
8. -9
9. 7
10. 7
11. 2
12. -1

Document No. EQI6451086

1. -7
2. -4
3. -4
4. -9
5. 8
6. -8
7. -7
8. -3
9. 3
10. -5
11. -5
12. 6

Document No. EQI6451087

1. -3
2. -4
3. 9
4. -6
5. -4
6. -8
7. -8
8. -7
9. 6
10. 5
11. 9
12. -2

Document No. EQI6451088

1. 1
2. 4
3. 9

- 4. -8
- 5. -3
- 6. 6
- 7. -8
- 8. 2
- 9. 8
- 10. -6
- 11. 3
- 12. 4

Document No. EQI6451089

- 1. 7
- 2. 2
- 3. -6
- 4. -7
- 5. 7
- 6. -7
- 7. -8
- 8. 5
- 9. -6
- 10. -8
- 11. 7
- 12. -1

Document No. EQI6451090

- 1. -2
- 2. 8
- 3. -5
- 4. -7
- 5. 9
- 6. -8
- 7. -7
- 8. -2
- 9. -1
- 10. 2
- 11. -8
- 12. 8

Document No. EQI6451091

- 1. -2
- 2. 9
- 3. -4
- 4. 6
- 5. 5
- 6. 2
- 7. 6
- 8. 3

- 9. -1
- 10. -2
- 11. -9
- 12. -7

Document No. EQI6451092

- 1. -5
- 2. -9
- 3. -5
- 4. -6
- 5. -4
- 6. 8
- 7. -6
- 8. 2
- 9. 9
- 10. -9
- 11. 6
- 12. 9

Document No. EQI6451093

- 1. 5
- 2. 5
- 3. 5
- 4. -3
- 5. 7
- 6. 6
- 7. -4
- 8. -7
- 9. -1
- 10. 5
- 11. 9
- 12. 2

Document No. EQI6451094

- 1. -1
- 2. 8
- 3. -7
- 4. -6
- 5. 9
- 6. 4
- 7. 2
- 8. 3
- 9. 9
- 10. 2
- 11. 9
- 12. -6

Document No. EQI6451095

1. 7
2. -2
3. -4
4. 6
5. -4
6. -7
7. 7
8. -3
9. -6
10. -4
11. -3
12. 8

Document No. EQI6451096

1. -6
2. -9
3. -9
4. 3
5. 7
6. -5
7. -3
8. 3
9. -4
10. 4
11. -6
12. -7

Document No. EQI6451097

1. -9
2. 5
3. -1
4. 3
5. -9
6. 3
7. 9
8. -7
9. -1
10. -5
11. 3
12. -1

Document No. EQI6451098

1. 9
2. -8
3. 5
4. 5

5. -9
6. 2
7. 7
8. 6
9. -3
10. -1
11. 6
12. 2

Document No. EQI6451099

1. -6
2. -6
3. -9
4. -2
5. -7
6. 1
7. -6
8. -3
9. -1
10. -8
11. -6
12. -3

Document No. EQI6451100

1. 9
2. -6
3. 4
4. -6
5. -7
6. -4
7. -5
8. 3
9. -6
10. -7
11. 1
12. -2