

Reduce the coefficients and solve.

Document No.QER8491001

1. $3x^2 - 9x + 6 = 0$

7. $12x^2 - 24x + 4 = 0$

2. $-5x^2 - 25x + 15 = 0$

8. $-10x^2 + 20x + 10 = 0$

3. $14x^2 + 35x - 14 = 0$

9. $-15x^2 + 30x + 5 = 0$

4. $-6x^2 - 18x - 6 = 0$

10. $7x^2 + 42x + 7 = 0$

5. $4x^2 + 10x - 2 = 0$

11. $10x^2 - 30x + 5 = 0$

6. $6x^2 - 24x - 6 = 0$

12. $4x^2 - 10x + 6 = 0$

Reduce the coefficients and solve.

Document No.QER8491002

1. $6x^2 + 18x - 6 = 0$

7. $7x^2 + 35x + 7 = 0$

2. $5x^2 - 25x + 15 = 0$

8. $7x^2 + 14x + 7 = 0$

3. $8x^2 - 20x + 4 = 0$

9. $2x^2 - 10x - 2 = 0$

4. $-2x^2 - 12x + 2 = 0$

10. $14x^2 + 14x - 14 = 0$

5. $7x^2 + 21x - 14 = 0$

11. $5x^2 + 30x + 5 = 0$

6. $-6x^2 - 12x + 12 = 0$

12. $2x^2 + 10x - 2 = 0$

Reduce the coefficients and solve.

Document No.QER8491003

1. $-4x^2 + 10x + 2 = 0$

7. $-15x^2 - 20x + 5 = 0$

2. $-4x^2 - 24x - 8 = 0$

8. $-2x^2 - 6x + 2 = 0$

3. $3x^2 + 15x + 9 = 0$

9. $7x^2 - 35x + 7 = 0$

4. $2x^2 - 12x - 2 = 0$

10. $18x^2 + 24x + 6 = 0$

5. $15x^2 - 35x + 10 = 0$

11. $3x^2 + 18x + 9 = 0$

6. $-3x^2 - 9x + 9 = 0$

12. $7x^2 + 35x + 7 = 0$

Reduce the coefficients and solve.

Document No.QER8491004

1. $-12x^2 - 12x + 12 = 0$

7. $-6x^2 - 18x + 3 = 0$

2. $15x^2 + 10x - 10 = 0$

8. $6x^2 + 36x - 18 = 0$

3. $6x^2 + 24x + 18 = 0$

9. $5x^2 + 30x + 10 = 0$

4. $-5x^2 - 20x - 5 = 0$

10. $-14x^2 - 28x - 14 = 0$

5. $12x^2 + 36x - 6 = 0$

11. $-6x^2 + 30x + 6 = 0$

6. $3x^2 + 18x + 3 = 0$

12. $-9x^2 - 15x - 6 = 0$

Reduce the coefficients and solve.

Document No.QER8491005

1. $10x^2 + 25x - 5 = 0$

7. $6x^2 + 18x - 6 = 0$

2. $4x^2 + 8x - 4 = 0$

8. $2x^2 - 8x - 2 = 0$

3. $10x^2 - 10x - 5 = 0$

9. $-15x^2 - 25x - 5 = 0$

4. $12x^2 - 48x + 18 = 0$

10. $6x^2 + 24x - 6 = 0$

5. $-6x^2 + 9x - 3 = 0$

11. $-4x^2 + 8x + 2 = 0$

6. $-5x^2 + 25x + 5 = 0$

12. $-7x^2 - 28x + 7 = 0$

Reduce the coefficients and solve.

Document No.QER8491006

1. $6x^2 + 18x - 6 = 0$

7. $-10x^2 - 10x + 5 = 0$

2. $7x^2 - 28x + 7 = 0$

8. $-2x^2 - 10x + 2 = 0$

3. $4x^2 - 20x - 8 = 0$

9. $14x^2 + 42x - 7 = 0$

4. $-10x^2 + 30x + 5 = 0$

10. $-3x^2 - 15x - 3 = 0$

5. $-4x^2 + 24x - 8 = 0$

11. $-4x^2 - 16x + 12 = 0$

6. $6x^2 - 36x + 6 = 0$

12. $5x^2 + 10x - 15 = 0$

Reduce the coefficients and solve.

Document No.QER8491007

1. $7x^2 + 21x - 21 = 0$

7. $3x^2 - 21x + 6 = 0$

2. $4x^2 + 24x + 4 = 0$

8. $-5x^2 - 30x - 5 = 0$

3. $2x^2 + 6x + 4 = 0$

9. $-7x^2 - 28x + 7 = 0$

4. $6x^2 - 24x + 18 = 0$

10. $7x^2 - 42x + 14 = 0$

5. $7x^2 - 14x - 14 = 0$

11. $6x^2 + 24x - 18 = 0$

6. $-4x^2 + 10x + 2 = 0$

12. $-7x^2 + 28x + 21 = 0$

Reduce the coefficients and solve.

Document No.QER8491008

1. $-8x^2 - 28x - 12 = 0$

7. $-5x^2 - 20x + 5 = 0$

2. $12x^2 - 36x - 6 = 0$

8. $-3x^2 - 15x + 3 = 0$

3. $3x^2 - 6x - 6 = 0$

9. $-2x^2 + 12x + 2 = 0$

4. $-8x^2 + 20x + 4 = 0$

10. $-3x^2 - 6x + 6 = 0$

5. $-2x^2 + 4x + 2 = 0$

11. $5x^2 + 15x + 5 = 0$

6. $5x^2 - 10x + 5 = 0$

12. $3x^2 + 18x + 6 = 0$

Reduce the coefficients and solve.

Document No.QER8491009

1. $-7x^2 + 28x - 21 = 0$

7. $-5x^2 + 15x + 5 = 0$

2. $4x^2 - 8x + 4 = 0$

8. $7x^2 + 35x - 7 = 0$

3. $12x^2 + 18x + 6 = 0$

9. $-7x^2 - 14x + 14 = 0$

4. $-15x^2 - 15x + 5 = 0$

10. $-2x^2 + 12x + 2 = 0$

5. $2x^2 - 6x + 4 = 0$

11. $-4x^2 - 8x + 4 = 0$

6. $6x^2 + 12x + 6 = 0$

12. $4x^2 + 16x - 8 = 0$

Reduce the coefficients and solve.

Document No.QER8491010

1. $3x^2 + 9x + 3 = 0$

7. $-5x^2 - 25x + 10 = 0$

2. $5x^2 - 15x - 10 = 0$

8. $-6x^2 + 36x - 6 = 0$

3. $-5x^2 - 25x + 5 = 0$

9. $4x^2 - 24x - 4 = 0$

4. $-3x^2 - 15x - 3 = 0$

10. $9x^2 - 15x - 3 = 0$

5. $-12x^2 + 28x - 8 = 0$

11. $-2x^2 - 8x - 4 = 0$

6. $10x^2 + 20x + 10 = 0$

12. $-8x^2 + 12x + 4 = 0$

Reduce the coefficients and solve.

Document No.QER8491011

1. $-6x^2 - 36x - 6 = 0$

7. $-5x^2 - 25x + 5 = 0$

2. $-18x^2 - 12x + 6 = 0$

8. $3x^2 + 6x + 3 = 0$

3. $-7x^2 - 42x - 21 = 0$

9. $6x^2 + 36x + 6 = 0$

4. $3x^2 - 18x - 6 = 0$

10. $2x^2 - 10x - 6 = 0$

5. $6x^2 + 6x - 4 = 0$

11. $6x^2 + 24x + 18 = 0$

6. $-7x^2 + 14x + 14 = 0$

12. $-10x^2 + 10x + 10 = 0$

Reduce the coefficients and solve.

Document No.QER8491012

1. $-15x^2 - 30x + 5 = 0$

7. $-5x^2 - 15x - 10 = 0$

2. $4x^2 + 24x - 4 = 0$

8. $-5x^2 + 30x - 5 = 0$

3. $-6x^2 + 12x - 2 = 0$

9. $6x^2 - 12x - 18 = 0$

4. $3x^2 + 15x - 3 = 0$

10. $4x^2 + 12x + 2 = 0$

5. $-2x^2 - 8x + 2 = 0$

11. $-5x^2 - 20x + 10 = 0$

6. $-10x^2 - 15x - 5 = 0$

12. $12x^2 - 24x - 4 = 0$

Reduce the coefficients and solve.

Document No.QER8491013

1. $-2x^2 - 6x - 4 = 0$

7. $6x^2 - 18x - 6 = 0$

2. $-12x^2 + 36x + 6 = 0$

8. $-8x^2 - 20x - 4 = 0$

3. $-8x^2 - 8x + 8 = 0$

9. $-10x^2 + 30x + 10 = 0$

4. $4x^2 - 8x - 6 = 0$

10. $4x^2 + 16x - 8 = 0$

5. $8x^2 + 8x - 4 = 0$

11. $-6x^2 + 18x - 3 = 0$

6. $4x^2 - 12x + 4 = 0$

12. $-7x^2 + 42x - 14 = 0$

Reduce the coefficients and solve.

Document No.QER8491014

1. $8x^2 + 20x - 8 = 0$

7. $6x^2 + 24x - 6 = 0$

2. $5x^2 - 30x + 15 = 0$

8. $2x^2 - 10x - 2 = 0$

3. $-7x^2 + 21x + 7 = 0$

9. $-4x^2 - 24x + 8 = 0$

4. $15x^2 + 10x - 10 = 0$

10. $6x^2 + 30x + 12 = 0$

5. $4x^2 + 24x - 8 = 0$

11. $6x^2 - 12x + 3 = 0$

6. $8x^2 - 24x - 4 = 0$

12. $6x^2 + 12x + 3 = 0$

Reduce the coefficients and solve.

Document No.QER8491015

1. $-7x^2 + 35x - 7 = 0$

7. $5x^2 - 20x + 5 = 0$

2. $5x^2 - 20x - 5 = 0$

8. $8x^2 + 16x - 4 = 0$

3. $-14x^2 + 35x - 14 = 0$

9. $3x^2 + 18x + 3 = 0$

4. $-9x^2 + 15x + 3 = 0$

10. $4x^2 + 8x - 4 = 0$

5. $-4x^2 + 14x - 4 = 0$

11. $-2x^2 + 6x + 2 = 0$

6. $-5x^2 + 10x - 5 = 0$

12. $4x^2 + 24x + 4 = 0$

Reduce the coefficients and solve.

Document No.QER8491016

1. $-10x^2 + 15x + 5 = 0$

7. $-6x^2 - 36x + 18 = 0$

2. $4x^2 + 12x - 4 = 0$

8. $3x^2 + 15x + 6 = 0$

3. $-21x^2 + 42x - 7 = 0$

9. $5x^2 + 30x + 5 = 0$

4. $14x^2 + 21x + 7 = 0$

10. $6x^2 - 12x + 2 = 0$

5. $-5x^2 + 20x + 5 = 0$

11. $-4x^2 + 6x + 2 = 0$

6. $-2x^2 - 10x + 2 = 0$

12. $4x^2 + 20x + 8 = 0$

Reduce the coefficients and solve.

Document No.QER8491017

1. $5x^2 - 25x + 5 = 0$

7. $-2x^2 + 12x - 2 = 0$

2. $12x^2 + 30x + 12 = 0$

8. $5x^2 - 15x - 5 = 0$

3. $-7x^2 - 14x - 7 = 0$

9. $6x^2 + 15x + 6 = 0$

4. $6x^2 + 12x - 2 = 0$

10. $7x^2 - 42x + 7 = 0$

5. $-3x^2 + 9x + 6 = 0$

11. $7x^2 - 35x + 7 = 0$

6. $4x^2 + 24x - 12 = 0$

12. $-5x^2 + 20x - 15 = 0$

Reduce the coefficients and solve.

Document No.QER8491018

1. $-6x^2 + 16x - 4 = 0$

7. $-3x^2 + 12x + 9 = 0$

2. $5x^2 + 20x + 15 = 0$

8. $6x^2 - 30x - 6 = 0$

3. $18x^2 + 18x - 6 = 0$

9. $-7x^2 - 28x - 7 = 0$

4. $4x^2 + 24x + 8 = 0$

10. $12x^2 - 12x - 4 = 0$

5. $5x^2 - 25x - 10 = 0$

11. $8x^2 + 16x - 8 = 0$

6. $6x^2 + 24x - 18 = 0$

12. $-4x^2 - 20x + 4 = 0$

Reduce the coefficients and solve.

Document No.QER8491019

1. $6x^2 + 36x - 6 = 0$

7. $-4x^2 - 16x + 4 = 0$

2. $7x^2 + 28x + 14 = 0$

8. $6x^2 - 15x + 3 = 0$

3. $-4x^2 + 4x + 6 = 0$

9. $4x^2 + 24x - 12 = 0$

4. $10x^2 + 30x + 15 = 0$

10. $-3x^2 - 12x - 9 = 0$

5. $8x^2 + 8x - 8 = 0$

11. $-4x^2 - 12x + 8 = 0$

6. $-4x^2 - 24x - 4 = 0$

12. $7x^2 + 28x - 7 = 0$

Reduce the coefficients and solve.

Document No.QER8491020

1. $2x^2 - 10x + 4 = 0$

7. $18x^2 - 30x + 6 = 0$

2. $-14x^2 + 21x + 7 = 0$

8. $6x^2 + 30x - 6 = 0$

3. $6x^2 + 36x + 6 = 0$

9. $4x^2 - 20x - 12 = 0$

4. $8x^2 - 16x + 4 = 0$

10. $-4x^2 - 8x + 4 = 0$

5. $-18x^2 - 24x + 6 = 0$

11. $-6x^2 + 12x + 12 = 0$

6. $-2x^2 - 8x + 2 = 0$

12. $5x^2 - 25x - 5 = 0$

Reduce the coefficients and solve.

Document No.QER8491021

1. $6x^2 - 30x + 18 = 0$

7. $-6x^2 - 15x - 3 = 0$

2. $-4x^2 + 20x + 12 = 0$

8. $12x^2 - 16x + 4 = 0$

3. $-12x^2 + 18x - 6 = 0$

9. $2x^2 - 8x + 2 = 0$

4. $-7x^2 - 28x + 21 = 0$

10. $-6x^2 + 12x + 3 = 0$

5. $7x^2 + 14x - 7 = 0$

11. $-5x^2 - 10x + 5 = 0$

6. $-4x^2 + 24x + 4 = 0$

12. $4x^2 + 12x - 8 = 0$

Reduce the coefficients and solve.

Document No.QER8491022

1. $-4x^2 - 16x + 4 = 0$

7. $-5x^2 + 10x + 10 = 0$

2. $5x^2 + 30x + 5 = 0$

8. $-9x^2 - 15x + 3 = 0$

3. $-4x^2 - 8x - 4 = 0$

9. $-2x^2 - 10x - 2 = 0$

4. $-7x^2 - 14x - 7 = 0$

10. $2x^2 - 6x - 4 = 0$

5. $-5x^2 - 30x - 15 = 0$

11. $-4x^2 + 8x - 4 = 0$

6. $5x^2 - 30x + 10 = 0$

12. $-6x^2 + 6x + 3 = 0$

Reduce the coefficients and solve.

Document No.QER8491023

1. $-7x^2 - 42x + 7 = 0$

7. $-15x^2 - 10x + 15 = 0$

2. $-4x^2 - 8x - 2 = 0$

8. $14x^2 + 21x + 7 = 0$

3. $-6x^2 + 30x + 6 = 0$

9. $4x^2 - 24x + 4 = 0$

4. $2x^2 - 6x + 2 = 0$

10. $-4x^2 + 10x + 2 = 0$

5. $-14x^2 + 35x + 14 = 0$

11. $-3x^2 - 15x + 3 = 0$

6. $-6x^2 + 15x - 9 = 0$

12. $7x^2 + 21x + 14 = 0$

Reduce the coefficients and solve.

Document No.QER8491024

1. $-7x^2 + 35x - 7 = 0$

7. $-5x^2 - 15x - 5 = 0$

2. $6x^2 + 36x + 6 = 0$

8. $-18x^2 + 24x - 6 = 0$

3. $-8x^2 - 24x + 12 = 0$

9. $6x^2 + 15x - 6 = 0$

4. $5x^2 - 15x - 5 = 0$

10. $-12x^2 + 12x + 4 = 0$

5. $-8x^2 + 16x - 8 = 0$

11. $12x^2 + 30x + 6 = 0$

6. $-6x^2 - 10x - 4 = 0$

12. $5x^2 + 30x - 10 = 0$

Reduce the coefficients and solve.

Document No.QER8491025

1. $2x^2 + 4x - 2 = 0$

7. $2x^2 - 4x + 2 = 0$

2. $-12x^2 - 24x + 6 = 0$

8. $4x^2 - 16x + 12 = 0$

3. $4x^2 + 24x + 4 = 0$

9. $3x^2 - 9x + 3 = 0$

4. $5x^2 + 30x + 5 = 0$

10. $2x^2 + 12x - 4 = 0$

5. $-6x^2 + 8x - 2 = 0$

11. $3x^2 + 12x + 6 = 0$

6. $5x^2 - 20x + 5 = 0$

12. $4x^2 + 24x + 4 = 0$

Reduce the coefficients and solve.

Document No.QER8491026

1. $6x^2 + 24x + 12 = 0$

7. $-18x^2 - 30x - 12 = 0$

2. $4x^2 - 4x - 2 = 0$

8. $-3x^2 - 15x + 9 = 0$

3. $-10x^2 - 15x + 10 = 0$

9. $-2x^2 + 8x + 2 = 0$

4. $7x^2 + 35x - 14 = 0$

10. $7x^2 + 35x + 7 = 0$

5. $-2x^2 - 12x - 6 = 0$

11. $3x^2 + 6x - 3 = 0$

6. $-6x^2 - 24x - 12 = 0$

12. $-3x^2 - 9x + 3 = 0$

Reduce the coefficients and solve.

Document No.QER8491027

1. $2x^2 + 10x - 4 = 0$

7. $5x^2 + 25x - 10 = 0$

2. $-5x^2 - 25x - 15 = 0$

8. $-6x^2 - 18x + 6 = 0$

3. $6x^2 + 24x + 18 = 0$

9. $-4x^2 + 16x - 8 = 0$

4. $12x^2 - 12x - 6 = 0$

10. $-6x^2 - 12x + 6 = 0$

5. $6x^2 - 6x - 6 = 0$

11. $12x^2 - 20x + 4 = 0$

6. $6x^2 - 42x + 12 = 0$

12. $-2x^2 - 12x + 4 = 0$

Reduce the coefficients and solve.

Document No.QER8491028

1. $4x^2 + 8x - 2 = 0$

7. $4x^2 - 20x - 4 = 0$

2. $-7x^2 - 42x - 7 = 0$

8. $-5x^2 - 30x + 5 = 0$

3. $-2x^2 + 6x - 2 = 0$

9. $2x^2 - 10x - 2 = 0$

4. $-7x^2 + 28x - 7 = 0$

10. $3x^2 + 6x - 3 = 0$

5. $-5x^2 + 10x + 5 = 0$

11. $-6x^2 - 6x + 6 = 0$

6. $-12x^2 + 20x - 4 = 0$

12. $7x^2 - 28x + 7 = 0$

Reduce the coefficients and solve.

Document No.QER8491029

1. $-2x^2 - 12x + 4 = 0$

7. $-4x^2 - 8x + 4 = 0$

2. $-6x^2 + 24x + 18 = 0$

8. $6x^2 + 9x - 3 = 0$

3. $3x^2 - 12x + 6 = 0$

9. $4x^2 + 16x - 4 = 0$

4. $6x^2 - 30x + 12 = 0$

10. $-6x^2 + 36x - 6 = 0$

5. $10x^2 - 35x + 10 = 0$

11. $5x^2 - 30x + 10 = 0$

6. $7x^2 - 35x + 7 = 0$

12. $-9x^2 - 18x + 3 = 0$

Reduce the coefficients and solve.

Document No.QER8491030

1. $6x^2 + 36x - 12 = 0$

7. $-3x^2 + 6x - 3 = 0$

2. $-9x^2 - 12x + 3 = 0$

8. $-5x^2 - 30x - 5 = 0$

3. $12x^2 + 20x - 4 = 0$

9. $18x^2 - 30x - 18 = 0$

4. $12x^2 + 20x - 4 = 0$

10. $3x^2 - 15x - 9 = 0$

5. $-3x^2 - 6x + 3 = 0$

11. $2x^2 - 6x - 2 = 0$

6. $-4x^2 - 12x - 2 = 0$

12. $-7x^2 + 21x + 14 = 0$

Reduce the coefficients and solve.

Document No.QER8491031

1. $-2x^2 - 12x - 6 = 0$

7. $5x^2 - 30x - 10 = 0$

2. $-7x^2 - 14x - 7 = 0$

8. $8x^2 + 16x - 8 = 0$

3. $-8x^2 - 8x + 4 = 0$

9. $6x^2 + 12x + 6 = 0$

4. $8x^2 - 20x - 4 = 0$

10. $3x^2 - 12x + 3 = 0$

5. $6x^2 - 12x - 6 = 0$

11. $-4x^2 - 20x + 4 = 0$

6. $5x^2 - 25x - 10 = 0$

12. $-12x^2 + 8x + 4 = 0$

Reduce the coefficients and solve.

Document No.QER8491032

1. $7x^2 - 14x - 7 = 0$

7. $6x^2 - 12x + 6 = 0$

2. $7x^2 + 28x - 7 = 0$

8. $6x^2 + 30x + 6 = 0$

3. $-5x^2 + 25x + 5 = 0$

9. $-6x^2 + 30x + 6 = 0$

4. $-18x^2 - 36x + 12 = 0$

10. $6x^2 - 18x - 18 = 0$

5. $4x^2 + 12x - 4 = 0$

11. $-2x^2 + 10x - 2 = 0$

6. $-10x^2 - 20x + 5 = 0$

12. $-4x^2 - 8x - 4 = 0$

Reduce the coefficients and solve.

Document No.QER8491033

1. $4x^2 + 8x + 2 = 0$

7. $-12x^2 - 24x - 4 = 0$

2. $10x^2 + 20x + 5 = 0$

8. $18x^2 - 36x + 12 = 0$

3. $-4x^2 + 8x - 4 = 0$

9. $6x^2 + 30x - 12 = 0$

4. $7x^2 + 28x + 7 = 0$

10. $2x^2 - 6x - 2 = 0$

5. $4x^2 - 8x + 4 = 0$

11. $2x^2 + 8x - 2 = 0$

6. $4x^2 + 20x + 4 = 0$

12. $-2x^2 + 4x - 2 = 0$

Reduce the coefficients and solve.

Document No.QER8491034

1. $-6x^2 + 36x + 12 = 0$

7. $-6x^2 - 18x - 3 = 0$

2. $-7x^2 - 35x + 14 = 0$

8. $4x^2 + 16x - 8 = 0$

3. $-5x^2 - 15x + 5 = 0$

9. $-14x^2 - 28x - 7 = 0$

4. $9x^2 + 12x - 3 = 0$

10. $6x^2 - 9x - 3 = 0$

5. $12x^2 - 30x - 6 = 0$

11. $-8x^2 + 12x + 4 = 0$

6. $3x^2 + 6x + 3 = 0$

12. $-18x^2 - 30x - 6 = 0$

Reduce the coefficients and solve.

Document No.QER8491035

1. $-4x^2 - 24x + 8 = 0$

7. $6x^2 + 24x + 18 = 0$

2. $10x^2 + 15x - 5 = 0$

8. $-3x^2 - 6x + 9 = 0$

3. $12x^2 - 18x + 6 = 0$

9. $-15x^2 + 15x + 5 = 0$

4. $3x^2 + 15x + 6 = 0$

10. $-8x^2 + 12x + 4 = 0$

5. $-6x^2 + 4x + 2 = 0$

11. $2x^2 + 10x + 2 = 0$

6. $-9x^2 + 18x - 9 = 0$

12. $-18x^2 - 18x + 6 = 0$

Reduce the coefficients and solve.

Document No.QER8491036

1. $-12x^2 + 30x + 6 = 0$

7. $-3x^2 - 18x + 3 = 0$

2. $-12x^2 + 24x - 12 = 0$

8. $-10x^2 + 35x - 15 = 0$

3. $5x^2 - 10x + 5 = 0$

9. $10x^2 - 25x - 5 = 0$

4. $-12x^2 + 8x + 8 = 0$

10. $-5x^2 - 30x - 10 = 0$

5. $6x^2 - 18x - 6 = 0$

11. $-6x^2 - 8x + 2 = 0$

6. $-2x^2 + 10x - 4 = 0$

12. $-3x^2 + 9x - 3 = 0$

Reduce the coefficients and solve.

Document No.QER8491037

1. $5x^2 + 10x + 5 = 0$

7. $14x^2 - 42x - 21 = 0$

2. $5x^2 - 20x + 15 = 0$

8. $3x^2 - 12x + 3 = 0$

3. $-6x^2 - 12x - 6 = 0$

9. $2x^2 - 8x - 2 = 0$

4. $-2x^2 + 12x + 2 = 0$

10. $4x^2 + 12x + 2 = 0$

5. $-21x^2 - 21x + 7 = 0$

11. $6x^2 + 24x + 6 = 0$

6. $-4x^2 + 8x - 4 = 0$

12. $6x^2 + 30x + 6 = 0$

Reduce the coefficients and solve.

Document No.QER8491038

1. $-14x^2 - 56x - 14 = 0$

7. $-12x^2 + 24x + 8 = 0$

2. $5x^2 - 25x + 15 = 0$

8. $-10x^2 + 25x + 10 = 0$

3. $2x^2 + 8x + 2 = 0$

9. $9x^2 + 15x + 3 = 0$

4. $6x^2 + 30x - 6 = 0$

10. $10x^2 + 25x + 5 = 0$

5. $-14x^2 - 14x + 7 = 0$

11. $8x^2 + 12x - 4 = 0$

6. $4x^2 + 8x - 8 = 0$

12. $12x^2 + 20x + 8 = 0$

Reduce the coefficients and solve.

Document No.QER8491039

1. $-6x^2 + 30x + 18 = 0$

7. $6x^2 + 24x + 6 = 0$

2. $5x^2 + 30x - 15 = 0$

8. $2x^2 - 4x + 2 = 0$

3. $-5x^2 + 25x - 5 = 0$

9. $5x^2 + 15x + 5 = 0$

4. $-6x^2 - 30x + 6 = 0$

10. $4x^2 - 16x + 2 = 0$

5. $8x^2 - 16x + 4 = 0$

11. $4x^2 + 16x - 4 = 0$

6. $10x^2 - 20x - 5 = 0$

12. $6x^2 + 9x + 3 = 0$

Reduce the coefficients and solve.

Document No.QER8491040

1. $14x^2 - 28x - 7 = 0$

7. $7x^2 + 42x + 21 = 0$

2. $6x^2 - 4x - 6 = 0$

8. $-6x^2 + 36x - 6 = 0$

3. $6x^2 - 15x + 3 = 0$

9. $6x^2 - 24x - 12 = 0$

4. $-3x^2 - 18x - 3 = 0$

10. $-14x^2 - 42x - 14 = 0$

5. $-3x^2 - 15x + 6 = 0$

11. $-3x^2 - 6x + 6 = 0$

6. $18x^2 + 12x - 18 = 0$

12. $14x^2 + 35x - 14 = 0$

Reduce the coefficients and solve.

Document No.QER8491041

1. $4x^2 - 20x - 12 = 0$

7. $-4x^2 + 24x - 8 = 0$

2. $9x^2 + 9x - 3 = 0$

8. $-15x^2 - 35x - 10 = 0$

3. $-2x^2 - 6x + 2 = 0$

9. $4x^2 - 8x + 4 = 0$

4. $18x^2 + 36x - 18 = 0$

10. $2x^2 - 4x + 2 = 0$

5. $-3x^2 + 15x + 3 = 0$

11. $5x^2 + 15x - 5 = 0$

6. $-2x^2 + 8x + 2 = 0$

12. $-12x^2 - 24x + 18 = 0$

Reduce the coefficients and solve.

Document No.QER8491042

1. $4x^2 - 12x - 12 = 0$

7. $2x^2 + 8x - 2 = 0$

2. $-3x^2 + 15x - 6 = 0$

8. $8x^2 - 24x - 4 = 0$

3. $5x^2 + 30x - 10 = 0$

9. $-5x^2 + 15x + 15 = 0$

4. $3x^2 + 9x + 3 = 0$

10. $7x^2 - 42x - 14 = 0$

5. $4x^2 + 16x - 4 = 0$

11. $7x^2 + 42x - 7 = 0$

6. $6x^2 - 30x + 18 = 0$

12. $-12x^2 + 24x - 6 = 0$

Reduce the coefficients and solve.

Document No.QER8491043

1. $6x^2 - 6x - 6 = 0$

7. $2x^2 + 6x - 2 = 0$

2. $-12x^2 - 30x - 12 = 0$

8. $-14x^2 - 35x + 14 = 0$

3. $6x^2 + 36x + 12 = 0$

9. $2x^2 + 6x + 4 = 0$

4. $-5x^2 + 30x - 5 = 0$

10. $5x^2 + 20x + 5 = 0$

5. $-9x^2 - 12x + 3 = 0$

11. $-7x^2 + 21x - 7 = 0$

6. $-4x^2 - 10x + 4 = 0$

12. $3x^2 - 6x - 9 = 0$

Reduce the coefficients and solve.

Document No.QER8491044

1. $-4x^2 - 8x - 4 = 0$

7. $-7x^2 + 35x - 7 = 0$

2. $2x^2 - 6x + 2 = 0$

8. $-3x^2 - 6x + 6 = 0$

3. $-12x^2 - 20x - 8 = 0$

9. $10x^2 + 25x + 5 = 0$

4. $-9x^2 - 18x - 3 = 0$

10. $-4x^2 - 12x - 4 = 0$

5. $-3x^2 + 12x + 9 = 0$

11. $-5x^2 - 30x - 5 = 0$

6. $-9x^2 - 12x - 3 = 0$

12. $-7x^2 - 42x + 7 = 0$

Reduce the coefficients and solve.

Document No.QER8491045

1. $-18x^2 - 18x + 6 = 0$

7. $3x^2 - 18x + 3 = 0$

2. $-10x^2 + 30x - 15 = 0$

8. $-5x^2 + 20x - 5 = 0$

3. $5x^2 + 30x + 5 = 0$

9. $8x^2 - 8x - 12 = 0$

4. $-21x^2 + 35x - 7 = 0$

10. $4x^2 + 8x + 4 = 0$

5. $-3x^2 - 15x - 3 = 0$

11. $-21x^2 - 14x + 7 = 0$

6. $-8x^2 - 8x + 8 = 0$

12. $6x^2 - 18x + 3 = 0$

Reduce the coefficients and solve.

Document No.QER8491046

1. $-14x^2 + 35x - 14 = 0$

7. $-14x^2 - 35x + 14 = 0$

2. $-8x^2 - 24x - 4 = 0$

8. $4x^2 + 24x + 4 = 0$

3. $3x^2 - 18x - 6 = 0$

9. $-2x^2 - 8x + 2 = 0$

4. $-3x^2 - 12x + 3 = 0$

10. $-2x^2 - 12x - 2 = 0$

5. $6x^2 - 36x - 18 = 0$

11. $7x^2 - 14x - 7 = 0$

6. $-12x^2 + 16x + 4 = 0$

12. $12x^2 - 24x + 12 = 0$

Reduce the coefficients and solve.

Document No.QER8491047

1. $-4x^2 + 20x - 8 = 0$

7. $-8x^2 - 24x + 4 = 0$

2. $5x^2 + 25x + 15 = 0$

8. $4x^2 + 24x - 4 = 0$

3. $4x^2 - 16x + 4 = 0$

9. $-15x^2 + 30x - 5 = 0$

4. $10x^2 - 30x + 15 = 0$

10. $7x^2 + 14x - 7 = 0$

5. $5x^2 + 10x - 5 = 0$

11. $-3x^2 + 18x + 6 = 0$

6. $-6x^2 + 18x + 6 = 0$

12. $-6x^2 + 6x + 3 = 0$

Reduce the coefficients and solve.

Document No.QER8491048

1. $2x^2 + 10x + 6 = 0$

7. $4x^2 + 24x + 8 = 0$

2. $6x^2 + 24x - 6 = 0$

8. $-3x^2 - 12x + 6 = 0$

3. $4x^2 - 24x - 4 = 0$

9. $6x^2 - 12x + 6 = 0$

4. $8x^2 + 16x + 4 = 0$

10. $-3x^2 + 9x - 3 = 0$

5. $-4x^2 - 8x + 4 = 0$

11. $6x^2 - 21x + 6 = 0$

6. $7x^2 - 35x - 7 = 0$

12. $-3x^2 - 18x + 9 = 0$

Reduce the coefficients and solve.

Document No.QER8491049

1. $-7x^2 + 42x - 7 = 0$

7. $6x^2 - 9x + 3 = 0$

2. $-4x^2 + 8x + 8 = 0$

8. $-7x^2 - 28x + 7 = 0$

3. $-10x^2 - 40x - 10 = 0$

9. $-4x^2 + 8x + 4 = 0$

4. $5x^2 - 10x - 5 = 0$

10. $21x^2 + 42x + 7 = 0$

5. $4x^2 + 16x - 4 = 0$

11. $-5x^2 + 30x + 5 = 0$

6. $10x^2 - 30x - 10 = 0$

12. $-4x^2 - 24x + 4 = 0$

Reduce the coefficients and solve.

Document No.QER8491050

1. $6x^2 - 18x + 6 = 0$

7. $12x^2 - 24x - 8 = 0$

2. $6x^2 - 36x - 6 = 0$

8. $4x^2 + 8x + 4 = 0$

3. $-15x^2 + 30x - 5 = 0$

9. $-5x^2 - 15x - 5 = 0$

4. $-18x^2 - 36x - 18 = 0$

10. $3x^2 + 12x + 3 = 0$

5. $3x^2 - 9x - 6 = 0$

11. $6x^2 + 9x - 3 = 0$

6. $-7x^2 - 28x - 7 = 0$

12. $-3x^2 - 18x + 3 = 0$

Reduce the coefficients and solve.

Document No.QER8491051

1. $-6x^2 - 18x + 12 = 0$

7. $2x^2 + 12x - 2 = 0$

2. $6x^2 - 24x - 6 = 0$

8. $-12x^2 + 30x - 6 = 0$

3. $6x^2 - 15x + 3 = 0$

9. $5x^2 - 30x + 5 = 0$

4. $6x^2 + 24x - 18 = 0$

10. $-12x^2 + 16x - 4 = 0$

5. $12x^2 + 20x - 12 = 0$

11. $8x^2 - 24x + 4 = 0$

6. $-4x^2 - 20x + 4 = 0$

12. $-4x^2 - 6x + 2 = 0$

Reduce the coefficients and solve.

Document No.QER8491052

1. $4x^2 - 8x - 4 = 0$

7. $-8x^2 + 16x + 12 = 0$

2. $-4x^2 - 10x + 2 = 0$

8. $-12x^2 + 30x + 6 = 0$

3. $-5x^2 + 30x - 5 = 0$

9. $-3x^2 + 18x - 3 = 0$

4. $2x^2 + 10x - 2 = 0$

10. $14x^2 + 28x - 7 = 0$

5. $-14x^2 + 28x - 14 = 0$

11. $4x^2 - 4x - 2 = 0$

6. $5x^2 + 30x - 10 = 0$

12. $3x^2 - 6x - 6 = 0$

Reduce the coefficients and solve.

Document No.QER8491053

1. $-9x^2 - 12x - 3 = 0$

7. $-8x^2 + 24x - 4 = 0$

2. $2x^2 - 8x - 2 = 0$

8. $-8x^2 - 20x - 8 = 0$

3. $7x^2 - 35x + 7 = 0$

9. $4x^2 - 24x + 4 = 0$

4. $5x^2 - 10x - 5 = 0$

10. $-7x^2 - 35x + 14 = 0$

5. $-12x^2 - 16x + 8 = 0$

11. $5x^2 + 20x + 5 = 0$

6. $-21x^2 + 42x - 7 = 0$

12. $7x^2 + 42x + 7 = 0$

Reduce the coefficients and solve.

Document No.QER8491054

1. $6x^2 - 18x - 6 = 0$

7. $-12x^2 - 18x + 6 = 0$

2. $3x^2 + 24x + 9 = 0$

8. $3x^2 + 18x + 9 = 0$

3. $4x^2 + 12x - 8 = 0$

9. $4x^2 + 16x + 4 = 0$

4. $8x^2 + 16x - 8 = 0$

10. $-6x^2 + 36x - 6 = 0$

5. $2x^2 + 10x - 4 = 0$

11. $-5x^2 - 20x + 15 = 0$

6. $4x^2 + 8x - 8 = 0$

12. $14x^2 - 28x + 7 = 0$

Reduce the coefficients and solve.

Document No.QER8491055

1. $6x^2 + 16x + 2 = 0$

7. $6x^2 + 9x - 3 = 0$

2. $4x^2 + 24x + 4 = 0$

8. $7x^2 - 35x + 7 = 0$

3. $-5x^2 - 20x - 5 = 0$

9. $-3x^2 + 18x + 9 = 0$

4. $7x^2 - 21x - 7 = 0$

10. $5x^2 + 30x + 5 = 0$

5. $6x^2 - 12x + 3 = 0$

11. $-5x^2 + 10x + 5 = 0$

6. $-8x^2 + 32x - 8 = 0$

12. $9x^2 - 18x + 9 = 0$

Reduce the coefficients and solve.

Document No.QER8491056

1. $4x^2 - 12x + 4 = 0$

7. $-3x^2 - 12x - 9 = 0$

2. $6x^2 - 24x + 6 = 0$

8. $-6x^2 - 30x - 12 = 0$

3. $-3x^2 + 18x - 3 = 0$

9. $7x^2 + 21x - 7 = 0$

4. $5x^2 - 10x - 5 = 0$

10. $-6x^2 - 12x - 6 = 0$

5. $3x^2 + 18x - 3 = 0$

11. $4x^2 + 16x - 4 = 0$

6. $-2x^2 + 10x - 6 = 0$

12. $-21x^2 - 14x + 14 = 0$

Reduce the coefficients and solve.

Document No.QER8491057

1. $-4x^2 - 24x + 4 = 0$

7. $-3x^2 - 12x + 9 = 0$

2. $-12x^2 + 16x + 12 = 0$

8. $-12x^2 + 36x - 6 = 0$

3. $4x^2 + 8x - 4 = 0$

9. $9x^2 - 15x + 6 = 0$

4. $6x^2 - 42x + 18 = 0$

10. $7x^2 + 21x - 14 = 0$

5. $-2x^2 - 16x - 6 = 0$

11. $12x^2 + 24x - 6 = 0$

6. $-6x^2 - 15x - 3 = 0$

12. $-7x^2 - 14x - 7 = 0$

Reduce the coefficients and solve.

Document No.QER8491058

1. $6x^2 - 24x - 12 = 0$

7. $-10x^2 + 10x + 5 = 0$

2. $-21x^2 + 42x - 7 = 0$

8. $6x^2 + 12x - 6 = 0$

3. $-12x^2 - 36x + 6 = 0$

9. $-4x^2 + 10x - 2 = 0$

4. $-3x^2 - 6x + 9 = 0$

10. $-12x^2 + 28x - 8 = 0$

5. $12x^2 + 36x - 6 = 0$

11. $6x^2 + 36x - 12 = 0$

6. $-3x^2 + 18x - 3 = 0$

12. $14x^2 - 28x + 7 = 0$

Reduce the coefficients and solve.

Document No.QER8491059

1. $8x^2 - 20x + 8 = 0$

7. $5x^2 - 25x - 5 = 0$

2. $6x^2 - 30x + 6 = 0$

8. $-6x^2 - 12x - 6 = 0$

3. $5x^2 - 20x + 5 = 0$

9. $6x^2 - 14x + 2 = 0$

4. $-5x^2 - 25x + 5 = 0$

10. $7x^2 - 35x + 7 = 0$

5. $-9x^2 - 18x - 6 = 0$

11. $-7x^2 - 28x + 14 = 0$

6. $-14x^2 - 35x - 14 = 0$

12. $6x^2 + 12x - 6 = 0$

Reduce the coefficients and solve.

Document No.QER8491060

1. $4x^2 - 12x + 6 = 0$

7. $4x^2 + 16x + 6 = 0$

2. $-5x^2 + 10x - 5 = 0$

8. $-8x^2 + 8x + 4 = 0$

3. $4x^2 + 16x - 8 = 0$

9. $2x^2 - 10x - 2 = 0$

4. $-3x^2 + 9x + 3 = 0$

10. $-2x^2 + 12x - 2 = 0$

5. $3x^2 + 9x - 3 = 0$

11. $-18x^2 + 30x - 6 = 0$

6. $3x^2 - 18x + 6 = 0$

12. $5x^2 + 25x + 10 = 0$

Reduce the coefficients and solve.

Document No.QER8491061

1. $-4x^2 - 16x - 4 = 0$

7. $2x^2 + 8x - 2 = 0$

2. $-5x^2 - 10x - 5 = 0$

8. $-3x^2 + 12x + 6 = 0$

3. $-6x^2 + 6x + 2 = 0$

9. $-7x^2 + 14x + 7 = 0$

4. $3x^2 - 21x + 9 = 0$

10. $-4x^2 + 12x + 4 = 0$

5. $-3x^2 - 15x + 3 = 0$

11. $-18x^2 + 48x - 12 = 0$

6. $4x^2 - 4x - 2 = 0$

12. $3x^2 + 9x - 9 = 0$

Reduce the coefficients and solve.

Document No.QER8491062

1. $-6x^2 + 36x - 6 = 0$

7. $-7x^2 + 35x + 7 = 0$

2. $10x^2 - 20x + 5 = 0$

8. $-10x^2 - 15x + 5 = 0$

3. $-10x^2 + 25x + 5 = 0$

9. $-7x^2 - 14x + 7 = 0$

4. $2x^2 + 6x + 4 = 0$

10. $-6x^2 + 24x - 9 = 0$

5. $-3x^2 + 12x - 6 = 0$

11. $3x^2 + 9x - 3 = 0$

6. $-6x^2 - 15x - 3 = 0$

12. $-6x^2 - 30x - 12 = 0$

Reduce the coefficients and solve.

Document No.QER8491063

1. $-5x^2 - 25x - 15 = 0$

7. $-10x^2 + 15x - 5 = 0$

2. $-6x^2 + 18x + 3 = 0$

8. $-3x^2 - 9x + 3 = 0$

3. $6x^2 - 10x - 2 = 0$

9. $-5x^2 + 25x + 5 = 0$

4. $3x^2 + 12x + 3 = 0$

10. $-3x^2 + 12x - 3 = 0$

5. $-7x^2 - 21x - 7 = 0$

11. $5x^2 + 30x - 5 = 0$

6. $6x^2 + 12x - 6 = 0$

12. $-21x^2 - 14x + 7 = 0$

Reduce the coefficients and solve.

Document No.QER8491064

1. $-4x^2 + 6x + 4 = 0$

7. $-10x^2 + 25x - 5 = 0$

2. $-7x^2 + 21x - 7 = 0$

8. $-2x^2 - 12x + 4 = 0$

3. $3x^2 + 15x - 3 = 0$

9. $2x^2 + 8x - 4 = 0$

4. $12x^2 + 20x - 4 = 0$

10. $21x^2 + 42x - 21 = 0$

5. $-2x^2 - 12x - 2 = 0$

11. $6x^2 + 30x + 6 = 0$

6. $9x^2 - 12x + 3 = 0$

12. $6x^2 - 8x + 2 = 0$

Reduce the coefficients and solve.

Document No.QER8491065

1. $-6x^2 + 12x + 12 = 0$

7. $-7x^2 + 42x - 7 = 0$

2. $-4x^2 - 8x - 4 = 0$

8. $7x^2 + 14x + 7 = 0$

3. $3x^2 - 15x + 3 = 0$

9. $-6x^2 + 24x + 12 = 0$

4. $-2x^2 - 6x - 2 = 0$

10. $2x^2 - 4x + 2 = 0$

5. $3x^2 + 6x - 3 = 0$

11. $6x^2 - 12x - 2 = 0$

6. $-15x^2 - 30x - 15 = 0$

12. $-2x^2 - 8x - 2 = 0$

Reduce the coefficients and solve.

Document No.QER8491066

1. $-6x^2 + 12x + 2 = 0$

7. $-2x^2 - 4x + 2 = 0$

2. $-5x^2 + 25x - 5 = 0$

8. $-4x^2 + 16x + 4 = 0$

3. $-10x^2 - 10x + 5 = 0$

9. $2x^2 + 10x + 4 = 0$

4. $-8x^2 - 12x - 4 = 0$

10. $3x^2 - 12x - 3 = 0$

5. $-4x^2 - 8x - 2 = 0$

11. $7x^2 + 14x - 7 = 0$

6. $-10x^2 - 15x + 15 = 0$

12. $-18x^2 + 18x + 6 = 0$

Reduce the coefficients and solve.

Document No.QER8491067

1. $2x^2 - 4x + 2 = 0$

7. $-6x^2 - 8x + 4 = 0$

2. $5x^2 - 35x + 15 = 0$

8. $-8x^2 + 24x - 4 = 0$

3. $-5x^2 - 25x - 5 = 0$

9. $-2x^2 + 10x + 6 = 0$

4. $-2x^2 + 8x + 6 = 0$

10. $-5x^2 + 20x + 10 = 0$

5. $-14x^2 + 14x + 14 = 0$

11. $7x^2 + 14x + 7 = 0$

6. $5x^2 - 20x + 5 = 0$

12. $-3x^2 + 9x - 6 = 0$

Reduce the coefficients and solve.

Document No.QER8491068

1. $3x^2 + 9x - 6 = 0$

7. $-2x^2 + 8x + 4 = 0$

2. $7x^2 - 21x - 7 = 0$

8. $5x^2 + 30x - 5 = 0$

3. $18x^2 + 24x + 6 = 0$

9. $-6x^2 + 30x - 18 = 0$

4. $10x^2 + 20x - 5 = 0$

10. $2x^2 + 8x - 2 = 0$

5. $-18x^2 - 48x - 12 = 0$

11. $14x^2 + 42x - 14 = 0$

6. $-10x^2 + 25x + 5 = 0$

12. $6x^2 - 30x - 6 = 0$

Reduce the coefficients and solve.

Document No.QER8491069

1. $-7x^2 - 28x + 7 = 0$

7. $-6x^2 + 6x + 3 = 0$

2. $-4x^2 + 24x - 8 = 0$

8. $6x^2 - 18x + 6 = 0$

3. $-3x^2 + 18x - 3 = 0$

9. $-6x^2 + 18x - 6 = 0$

4. $18x^2 - 36x + 6 = 0$

10. $-14x^2 - 42x + 7 = 0$

5. $7x^2 + 28x - 14 = 0$

11. $-4x^2 - 24x + 8 = 0$

6. $-6x^2 + 36x + 6 = 0$

12. $4x^2 + 20x + 8 = 0$

Reduce the coefficients and solve.

Document No.QER8491070

1. $-6x^2 + 9x + 6 = 0$

7. $2x^2 - 6x - 2 = 0$

2. $8x^2 - 24x - 4 = 0$

8. $-7x^2 - 14x - 7 = 0$

3. $4x^2 + 8x + 2 = 0$

9. $-12x^2 + 48x - 18 = 0$

4. $21x^2 + 42x + 14 = 0$

10. $-14x^2 + 21x + 7 = 0$

5. $7x^2 - 28x + 21 = 0$

11. $4x^2 + 4x - 2 = 0$

6. $-3x^2 + 6x + 3 = 0$

12. $-3x^2 + 9x - 6 = 0$

Reduce the coefficients and solve.

Document No.QER8491071

1. $4x^2 + 12x - 4 = 0$

7. $14x^2 + 14x - 21 = 0$

2. $-5x^2 + 10x - 5 = 0$

8. $-12x^2 - 18x + 18 = 0$

3. $15x^2 + 20x + 5 = 0$

9. $-9x^2 + 12x + 3 = 0$

4. $8x^2 + 24x - 12 = 0$

10. $-12x^2 + 30x + 6 = 0$

5. $4x^2 - 24x + 12 = 0$

11. $6x^2 - 18x - 3 = 0$

6. $-6x^2 + 30x - 18 = 0$

12. $-6x^2 - 12x - 6 = 0$

Reduce the coefficients and solve.

Document No.QER8491072

1. $5x^2 - 20x + 5 = 0$

7. $-3x^2 - 6x - 3 = 0$

2. $-10x^2 - 30x + 5 = 0$

8. $-3x^2 - 18x + 3 = 0$

3. $15x^2 + 10x - 10 = 0$

9. $-2x^2 + 10x - 2 = 0$

4. $7x^2 - 21x - 7 = 0$

10. $3x^2 + 6x - 6 = 0$

5. $15x^2 - 25x - 10 = 0$

11. $2x^2 + 4x - 2 = 0$

6. $6x^2 - 36x - 6 = 0$

12. $5x^2 - 20x - 5 = 0$

Reduce the coefficients and solve.

Document No.QER8491073

1. $-7x^2 - 21x - 14 = 0$

7. $3x^2 - 24x + 6 = 0$

2. $-7x^2 + 28x - 7 = 0$

8. $-4x^2 + 12x + 4 = 0$

3. $-2x^2 + 10x - 4 = 0$

9. $6x^2 - 4x - 2 = 0$

4. $-6x^2 - 18x - 9 = 0$

10. $-7x^2 - 14x + 7 = 0$

5. $5x^2 + 25x - 5 = 0$

11. $8x^2 - 24x + 8 = 0$

6. $3x^2 - 12x + 9 = 0$

12. $6x^2 + 30x - 12 = 0$

Reduce the coefficients and solve.

Document No.QER8491074

1. $-6x^2 + 24x + 12 = 0$

7. $6x^2 - 36x + 12 = 0$

2. $-3x^2 + 9x + 6 = 0$

8. $6x^2 - 15x + 6 = 0$

3. $2x^2 + 8x + 2 = 0$

9. $-4x^2 + 12x - 4 = 0$

4. $-14x^2 - 42x + 7 = 0$

10. $-7x^2 + 42x + 7 = 0$

5. $-2x^2 - 4x + 2 = 0$

11. $-6x^2 + 12x + 6 = 0$

6. $-6x^2 - 6x + 4 = 0$

12. $7x^2 - 14x - 7 = 0$

Reduce the coefficients and solve.

Document No.QER8491075

1. $5x^2 - 10x - 10 = 0$

7. $8x^2 + 20x + 4 = 0$

2. $-12x^2 - 30x - 18 = 0$

8. $4x^2 + 6x - 4 = 0$

3. $-5x^2 - 10x + 10 = 0$

9. $-2x^2 + 10x - 6 = 0$

4. $4x^2 - 16x + 8 = 0$

10. $10x^2 + 20x - 10 = 0$

5. $-10x^2 - 20x - 10 = 0$

11. $5x^2 - 10x + 5 = 0$

6. $-7x^2 + 42x - 21 = 0$

12. $4x^2 + 8x - 4 = 0$

Reduce the coefficients and solve.

Document No.QER8491076

1. $-7x^2 + 21x + 14 = 0$

7. $6x^2 - 24x - 6 = 0$

2. $-21x^2 + 28x + 7 = 0$

8. $-10x^2 - 25x + 10 = 0$

3. $6x^2 + 8x + 2 = 0$

9. $14x^2 + 28x - 7 = 0$

4. $5x^2 - 15x - 5 = 0$

10. $3x^2 - 12x + 6 = 0$

5. $-21x^2 + 35x - 7 = 0$

11. $-12x^2 - 36x + 6 = 0$

6. $-10x^2 - 20x - 10 = 0$

12. $6x^2 + 18x - 6 = 0$

Reduce the coefficients and solve.

Document No.QER8491077

1. $5x^2 + 30x - 5 = 0$

7. $7x^2 - 14x + 7 = 0$

2. $-3x^2 - 18x + 3 = 0$

8. $-7x^2 - 35x - 14 = 0$

3. $-7x^2 - 14x + 21 = 0$

9. $3x^2 - 6x - 3 = 0$

4. $3x^2 - 12x - 3 = 0$

10. $5x^2 + 30x + 5 = 0$

5. $-4x^2 - 8x - 2 = 0$

11. $18x^2 + 36x + 6 = 0$

6. $-8x^2 - 20x - 12 = 0$

12. $8x^2 + 16x - 4 = 0$

Reduce the coefficients and solve.

Document No.QER8491078

1. $8x^2 - 24x + 8 = 0$

7. $-4x^2 + 16x - 4 = 0$

2. $-6x^2 - 18x + 3 = 0$

8. $-2x^2 - 6x - 2 = 0$

3. $4x^2 + 12x + 2 = 0$

9. $-7x^2 - 21x - 7 = 0$

4. $-3x^2 + 12x + 3 = 0$

10. $5x^2 - 20x - 15 = 0$

5. $5x^2 + 20x - 5 = 0$

11. $6x^2 - 12x - 6 = 0$

6. $4x^2 - 16x + 4 = 0$

12. $6x^2 + 24x - 12 = 0$

Reduce the coefficients and solve.

Document No.QER8491079

1. $-2x^2 - 10x + 2 = 0$

7. $14x^2 - 21x - 7 = 0$

2. $2x^2 + 10x - 2 = 0$

8. $14x^2 + 21x - 14 = 0$

3. $4x^2 + 16x + 4 = 0$

9. $-6x^2 - 24x - 18 = 0$

4. $4x^2 - 24x - 4 = 0$

10. $2x^2 + 8x + 2 = 0$

5. $18x^2 + 36x + 18 = 0$

11. $6x^2 - 12x - 12 = 0$

6. $-5x^2 - 15x - 5 = 0$

12. $6x^2 + 30x - 6 = 0$

Reduce the coefficients and solve.

Document No.QER8491080

1. $4x^2 - 24x + 4 = 0$

7. $-6x^2 + 24x - 18 = 0$

2. $-14x^2 + 28x + 21 = 0$

8. $-7x^2 + 21x + 7 = 0$

3. $3x^2 + 21x + 6 = 0$

9. $-3x^2 + 15x - 3 = 0$

4. $7x^2 + 14x - 7 = 0$

10. $-2x^2 - 10x + 2 = 0$

5. $3x^2 - 9x - 3 = 0$

11. $-5x^2 - 20x + 5 = 0$

6. $-4x^2 - 20x + 8 = 0$

12. $-5x^2 - 20x - 10 = 0$

Reduce the coefficients and solve.

Document No.QER8491081

1. $-4x^2 + 16x + 4 = 0$

7. $-6x^2 + 24x - 12 = 0$

2. $7x^2 - 21x - 7 = 0$

8. $3x^2 + 6x - 3 = 0$

3. $2x^2 + 14x + 4 = 0$

9. $4x^2 - 8x + 2 = 0$

4. $-4x^2 + 10x - 2 = 0$

10. $10x^2 - 30x - 5 = 0$

5. $-7x^2 + 42x + 7 = 0$

11. $2x^2 - 10x - 4 = 0$

6. $-2x^2 + 12x + 4 = 0$

12. $-6x^2 - 18x + 6 = 0$

Reduce the coefficients and solve.

Document No.QER8491082

1. $21x^2 + 42x - 7 = 0$

7. $5x^2 + 10x - 5 = 0$

2. $-3x^2 + 15x + 3 = 0$

8. $2x^2 - 12x - 4 = 0$

3. $-3x^2 + 9x - 3 = 0$

9. $-5x^2 - 30x - 15 = 0$

4. $2x^2 - 6x + 2 = 0$

10. $21x^2 + 42x - 7 = 0$

5. $-7x^2 - 42x - 14 = 0$

11. $14x^2 - 42x - 21 = 0$

6. $-4x^2 - 12x - 2 = 0$

12. $14x^2 - 42x + 14 = 0$

Reduce the coefficients and solve.

Document No.QER8491083

1. $10x^2 + 25x + 5 = 0$

7. $6x^2 + 36x - 18 = 0$

2. $18x^2 - 36x + 18 = 0$

8. $5x^2 + 10x - 10 = 0$

3. $7x^2 + 28x + 7 = 0$

9. $-18x^2 - 30x + 12 = 0$

4. $-2x^2 + 10x - 4 = 0$

10. $5x^2 - 10x + 5 = 0$

5. $6x^2 + 6x - 3 = 0$

11. $21x^2 - 35x - 14 = 0$

6. $8x^2 - 20x + 4 = 0$

12. $6x^2 - 18x + 6 = 0$

Reduce the coefficients and solve.

Document No.QER8491084

1. $3x^2 - 18x - 6 = 0$

7. $-6x^2 - 12x + 6 = 0$

2. $2x^2 - 10x + 2 = 0$

8. $7x^2 + 28x - 7 = 0$

3. $-5x^2 - 20x - 10 = 0$

9. $14x^2 - 42x + 7 = 0$

4. $12x^2 - 24x - 4 = 0$

10. $5x^2 - 25x + 10 = 0$

5. $-6x^2 - 24x - 18 = 0$

11. $14x^2 - 35x - 21 = 0$

6. $-4x^2 - 12x - 8 = 0$

12. $6x^2 + 36x + 18 = 0$

Reduce the coefficients and solve.

Document No.QER8491085

1. $6x^2 - 30x - 12 = 0$

7. $12x^2 - 16x + 4 = 0$

2. $-3x^2 - 15x - 3 = 0$

8. $6x^2 - 15x + 9 = 0$

3. $-5x^2 - 10x + 5 = 0$

9. $3x^2 - 15x - 9 = 0$

4. $-6x^2 + 6x + 6 = 0$

10. $-3x^2 + 6x + 3 = 0$

5. $-3x^2 + 15x + 3 = 0$

11. $12x^2 + 20x + 4 = 0$

6. $7x^2 + 28x - 14 = 0$

12. $12x^2 + 28x + 4 = 0$

Reduce the coefficients and solve.

Document No.QER8491086

1. $-6x^2 - 12x + 18 = 0$

7. $5x^2 + 20x - 15 = 0$

2. $-21x^2 + 42x - 14 = 0$

8. $-18x^2 + 36x + 12 = 0$

3. $6x^2 - 15x - 3 = 0$

9. $5x^2 - 30x - 10 = 0$

4. $5x^2 - 10x - 10 = 0$

10. $10x^2 - 20x + 5 = 0$

5. $6x^2 - 8x + 2 = 0$

11. $4x^2 - 16x - 8 = 0$

6. $4x^2 + 24x - 4 = 0$

12. $2x^2 - 8x + 2 = 0$

Reduce the coefficients and solve.

Document No.QER8491087

1. $5x^2 - 15x - 5 = 0$

7. $-3x^2 - 15x + 3 = 0$

2. $6x^2 - 24x - 6 = 0$

8. $-2x^2 + 4x - 2 = 0$

3. $12x^2 - 16x + 4 = 0$

9. $-18x^2 - 36x + 12 = 0$

4. $-6x^2 + 6x + 2 = 0$

10. $-8x^2 + 16x - 8 = 0$

5. $-6x^2 - 12x - 3 = 0$

11. $-2x^2 - 6x - 2 = 0$

6. $-7x^2 + 28x + 7 = 0$

12. $-8x^2 + 32x - 8 = 0$

Reduce the coefficients and solve.

Document No.QER8491088

1. $5x^2 - 20x + 5 = 0$

7. $-3x^2 + 15x - 3 = 0$

2. $6x^2 + 36x - 6 = 0$

8. $-2x^2 - 12x + 6 = 0$

3. $-10x^2 - 25x + 5 = 0$

9. $-6x^2 + 12x - 6 = 0$

4. $2x^2 - 4x + 2 = 0$

10. $-2x^2 - 8x + 2 = 0$

5. $12x^2 + 24x - 12 = 0$

11. $6x^2 - 36x - 6 = 0$

6. $6x^2 - 10x - 4 = 0$

12. $4x^2 + 4x - 4 = 0$

Reduce the coefficients and solve.

Document No.QER8491089

1. $6x^2 - 24x + 6 = 0$

7. $2x^2 - 12x + 2 = 0$

2. $5x^2 - 25x + 5 = 0$

8. $5x^2 - 25x - 15 = 0$

3. $-3x^2 - 18x - 9 = 0$

9. $-8x^2 - 24x + 4 = 0$

4. $-14x^2 + 28x + 14 = 0$

10. $10x^2 + 20x + 5 = 0$

5. $8x^2 + 12x + 4 = 0$

11. $-4x^2 - 20x - 4 = 0$

6. $3x^2 - 12x - 3 = 0$

12. $-6x^2 - 18x + 9 = 0$

Reduce the coefficients and solve.

Document No.QER8491090

1. $21x^2 + 42x - 21 = 0$

7. $14x^2 + 35x + 7 = 0$

2. $3x^2 - 18x + 3 = 0$

8. $9x^2 + 15x + 3 = 0$

3. $5x^2 + 25x - 15 = 0$

9. $-6x^2 - 36x - 12 = 0$

4. $7x^2 + 14x - 7 = 0$

10. $-4x^2 - 24x - 8 = 0$

5. $6x^2 - 21x + 3 = 0$

11. $-14x^2 - 42x - 14 = 0$

6. $-4x^2 + 24x + 4 = 0$

12. $6x^2 - 24x + 12 = 0$

Reduce the coefficients and solve.

Document No.QER8491091

1. $-7x^2 - 21x - 7 = 0$

7. $-6x^2 + 12x - 6 = 0$

2. $5x^2 - 15x + 10 = 0$

8. $-4x^2 + 16x - 8 = 0$

3. $-2x^2 - 6x + 2 = 0$

9. $-3x^2 + 12x + 3 = 0$

4. $5x^2 + 25x - 5 = 0$

10. $-6x^2 - 12x - 6 = 0$

5. $-2x^2 - 4x + 4 = 0$

11. $-14x^2 - 42x - 7 = 0$

6. $-14x^2 - 35x + 7 = 0$

12. $12x^2 - 24x + 4 = 0$

Reduce the coefficients and solve.

Document No.QER8491092

1. $-8x^2 - 24x + 8 = 0$

7. $7x^2 + 42x + 7 = 0$

2. $7x^2 - 14x - 14 = 0$

8. $3x^2 + 18x + 3 = 0$

3. $-4x^2 + 24x - 8 = 0$

9. $9x^2 + 9x - 3 = 0$

4. $3x^2 + 9x + 3 = 0$

10. $7x^2 + 28x + 14 = 0$

5. $-7x^2 + 14x + 21 = 0$

11. $-10x^2 - 35x - 10 = 0$

6. $-2x^2 - 8x - 2 = 0$

12. $-3x^2 + 12x - 3 = 0$

Reduce the coefficients and solve.

Document No.QER8491093

1. $-12x^2 - 30x - 6 = 0$

7. $7x^2 - 14x + 7 = 0$

2. $3x^2 + 9x + 6 = 0$

8. $3x^2 - 15x + 3 = 0$

3. $-2x^2 + 6x - 4 = 0$

9. $-3x^2 + 18x - 9 = 0$

4. $5x^2 + 15x - 5 = 0$

10. $6x^2 - 30x - 6 = 0$

5. $-6x^2 - 24x + 6 = 0$

11. $-6x^2 + 24x - 6 = 0$

6. $3x^2 - 24x + 9 = 0$

12. $-3x^2 + 12x + 6 = 0$

Reduce the coefficients and solve.

Document No.QER8491094

1. $-4x^2 + 10x - 2 = 0$

7. $6x^2 + 18x - 6 = 0$

2. $6x^2 - 12x - 3 = 0$

8. $4x^2 + 16x + 2 = 0$

3. $7x^2 - 56x + 14 = 0$

9. $2x^2 + 12x - 4 = 0$

4. $-5x^2 - 20x - 5 = 0$

10. $3x^2 - 6x - 6 = 0$

5. $4x^2 + 8x + 4 = 0$

11. $7x^2 + 28x - 7 = 0$

6. $10x^2 - 30x + 5 = 0$

12. $-6x^2 - 24x - 12 = 0$

Reduce the coefficients and solve.

Document No.QER8491095

1. $-6x^2 + 12x + 3 = 0$

7. $2x^2 - 8x + 4 = 0$

2. $12x^2 + 12x - 4 = 0$

8. $-8x^2 - 12x + 4 = 0$

3. $-14x^2 + 35x + 7 = 0$

9. $-12x^2 - 24x - 6 = 0$

4. $2x^2 + 12x - 6 = 0$

10. $3x^2 - 12x + 3 = 0$

5. $6x^2 + 9x + 3 = 0$

11. $-15x^2 - 30x + 10 = 0$

6. $7x^2 - 28x + 7 = 0$

12. $14x^2 - 42x + 7 = 0$

Reduce the coefficients and solve.

Document No.QER8491096

1. $-3x^2 - 12x + 6 = 0$

7. $10x^2 - 30x + 10 = 0$

2. $-2x^2 - 12x - 2 = 0$

8. $-5x^2 + 15x - 10 = 0$

3. $2x^2 - 10x + 6 = 0$

9. $-4x^2 + 24x - 8 = 0$

4. $-5x^2 - 30x + 5 = 0$

10. $4x^2 - 8x - 8 = 0$

5. $2x^2 - 8x + 2 = 0$

11. $5x^2 + 25x + 5 = 0$

6. $3x^2 + 18x - 3 = 0$

12. $10x^2 - 25x + 5 = 0$

Reduce the coefficients and solve.

Document No.QER8491097

1. $-6x^2 + 24x + 12 = 0$

7. $-2x^2 - 8x - 2 = 0$

2. $-5x^2 + 25x - 5 = 0$

8. $12x^2 - 30x + 6 = 0$

3. $-6x^2 - 12x - 6 = 0$

9. $-6x^2 + 18x + 12 = 0$

4. $-10x^2 - 25x - 15 = 0$

10. $-4x^2 - 24x + 4 = 0$

5. $-7x^2 - 35x - 14 = 0$

11. $6x^2 - 16x + 4 = 0$

6. $3x^2 - 24x + 6 = 0$

12. $14x^2 - 35x + 7 = 0$

Reduce the coefficients and solve.

Document No.QER8491098

1. $-3x^2 - 15x + 6 = 0$

7. $4x^2 + 16x + 4 = 0$

2. $-5x^2 - 15x - 5 = 0$

8. $4x^2 - 12x - 4 = 0$

3. $21x^2 - 49x + 7 = 0$

9. $-10x^2 - 30x + 5 = 0$

4. $-3x^2 - 9x - 3 = 0$

10. $-7x^2 + 35x + 7 = 0$

5. $5x^2 - 15x - 5 = 0$

11. $-6x^2 + 15x + 6 = 0$

6. $3x^2 - 6x + 3 = 0$

12. $-5x^2 + 25x - 15 = 0$

Reduce the coefficients and solve.

Document No.QER8491099

1. $-2x^2 + 12x - 4 = 0$

7. $-2x^2 - 10x - 2 = 0$

2. $2x^2 - 8x + 6 = 0$

8. $4x^2 + 10x + 2 = 0$

3. $-8x^2 + 12x - 4 = 0$

9. $18x^2 + 12x - 6 = 0$

4. $-6x^2 - 15x + 3 = 0$

10. $21x^2 + 49x + 21 = 0$

5. $2x^2 - 8x - 2 = 0$

11. $-9x^2 + 12x - 3 = 0$

6. $7x^2 - 28x + 21 = 0$

12. $10x^2 + 15x - 10 = 0$

Reduce the coefficients and solve.

Document No.QER8491100

1. $-6x^2 - 12x - 6 = 0$

7. $5x^2 + 30x + 5 = 0$

2. $-15x^2 + 30x - 15 = 0$

8. $-4x^2 + 4x + 2 = 0$

3. $-6x^2 - 36x - 6 = 0$

9. $-6x^2 + 15x - 3 = 0$

4. $-7x^2 + 21x - 7 = 0$

10. $-6x^2 - 9x - 3 = 0$

5. $2x^2 + 10x - 4 = 0$

11. $-8x^2 - 16x - 4 = 0$

6. $12x^2 + 18x + 6 = 0$

12. $2x^2 - 6x + 2 = 0$

Document No. QER8491001

1. 2 and 1
2. $\frac{-5 \pm \sqrt{37}}{2}$
3. $\frac{1}{4}$ and $-\frac{11}{4}$
4. $\frac{-3 \pm \sqrt{5}}{2}$
5. 0 and $-\frac{5}{2}$
6. $\frac{4 \pm \sqrt{20}}{2}$
7. $\frac{6 \pm \sqrt{24}}{6}$
8. $\frac{4 \pm \sqrt{32}}{4}$
9. $\frac{6 \pm \sqrt{48}}{6}$
10. $\frac{-6 \pm \sqrt{32}}{2}$
11. $\frac{6 \pm \sqrt{28}}{4}$
12. $\frac{3}{2}$ and 1

Document No. QER8491002

1. $\frac{-3 \pm \sqrt{13}}{2}$
2. $\frac{5 \pm \sqrt{13}}{2}$
3. $\frac{9}{4}$ and $\frac{1}{4}$
4. $\frac{-6 \pm \sqrt{40}}{2}$
5. $\frac{1}{2}$ and $-\frac{7}{2}$
6. $\frac{-2 \pm \sqrt{12}}{2}$
7. $-\frac{1}{2}$ and $-\frac{9}{2}$
8. -1
9. $\frac{5 \pm \sqrt{29}}{2}$
10. $\frac{-2 \pm \sqrt{20}}{4}$
11. $\frac{-6 \pm \sqrt{32}}{2}$
12. $\frac{-5 \pm \sqrt{29}}{2}$

Document No. QER8491003

1. 0 and $\frac{5}{2}$
2. $\frac{-6 \pm \sqrt{28}}{2}$
3. $\frac{-5 \pm \sqrt{13}}{2}$
4. $\frac{6 \pm \sqrt{40}}{2}$
5. 2 and $\frac{1}{3}$
6. $-\frac{7}{2}$ and $\frac{1}{2}$
7. $\frac{-4 \pm \sqrt{28}}{6}$
8. $\frac{-3 \pm \sqrt{13}}{2}$
9. $\frac{9}{2}$ and $\frac{1}{2}$
10. $-\frac{1}{3}$ and -1
11. $\frac{-6 \pm \sqrt{24}}{2}$
12. $-\frac{1}{2}$ and $-\frac{9}{2}$

Document No. QER8491004

1. $\frac{-3 \pm \sqrt{45}}{6}$
2. $\frac{-2 \pm \sqrt{28}}{6}$
3. -1 and -3
4. $\frac{-4 \pm \sqrt{12}}{2}$
5. 0 and -3
6. $\frac{-6 \pm \sqrt{32}}{2}$
7. -3 and 0
8. $\frac{-6 \pm \sqrt{48}}{2}$
9. $\frac{-6 \pm \sqrt{28}}{2}$
10. -1
11. $\frac{5 \pm \sqrt{29}}{2}$
12. -1 and $-\frac{2}{3}$

Document No. QER8491005

1. 0 and $-\frac{5}{2}$
2. $\frac{-2 \pm \sqrt{8}}{2}$
3. $\frac{2 \pm \sqrt{12}}{4}$
4. $\frac{8 \pm \sqrt{40}}{4}$
5. $\frac{1}{2}$ and 1
6. $\frac{5 \pm \sqrt{29}}{2}$
7. $\frac{-3 \pm \sqrt{13}}{2}$
8. $\frac{4 \pm \sqrt{20}}{2}$
9. $\frac{-5 \pm \sqrt{13}}{6}$
10. $\frac{-4 \pm \sqrt{20}}{2}$
11. $\frac{4 \pm \sqrt{24}}{4}$
12. $\frac{-4 \pm \sqrt{20}}{2}$

Document No. QER8491006

1. $\frac{-3 \pm \sqrt{13}}{2}$
2. $\frac{4 \pm \sqrt{12}}{2}$
3. 5 and 0
4. 0 and 3
5. $\frac{6 \pm \sqrt{28}}{2}$
6. $\frac{6 \pm \sqrt{32}}{2}$
7. $\frac{-2 \pm \sqrt{12}}{4}$
8. $\frac{-5 \pm \sqrt{29}}{2}$
9. 0 and -3
10. $-\frac{9}{2}$ and $-\frac{1}{2}$
11. $\frac{-4 \pm \sqrt{28}}{2}$
12. 1 and -3

Document No. QER8491007

1. $\frac{1}{2}$ and $-\frac{7}{2}$

2. $\frac{-6 \pm \sqrt{32}}{2}$
3. -1 and -2
4. 3 and 1
5. $\frac{2 \pm \sqrt{12}}{2}$
6. 0 and $\frac{5}{2}$
7. $\frac{13}{2}$ and $\frac{1}{2}$
8. $\frac{-6 \pm \sqrt{32}}{2}$
9. $\frac{-4 \pm \sqrt{20}}{2}$
10. $\frac{6 \pm \sqrt{28}}{2}$
11. $\frac{-4 \pm \sqrt{28}}{2}$
12. $\frac{4 \pm \sqrt{28}}{2}$

Document No. QER8491008

1. -3 and $-\frac{1}{2}$
2. 3 and 0
3. $\frac{2 \pm \sqrt{12}}{2}$
4. 0 and $\frac{5}{2}$
5. $\frac{2 \pm \sqrt{8}}{2}$
6. 1
7. $\frac{-4 \pm \sqrt{20}}{2}$
8. $\frac{-5 \pm \sqrt{29}}{2}$
9. $\frac{6 \pm \sqrt{40}}{2}$
10. $\frac{-2 \pm \sqrt{12}}{2}$
11. $\frac{-3 \pm \sqrt{5}}{2}$
12. $\frac{-6 \pm \sqrt{28}}{2}$

Document No. QER8491009

1. 1 and 3
2. 1
3. $-\frac{1}{2}$ and -1
4. $-\frac{7}{6}$ and $\frac{1}{6}$
5. 2 and 1
6. -1
7. $\frac{3 \pm \sqrt{13}}{2}$
8. $\frac{-5 \pm \sqrt{29}}{2}$
9. $\frac{-2 \pm \sqrt{12}}{2}$
10. $\frac{6 \pm \sqrt{40}}{2}$
11. $\frac{-2 \pm \sqrt{8}}{2}$
12. $\frac{-4 \pm \sqrt{24}}{2}$

Document No. QER8491010

1. $\frac{-3 \pm \sqrt{5}}{2}$
2. $\frac{7}{2}$ and $-\frac{1}{2}$

3. $\frac{-5 \pm \sqrt{29}}{2}$
4. $-\frac{9}{2}$ and $-\frac{1}{2}$
5. $\frac{1}{3}$ and 2
6. -1
7. -5 and 0
8. $\frac{6 \pm \sqrt{32}}{2}$
9. $\frac{6 \pm \sqrt{40}}{2}$
10. $\frac{5 \pm \sqrt{37}}{6}$
11. $\frac{-4 \pm \sqrt{8}}{2}$
12. $-\frac{1}{4}$ and $\frac{7}{4}$

Document No. QER8491011

1. $\frac{-6 \pm \sqrt{32}}{2}$
2. -1 and $\frac{1}{3}$
3. $\frac{-6 \pm \sqrt{24}}{2}$
4. 6 and 0
5. $\frac{1}{3}$ and $-\frac{4}{3}$
6. $\frac{2 \pm \sqrt{12}}{2}$
7. $\frac{-5 \pm \sqrt{29}}{2}$
8. -1
9. $\frac{-6 \pm \sqrt{32}}{2}$
10. $\frac{5 \pm \sqrt{37}}{2}$
11. -1 and -3
12. $\frac{2 \pm \sqrt{20}}{4}$

Document No. QER8491012

1. $\frac{-6 \pm \sqrt{48}}{6}$
2. $\frac{-6 \pm \sqrt{40}}{2}$
3. $\frac{6 \pm \sqrt{24}}{6}$
4. $\frac{-5 \pm \sqrt{29}}{2}$
5. $\frac{-4 \pm \sqrt{20}}{2}$
6. -1 and $-\frac{1}{2}$
7. -2 and -1
8. $\frac{6 \pm \sqrt{32}}{2}$
9. 3 and -1
10. $\frac{-6 \pm \sqrt{28}}{4}$
11. $\frac{-4 \pm \sqrt{24}}{2}$
12. $\frac{6 \pm \sqrt{48}}{6}$

Document No. QER8491013

1. -2 and -1
2. 0 and 3
3. $\frac{-2 \pm \sqrt{20}}{4}$
4. $\frac{4 \pm \sqrt{40}}{4}$

5. $\frac{-2 \pm \sqrt{12}}{4}$
6. $\frac{3 \pm \sqrt{5}}{2}$
7. $\frac{6 \pm \sqrt{52}}{4}$
8. $-\frac{9}{4}$ and $-\frac{1}{4}$
9. $\frac{6 \pm \sqrt{52}}{4}$
10. $\frac{-4 \pm \sqrt{24}}{2}$
11. $\frac{6 \pm \sqrt{28}}{4}$
12. $\frac{6 \pm \sqrt{28}}{2}$

Document No. QER8491014

1. $\frac{1}{4}$ and $-\frac{11}{4}$
2. $\frac{6 \pm \sqrt{24}}{2}$
3. $\frac{3 \pm \sqrt{13}}{2}$
4. $\frac{-2 \pm \sqrt{28}}{6}$
5. 0 and -6
6. 3 and 0
7. $\frac{-4 \pm \sqrt{20}}{2}$
8. $\frac{5 \pm \sqrt{29}}{2}$
9. -6 and 0
10. $-\frac{1}{2}$ and $-\frac{9}{2}$
11. $\frac{4 \pm \sqrt{8}}{4}$
12. $\frac{-4 \pm \sqrt{8}}{4}$

Document No. QER8491015

1. $\frac{1}{2}$ and $\frac{9}{2}$
2. $\frac{4 \pm \sqrt{20}}{2}$
3. $\frac{1}{2}$ and 2
4. $\frac{5 \pm \sqrt{37}}{6}$
5. $\frac{1}{2}$ and 3
6. 1
7. $\frac{4 \pm \sqrt{12}}{2}$
8. $\frac{-4 \pm \sqrt{24}}{4}$
9. $\frac{-6 \pm \sqrt{32}}{2}$
10. $\frac{-4 \pm \sqrt{32}}{4}$
11. $\frac{3 \pm \sqrt{13}}{2}$
12. $\frac{-6 \pm \sqrt{32}}{2}$

Document No. QER8491016

1. $-\frac{1}{4}$ and $\frac{7}{4}$
2. $\frac{-6 \pm \sqrt{52}}{4}$
3. $\frac{6 \pm \sqrt{24}}{6}$
4. $-\frac{1}{2}$ and -1

5. $\frac{4 \pm \sqrt{20}}{2}$
6. $\frac{-5 \pm \sqrt{29}}{2}$
7. $\frac{-6 \pm \sqrt{48}}{2}$
8. $-\frac{1}{2}$ and $-\frac{9}{2}$
9. $\frac{-6 \pm \sqrt{32}}{2}$
10. $\frac{6 \pm \sqrt{24}}{6}$
11. $-\frac{1}{4}$ and $\frac{7}{4}$
12. $-\frac{1}{2}$ and $-\frac{9}{2}$

Document No. QER8491017

1. $\frac{9}{2}$ and $\frac{1}{2}$
2. $-\frac{1}{2}$ and -2
3. -1
4. $\frac{-6 \pm \sqrt{48}}{6}$
5. $-\frac{1}{2}$ and $\frac{7}{2}$
6. $\frac{-6 \pm \sqrt{48}}{2}$
7. $\frac{6 \pm \sqrt{32}}{2}$
8. $\frac{3 \pm \sqrt{13}}{2}$
9. $-\frac{1}{2}$ and -2
10. $\frac{6 \pm \sqrt{32}}{2}$
11. $\frac{9}{2}$ and $\frac{1}{2}$
12. 1 and 3

Document No. QER8491018

1. $\frac{8 \pm \sqrt{40}}{6}$
2. -1 and -3
3. $\frac{1}{6}$ and $-\frac{7}{6}$
4. $\frac{-6 \pm \sqrt{28}}{2}$
5. 5 and 0
6. $\frac{-4 \pm \sqrt{28}}{2}$
7. $\frac{4 \pm \sqrt{28}}{2}$
8. $\frac{5 \pm \sqrt{29}}{2}$
9. $\frac{-4 \pm \sqrt{12}}{2}$
10. $\frac{7}{6}$ and $-\frac{1}{6}$
11. $\frac{-4 \pm \sqrt{32}}{4}$
12. $\frac{-5 \pm \sqrt{29}}{2}$

Document No. QER8491019

1. $\frac{-6 \pm \sqrt{40}}{2}$
2. $\frac{-4 \pm \sqrt{8}}{2}$
3. $\frac{2 \pm \sqrt{28}}{4}$
4. $\frac{-6 \pm \sqrt{12}}{4}$
5. $\frac{-2 \pm \sqrt{20}}{4}$

6. $\frac{-6 \pm \sqrt{32}}{2}$
7. $\frac{-4 \pm \sqrt{20}}{2}$
8. $\frac{9}{4}$ and $\frac{1}{4}$
9. $\frac{-6 \pm \sqrt{48}}{2}$
10. -3 and -1
11. $-\frac{7}{2}$ and $\frac{1}{2}$
12. $\frac{-4 \pm \sqrt{20}}{2}$

Document No. QER8491020

1. $\frac{9}{2}$ and $\frac{1}{2}$
2. $-\frac{1}{4}$ and $\frac{7}{4}$
3. $\frac{-6 \pm \sqrt{32}}{2}$
4. $\frac{4 \pm \sqrt{8}}{4}$
5. $\frac{-4 \pm \sqrt{28}}{6}$
6. $\frac{-4 \pm \sqrt{20}}{2}$
7. $\frac{5 \pm \sqrt{13}}{6}$
8. $\frac{-5 \pm \sqrt{29}}{2}$
9. $\frac{5 \pm \sqrt{37}}{2}$
10. $\frac{-2 \pm \sqrt{8}}{2}$
11. $\frac{2 \pm \sqrt{12}}{2}$
12. $\frac{5 \pm \sqrt{29}}{2}$

Document No. QER8491021

1. $\frac{5 \pm \sqrt{13}}{2}$
2. $\frac{5 \pm \sqrt{37}}{2}$
3. $\frac{1}{2}$ and 1
4. $\frac{-4 \pm \sqrt{28}}{2}$
5. $\frac{-2 \pm \sqrt{8}}{2}$
6. $\frac{6 \pm \sqrt{40}}{2}$
7. $-\frac{9}{4}$ and $-\frac{1}{4}$
8. 1 and $\frac{1}{3}$
9. $\frac{4 \pm \sqrt{12}}{2}$
10. $\frac{4 \pm \sqrt{24}}{4}$
11. $\frac{-2 \pm \sqrt{8}}{2}$
12. $\frac{1}{2}$ and $-\frac{7}{2}$

Document No. QER8491022

1. $\frac{-4 \pm \sqrt{20}}{2}$
2. $\frac{-6 \pm \sqrt{32}}{2}$
3. -1
4. -1
5. $\frac{-6 \pm \sqrt{24}}{2}$

6. $\frac{6 \pm \sqrt{28}}{2}$
7. $\frac{2 \pm \sqrt{12}}{2}$
8. $\frac{-5 \pm \sqrt{37}}{6}$
9. $-\frac{9}{2}$ and $-\frac{1}{2}$
10. $\frac{7}{2}$ and $-\frac{1}{2}$
11. 1
12. $\frac{2 \pm \sqrt{12}}{4}$

Document No. QER8491023

1. $\frac{-6 \pm \sqrt{40}}{2}$
2. $\frac{-4 \pm \sqrt{8}}{4}$
3. $\frac{5 \pm \sqrt{29}}{2}$
4. $\frac{3 \pm \sqrt{5}}{2}$
5. $-\frac{1}{4}$ and $\frac{11}{4}$
6. 1 and $\frac{3}{2}$
7. $\frac{-2 \pm \sqrt{40}}{6}$
8. $-\frac{1}{2}$ and -1
9. $\frac{6 \pm \sqrt{32}}{2}$
10. 0 and $\frac{5}{2}$
11. $\frac{-5 \pm \sqrt{29}}{2}$
12. -1 and -2

Document No. QER8491024

1. $\frac{1}{2}$ and $\frac{9}{2}$
2. $\frac{-6 \pm \sqrt{32}}{2}$
3. $\frac{-6 \pm \sqrt{60}}{4}$
4. $\frac{3 \pm \sqrt{13}}{2}$
5. 1
6. -1 and $-\frac{2}{3}$
7. $\frac{-3 \pm \sqrt{5}}{2}$
8. $\frac{1}{3}$ and 1
9. $\frac{1}{4}$ and $-\frac{11}{4}$
10. $-\frac{1}{6}$ and $\frac{7}{6}$
11. $-\frac{1}{4}$ and $-\frac{9}{4}$
12. 0 and -6

Document No. QER8491025

1. $\frac{-2 \pm \sqrt{8}}{2}$
2. $\frac{-4 \pm \sqrt{24}}{4}$
3. $\frac{-6 \pm \sqrt{32}}{2}$
4. $\frac{-6 \pm \sqrt{32}}{2}$
5. $\frac{1}{3}$ and 1
6. $\frac{4 \pm \sqrt{12}}{2}$
7. 1

8. 3 and 1
9. $\frac{3 \pm \sqrt{5}}{2}$
10. 0 and -6
11. $\frac{-4 \pm \sqrt{8}}{2}$
12. $\frac{-6 \pm \sqrt{32}}{2}$

Document No. QER8491026

1. $\frac{-4 \pm \sqrt{8}}{2}$
2. $\frac{2 \pm \sqrt{12}}{4}$
3. -2 and $\frac{1}{2}$
4. 0 and -5
5. $\frac{-6 \pm \sqrt{24}}{2}$
6. $\frac{-4 \pm \sqrt{8}}{2}$
7. -1 and $-\frac{2}{3}$
8. $\frac{-5 \pm \sqrt{37}}{2}$
9. $\frac{4 \pm \sqrt{20}}{2}$
10. $-\frac{1}{2}$ and $-\frac{9}{2}$
11. $\frac{-2 \pm \sqrt{8}}{2}$
12. $\frac{-3 \pm \sqrt{13}}{2}$

Document No. QER8491027

1. 0 and -5
2. $\frac{-5 \pm \sqrt{13}}{2}$
3. -1 and -3
4. $\frac{2 \pm \sqrt{12}}{4}$
5. $\frac{3 \pm \sqrt{45}}{6}$
6. $\frac{13}{2}$ and $\frac{1}{2}$
7. 0 and -5
8. $\frac{-3 \pm \sqrt{13}}{2}$
9. $\frac{4 \pm \sqrt{8}}{2}$
10. $\frac{-2 \pm \sqrt{8}}{2}$
11. $\frac{5 \pm \sqrt{13}}{6}$
12. -6 and 0

Document No. QER8491028

1. $\frac{-4 \pm \sqrt{24}}{4}$
2. $\frac{-6 \pm \sqrt{32}}{2}$
3. $\frac{3 \pm \sqrt{5}}{2}$
4. $\frac{4 \pm \sqrt{12}}{2}$
5. $\frac{2 \pm \sqrt{8}}{2}$
6. $\frac{5 \pm \sqrt{13}}{6}$
7. $\frac{5 \pm \sqrt{29}}{2}$
8. $\frac{-6 \pm \sqrt{40}}{2}$

9. $\frac{5 \pm \sqrt{29}}{2}$
10. $\frac{-2 \pm \sqrt{8}}{2}$
11. $\frac{-2 \pm \sqrt{20}}{4}$
12. $\frac{4 \pm \sqrt{12}}{2}$

Document No. QER8491029

1. -6 and 0
2. $\frac{4 \pm \sqrt{28}}{2}$
3. $\frac{4 \pm \sqrt{8}}{2}$
4. $\frac{9}{2}$ and $\frac{1}{2}$
5. 3 and $\frac{1}{2}$
6. $\frac{9}{2}$ and $\frac{1}{2}$
7. $\frac{-2 \pm \sqrt{8}}{2}$
8. $\frac{1}{4}$ and $-\frac{7}{4}$
9. $\frac{-4 \pm \sqrt{20}}{2}$
10. $\frac{6 \pm \sqrt{32}}{2}$
11. $\frac{6 \pm \sqrt{28}}{2}$
12. $\frac{-6 \pm \sqrt{48}}{6}$

Document No. QER8491030

1. 0 and -6
2. $\frac{-4 \pm \sqrt{28}}{6}$
3. $\frac{-5 \pm \sqrt{37}}{6}$
4. $\frac{-5 \pm \sqrt{37}}{6}$
5. $\frac{-2 \pm \sqrt{8}}{2}$
6. $\frac{-6 \pm \sqrt{28}}{4}$
7. 1
8. $\frac{-6 \pm \sqrt{32}}{2}$
9. $\frac{5 \pm \sqrt{61}}{6}$
10. $\frac{5 \pm \sqrt{37}}{2}$
11. $\frac{3 \pm \sqrt{13}}{2}$
12. $-\frac{1}{2}$ and $\frac{7}{2}$

Document No. QER8491031

1. $\frac{-6 \pm \sqrt{24}}{2}$
2. -1
3. $\frac{-2 \pm \sqrt{12}}{4}$
4. $\frac{5}{2}$ and 0
5. $\frac{2 \pm \sqrt{8}}{2}$
6. 5 and 0
7. 6 and 0
8. $\frac{-4 \pm \sqrt{32}}{4}$
9. -1

10. $\frac{4 \pm \sqrt{12}}{2}$
11. $\frac{-5 \pm \sqrt{29}}{2}$
12. $-\frac{1}{3}$ and 1

Document No. QER8491032

1. $\frac{2 \pm \sqrt{8}}{2}$
2. $\frac{-4 \pm \sqrt{20}}{2}$
3. $\frac{5 \pm \sqrt{29}}{2}$
4. $\frac{-6 \pm \sqrt{60}}{6}$
5. $\frac{-3 \pm \sqrt{13}}{2}$
6. $\frac{-4 \pm \sqrt{24}}{4}$
7. 1
8. $-\frac{1}{2}$ and $-\frac{9}{2}$
9. $\frac{5 \pm \sqrt{29}}{2}$
10. $\frac{7}{2}$ and $-\frac{1}{2}$
11. $\frac{1}{2}$ and $\frac{9}{2}$
12. -1

Document No. QER8491033

1. $\frac{-4 \pm \sqrt{8}}{4}$
2. $\frac{-4 \pm \sqrt{8}}{4}$
3. 1
4. $\frac{-4 \pm \sqrt{12}}{2}$
5. 1
6. $-\frac{1}{2}$ and $-\frac{9}{2}$
7. $\frac{-6 \pm \sqrt{24}}{6}$
8. $\frac{6 \pm \sqrt{12}}{6}$
9. 0 and -5
10. $\frac{3 \pm \sqrt{13}}{2}$
11. $\frac{-4 \pm \sqrt{20}}{2}$
12. 1

Document No. QER8491034

1. 0 and 6
2. -5 and 0
3. $\frac{-3 \pm \sqrt{13}}{2}$
4. $\frac{-4 \pm \sqrt{28}}{6}$
5. $\frac{5}{2}$ and 0
6. -1
7. $\frac{-6 \pm \sqrt{28}}{4}$
8. $\frac{-4 \pm \sqrt{24}}{2}$
9. $\frac{-4 \pm \sqrt{8}}{4}$
10. $\frac{7}{4}$ and $-\frac{1}{4}$
11. $-\frac{1}{4}$ and $\frac{7}{4}$

12. $\frac{-5 \pm \sqrt{13}}{6}$

Document No. QER8491035

1. -6 and 0
2. $\frac{1}{4}$ and $-\frac{7}{4}$
3. 1 and $\frac{1}{2}$
4. $-\frac{1}{2}$ and $-\frac{9}{2}$
5. $-\frac{1}{3}$ and 1
6. 1
7. -1 and -3
8. -3 and 1
9. $-\frac{1}{6}$ and $\frac{7}{6}$
10. $-\frac{1}{4}$ and $\frac{7}{4}$
11. $-\frac{1}{2}$ and $-\frac{9}{2}$
12. $-\frac{7}{6}$ and $\frac{1}{6}$

Document No. QER8491036

1. 0 and $\frac{5}{2}$
2. 1
3. 1
4. $\frac{2 \pm \sqrt{28}}{6}$
5. $\frac{3 \pm \sqrt{13}}{2}$
6. $\frac{1}{2}$ and $\frac{9}{2}$
7. $\frac{-6 \pm \sqrt{40}}{2}$
8. $\frac{1}{2}$ and 3
9. $\frac{5}{2}$ and 0
10. $\frac{-6 \pm \sqrt{28}}{2}$
11. $\frac{-4 \pm \sqrt{28}}{6}$
12. $\frac{3 \pm \sqrt{5}}{2}$

Document No. QER8491037

1. -1
2. 3 and 1
3. -1
4. $\frac{6 \pm \sqrt{40}}{2}$
5. $-\frac{7}{6}$ and $\frac{1}{6}$
6. 1
7. $\frac{6 \pm \sqrt{60}}{4}$
8. $\frac{4 \pm \sqrt{12}}{2}$
9. $\frac{4 \pm \sqrt{20}}{2}$
10. $\frac{-6 \pm \sqrt{28}}{4}$
11. $\frac{-4 \pm \sqrt{12}}{2}$
12. $-\frac{1}{2}$ and $-\frac{9}{2}$

Document No. QER8491038

1. $\frac{-8 \pm \sqrt{48}}{4}$
2. $\frac{5 \pm \sqrt{13}}{2}$
3. $\frac{-4 \pm \sqrt{12}}{2}$
4. $\frac{-5 \pm \sqrt{29}}{2}$
5. $\frac{-2 \pm \sqrt{12}}{4}$
6. $\frac{-2 \pm \sqrt{12}}{2}$
7. $\frac{6 \pm \sqrt{60}}{6}$
8. $-\frac{1}{4}$ and $\frac{11}{4}$
9. $\frac{-5 \pm \sqrt{13}}{6}$
10. $-\frac{1}{4}$ and $-\frac{9}{4}$
11. $\frac{1}{4}$ and $-\frac{7}{4}$
12. $-\frac{2}{3}$ and -1

Document No. QER8491039

1. $\frac{5 \pm \sqrt{37}}{2}$
2. $\frac{-6 \pm \sqrt{48}}{2}$
3. $\frac{1}{2}$ and $\frac{9}{2}$
4. $\frac{-5 \pm \sqrt{29}}{2}$
5. $\frac{4 \pm \sqrt{8}}{4}$
6. $\frac{4 \pm \sqrt{24}}{4}$
7. $\frac{-4 \pm \sqrt{12}}{2}$
8. 1
9. $\frac{-3 \pm \sqrt{5}}{2}$
10. $\frac{15}{4}$ and $\frac{1}{4}$
11. $\frac{-4 \pm \sqrt{20}}{2}$
12. $-\frac{1}{2}$ and -1

Document No. QER8491040

1. $\frac{4 \pm \sqrt{24}}{4}$
2. $\frac{2 \pm \sqrt{40}}{6}$
3. $\frac{9}{4}$ and $\frac{1}{4}$
4. $\frac{-6 \pm \sqrt{32}}{2}$
5. -5 and 0
6. $\frac{-2 \pm \sqrt{40}}{6}$
7. $\frac{-6 \pm \sqrt{24}}{2}$
8. $\frac{6 \pm \sqrt{32}}{2}$
9. $\frac{4 \pm \sqrt{24}}{2}$
10. $\frac{-6 \pm \sqrt{20}}{4}$
11. $\frac{-2 \pm \sqrt{12}}{2}$
12. $\frac{1}{4}$ and $-\frac{11}{4}$

Document No. QER8491041

1. $\frac{5 \pm \sqrt{37}}{2}$

2. $\frac{1}{6}$ and $-\frac{7}{6}$
3. $\frac{-3 \pm \sqrt{13}}{2}$
4. $\frac{-6 \pm \sqrt{72}}{6}$
5. $\frac{5 \pm \sqrt{29}}{2}$
6. $\frac{4 \pm \sqrt{20}}{2}$
7. $\frac{6 \pm \sqrt{28}}{2}$
8. -2 and $-\frac{1}{3}$
9. 1
10. 1
11. $\frac{-3 \pm \sqrt{13}}{2}$
12. $\frac{-4 \pm \sqrt{40}}{4}$

Document No. QER8491042

1. $\frac{7}{2}$ and $-\frac{1}{2}$
2. $\frac{1}{2}$ and $\frac{9}{2}$
3. 0 and -6
4. $\frac{-3 \pm \sqrt{5}}{2}$
5. $\frac{-4 \pm \sqrt{20}}{2}$
6. $\frac{5 \pm \sqrt{13}}{2}$
7. $\frac{-4 \pm \sqrt{20}}{2}$
8. 3 and 0
9. $-\frac{1}{2}$ and $\frac{7}{2}$
10. 6 and 0
11. $\frac{-6 \pm \sqrt{40}}{2}$
12. $\frac{4 \pm \sqrt{8}}{4}$

Document No. QER8491043

1. $\frac{3 \pm \sqrt{45}}{6}$
2. -2 and $-\frac{1}{2}$
3. $\frac{-6 \pm \sqrt{28}}{2}$
4. $\frac{6 \pm \sqrt{32}}{2}$
5. $\frac{-4 \pm \sqrt{28}}{6}$
6. $-\frac{11}{4}$ and $\frac{1}{4}$
7. $\frac{-3 \pm \sqrt{13}}{2}$
8. $-\frac{11}{4}$ and $\frac{1}{4}$
9. -1 and -2
10. $\frac{-4 \pm \sqrt{12}}{2}$
11. $\frac{3 \pm \sqrt{5}}{2}$
12. 3 and -1

Document No. QER8491044

1. -1
2. $\frac{3 \pm \sqrt{5}}{2}$
3. -1 and $-\frac{2}{3}$

4. $\frac{-6 \pm \sqrt{24}}{6}$
5. $\frac{4 \pm \sqrt{28}}{2}$
6. -1 and $-\frac{1}{3}$
7. $\frac{1}{2}$ and $\frac{9}{2}$
8. $\frac{-2 \pm \sqrt{12}}{2}$
9. $-\frac{1}{4}$ and $-\frac{9}{4}$
10. $\frac{-3 \pm \sqrt{5}}{2}$
11. $\frac{-6 \pm \sqrt{32}}{2}$
12. $\frac{-6 \pm \sqrt{40}}{2}$

Document No. QER8491045

1. $-\frac{7}{6}$ and $\frac{1}{6}$
2. $\frac{6 \pm \sqrt{12}}{4}$
3. $\frac{-6 \pm \sqrt{32}}{2}$
4. $\frac{5 \pm \sqrt{13}}{6}$
5. $-\frac{9}{2}$ and $-\frac{1}{2}$
6. $\frac{-2 \pm \sqrt{20}}{4}$
7. $\frac{6 \pm \sqrt{32}}{2}$
8. $\frac{4 \pm \sqrt{12}}{2}$
9. $\frac{2 \pm \sqrt{28}}{4}$
10. -1
11. -1 and $\frac{1}{3}$
12. $\frac{6 \pm \sqrt{28}}{4}$

Document No. QER8491046

1. $\frac{1}{2}$ and 2
2. $\frac{-6 \pm \sqrt{28}}{4}$
3. 6 and 0
4. $\frac{-4 \pm \sqrt{20}}{2}$
5. $\frac{6 \pm \sqrt{48}}{2}$
6. $\frac{4 \pm \sqrt{28}}{6}$
7. $-\frac{11}{4}$ and $\frac{1}{4}$
8. $\frac{-6 \pm \sqrt{32}}{2}$
9. $\frac{-4 \pm \sqrt{20}}{2}$
10. $\frac{-6 \pm \sqrt{32}}{2}$
11. $\frac{2 \pm \sqrt{8}}{2}$
12. 1

Document No. QER8491047

1. $\frac{1}{2}$ and $\frac{9}{2}$
2. $\frac{-5 \pm \sqrt{13}}{2}$
3. $\frac{4 \pm \sqrt{12}}{2}$

4. $\frac{6 \pm \sqrt{12}}{4}$
5. $\frac{-2 \pm \sqrt{8}}{2}$
6. $\frac{3 \pm \sqrt{13}}{2}$
7. -3 and 0
8. $\frac{-6 \pm \sqrt{40}}{2}$
9. $\frac{6 \pm \sqrt{24}}{6}$
10. $\frac{-2 \pm \sqrt{8}}{2}$
11. 0 and 6
12. $\frac{2 \pm \sqrt{12}}{4}$

Document No. QER8491048

1. $\frac{-5 \pm \sqrt{13}}{2}$
2. $\frac{-4 \pm \sqrt{20}}{2}$
3. $\frac{6 \pm \sqrt{40}}{2}$
4. $\frac{-4 \pm \sqrt{8}}{4}$
5. $\frac{-2 \pm \sqrt{8}}{2}$
6. $\frac{5 \pm \sqrt{29}}{2}$
7. $\frac{-6 \pm \sqrt{28}}{2}$
8. $\frac{-4 \pm \sqrt{24}}{2}$
9. 1
10. $\frac{3 \pm \sqrt{5}}{2}$
11. 3 and $\frac{1}{2}$
12. $\frac{-6 \pm \sqrt{48}}{2}$

Document No. QER8491049

1. $\frac{6 \pm \sqrt{32}}{2}$
2. $\frac{2 \pm \sqrt{12}}{2}$
3. $\frac{-8 \pm \sqrt{48}}{4}$
4. $\frac{2 \pm \sqrt{8}}{2}$
5. $\frac{-4 \pm \sqrt{20}}{2}$
6. $\frac{6 \pm \sqrt{52}}{4}$
7. 1 and $\frac{1}{2}$
8. $\frac{-4 \pm \sqrt{20}}{2}$
9. $\frac{2 \pm \sqrt{8}}{2}$
10. $\frac{-6 \pm \sqrt{24}}{6}$
11. $\frac{6 \pm \sqrt{40}}{2}$
12. $\frac{-6 \pm \sqrt{40}}{2}$

Document No. QER8491050

1. $\frac{3 \pm \sqrt{5}}{2}$
2. $\frac{6 \pm \sqrt{40}}{2}$
3. $\frac{6 \pm \sqrt{24}}{6}$

4. -1
5. $\frac{7}{2}$ and $-\frac{1}{2}$
6. $\frac{-4\pm\sqrt{12}}{2}$
7. $\frac{6\pm\sqrt{60}}{6}$
8. -1
9. $\frac{-3\pm\sqrt{5}}{2}$
10. $\frac{-4\pm\sqrt{12}}{2}$
11. $\frac{1}{4}$ and $-\frac{7}{4}$
12. $\frac{-6\pm\sqrt{40}}{2}$

Document No. QER8491051

1. $-\frac{7}{2}$ and $\frac{1}{2}$
2. $\frac{4\pm\sqrt{20}}{2}$
3. $\frac{9}{4}$ and $\frac{1}{4}$
4. $\frac{-4\pm\sqrt{28}}{2}$
5. $\frac{-5\pm\sqrt{61}}{6}$
6. $\frac{-5\pm\sqrt{29}}{2}$
7. $\frac{-6\pm\sqrt{40}}{2}$
8. $\frac{1}{4}$ and $\frac{9}{4}$
9. $\frac{6\pm\sqrt{32}}{2}$
10. $\frac{1}{3}$ and 1
11. $\frac{6\pm\sqrt{28}}{4}$
12. $-\frac{7}{4}$ and $\frac{1}{4}$

Document No. QER8491052

1. $\frac{2\pm\sqrt{8}}{2}$
2. $-\frac{5}{2}$ and 0
3. $\frac{6\pm\sqrt{32}}{2}$
4. $\frac{-5\pm\sqrt{29}}{2}$
5. 1
6. 0 and -6
7. $\frac{4\pm\sqrt{40}}{4}$
8. 0 and $\frac{5}{2}$
9. $\frac{6\pm\sqrt{32}}{2}$
10. $\frac{-4\pm\sqrt{24}}{4}$
11. $\frac{2\pm\sqrt{12}}{4}$
12. $\frac{2\pm\sqrt{12}}{2}$

Document No. QER8491053

1. -1 and $-\frac{1}{3}$
2. $\frac{4\pm\sqrt{20}}{2}$
3. $\frac{9}{2}$ and $\frac{1}{2}$
4. $\frac{2\pm\sqrt{8}}{2}$

5. $\frac{-4\pm\sqrt{40}}{6}$
6. $\frac{6\pm\sqrt{24}}{6}$
7. $\frac{6\pm\sqrt{28}}{4}$
8. -2 and $-\frac{1}{2}$
9. $\frac{6\pm\sqrt{32}}{2}$
10. -5 and 0
11. $\frac{-4\pm\sqrt{12}}{2}$
12. $\frac{-6\pm\sqrt{32}}{2}$

Document No. QER8491054

1. $\frac{6\pm\sqrt{52}}{4}$
2. $\frac{-8\pm\sqrt{52}}{2}$
3. $\frac{1}{2}$ and $-\frac{7}{2}$
4. $\frac{-4\pm\sqrt{32}}{4}$
5. 0 and -5
6. $\frac{-2\pm\sqrt{12}}{2}$
7. $-\frac{7}{4}$ and $\frac{1}{4}$
8. $\frac{-6\pm\sqrt{24}}{2}$
9. $\frac{-4\pm\sqrt{12}}{2}$
10. $\frac{6\pm\sqrt{32}}{2}$
11. $\frac{-4\pm\sqrt{28}}{2}$
12. $\frac{4\pm\sqrt{8}}{4}$

Document No. QER8491055

1. $\frac{-8\pm\sqrt{52}}{6}$
2. $\frac{-6\pm\sqrt{32}}{2}$
3. $\frac{-4\pm\sqrt{12}}{2}$
4. $\frac{3\pm\sqrt{13}}{2}$
5. $\frac{4\pm\sqrt{8}}{4}$
6. $\frac{8\pm\sqrt{48}}{4}$
7. $\frac{1}{4}$ and $-\frac{7}{4}$
8. $\frac{9}{2}$ and $\frac{1}{2}$
9. $\frac{6\pm\sqrt{48}}{2}$
10. $\frac{-6\pm\sqrt{32}}{2}$
11. $\frac{2\pm\sqrt{8}}{2}$
12. 1

Document No. QER8491056

1. $\frac{3\pm\sqrt{5}}{2}$
2. $\frac{4\pm\sqrt{12}}{2}$
3. $\frac{6\pm\sqrt{32}}{2}$
4. $\frac{2\pm\sqrt{8}}{2}$

5. $\frac{-6 \pm \sqrt{40}}{2}$
6. $\frac{5 \pm \sqrt{13}}{2}$
7. -3 and -1
8. $-\frac{9}{2}$ and $-\frac{1}{2}$
9. $\frac{-3 \pm \sqrt{13}}{2}$
10. -1
11. $\frac{-4 \pm \sqrt{20}}{2}$
12. $\frac{-2 \pm \sqrt{28}}{6}$

Document No. QER8491057

1. $\frac{-6 \pm \sqrt{40}}{2}$
2. $\frac{4 \pm \sqrt{52}}{6}$
3. $\frac{-2 \pm \sqrt{8}}{2}$
4. $\frac{7 \pm \sqrt{37}}{2}$
5. $\frac{-8 \pm \sqrt{52}}{2}$
6. $-\frac{9}{4}$ and $-\frac{1}{4}$
7. $\frac{-4 \pm \sqrt{28}}{2}$
8. $\frac{6 \pm \sqrt{28}}{4}$
9. 1 and $\frac{2}{3}$
10. $\frac{1}{2}$ and $-\frac{7}{2}$
11. $\frac{-4 \pm \sqrt{24}}{4}$
12. -1

Document No. QER8491058

1. $\frac{4 \pm \sqrt{24}}{2}$
2. $\frac{6 \pm \sqrt{24}}{6}$
3. -3 and 0
4. -3 and 1
5. 0 and -3
6. $\frac{6 \pm \sqrt{32}}{2}$
7. $\frac{2 \pm \sqrt{12}}{4}$
8. $\frac{-2 \pm \sqrt{8}}{2}$
9. $\frac{1}{4}$ and $\frac{9}{4}$
10. $\frac{1}{3}$ and 2
11. 0 and -6
12. $\frac{4 \pm \sqrt{8}}{4}$

Document No. QER8491059

1. 2 and $\frac{1}{2}$
2. $\frac{9}{2}$ and $\frac{1}{2}$
3. $\frac{4 \pm \sqrt{12}}{2}$
4. $\frac{-5 \pm \sqrt{29}}{2}$
5. $\frac{-6 \pm \sqrt{12}}{6}$
6. -2 and $-\frac{1}{2}$

7. $\frac{5 \pm \sqrt{29}}{2}$
8. -1
9. $\frac{7 \pm \sqrt{37}}{6}$
10. $\frac{9}{2}$ and $\frac{1}{2}$
11. $\frac{-4 \pm \sqrt{24}}{2}$
12. $\frac{-2 \pm \sqrt{8}}{2}$

Document No. QER8491060

1. $\frac{6 \pm \sqrt{12}}{4}$
2. 1
3. $\frac{-4 \pm \sqrt{24}}{2}$
4. $\frac{3 \pm \sqrt{13}}{2}$
5. $\frac{-3 \pm \sqrt{13}}{2}$
6. $\frac{6 \pm \sqrt{28}}{2}$
7. $\frac{-8 \pm \sqrt{40}}{4}$
8. $\frac{2 \pm \sqrt{12}}{4}$
9. $\frac{5 \pm \sqrt{29}}{2}$
10. $\frac{6 \pm \sqrt{32}}{2}$
11. $\frac{5 \pm \sqrt{13}}{6}$
12. $-\frac{1}{2}$ and $-\frac{9}{2}$

Document No. QER8491061

1. $\frac{-4 \pm \sqrt{12}}{2}$
2. -1
3. $-\frac{1}{6}$ and $\frac{7}{6}$
4. $\frac{7 \pm \sqrt{37}}{2}$
5. $\frac{-5 \pm \sqrt{29}}{2}$
6. $\frac{2 \pm \sqrt{12}}{4}$
7. $\frac{-4 \pm \sqrt{20}}{2}$
8. $\frac{4 \pm \sqrt{24}}{2}$
9. $\frac{2 \pm \sqrt{8}}{2}$
10. $\frac{3 \pm \sqrt{13}}{2}$
11. $\frac{8 \pm \sqrt{40}}{6}$
12. $\frac{1}{2}$ and $-\frac{7}{2}$

Document No. QER8491062

1. $\frac{6 \pm \sqrt{32}}{2}$
2. $\frac{4 \pm \sqrt{8}}{4}$
3. 0 and $\frac{5}{2}$
4. -1 and -2
5. $\frac{4 \pm \sqrt{8}}{2}$
6. $-\frac{9}{4}$ and $-\frac{1}{4}$
7. $\frac{5 \pm \sqrt{29}}{2}$

8. $-\frac{7}{4}$ and $\frac{1}{4}$
9. $\frac{-2\pm\sqrt{8}}{2}$
10. $\frac{8\pm\sqrt{40}}{4}$
11. $\frac{-3\pm\sqrt{13}}{2}$
12. $-\frac{9}{2}$ and $-\frac{1}{2}$

Document No. QER8491063

1. $\frac{-5\pm\sqrt{13}}{2}$
2. 0 and 3
3. $\frac{5\pm\sqrt{37}}{6}$
4. $\frac{-4\pm\sqrt{12}}{2}$
5. $\frac{-3\pm\sqrt{5}}{2}$
6. $\frac{-2\pm\sqrt{8}}{2}$
7. $\frac{1}{2}$ and 1
8. $\frac{-3\pm\sqrt{13}}{2}$
9. $\frac{5\pm\sqrt{29}}{2}$
10. $\frac{4\pm\sqrt{12}}{2}$
11. $\frac{-6\pm\sqrt{40}}{2}$
12. -1 and $\frac{1}{3}$

Document No. QER8491064

1. $-\frac{1}{2}$ and 2
2. $\frac{3\pm\sqrt{5}}{2}$
3. $\frac{-5\pm\sqrt{29}}{2}$
4. $\frac{-5\pm\sqrt{37}}{6}$
5. $\frac{-6\pm\sqrt{32}}{2}$
6. 1 and $\frac{1}{3}$
7. $\frac{1}{4}$ and $\frac{9}{4}$
8. -6 and 0
9. $\frac{-4\pm\sqrt{24}}{2}$
10. $\frac{-6\pm\sqrt{72}}{6}$
11. $-\frac{1}{2}$ and $-\frac{9}{2}$
12. 1 and $\frac{1}{3}$

Document No. QER8491065

1. $\frac{2\pm\sqrt{12}}{2}$
2. -1
3. $\frac{9}{2}$ and $\frac{1}{2}$
4. $\frac{-3\pm\sqrt{5}}{2}$
5. $\frac{-2\pm\sqrt{8}}{2}$
6. -1
7. $\frac{6\pm\sqrt{32}}{2}$
8. -1

9. $\frac{4\pm\sqrt{24}}{2}$
10. 1
11. $\frac{6\pm\sqrt{48}}{6}$
12. $\frac{-4\pm\sqrt{12}}{2}$

Document No. QER8491066

1. $\frac{6\pm\sqrt{48}}{6}$
2. $\frac{1}{2}$ and $\frac{9}{2}$
3. $\frac{-2\pm\sqrt{12}}{4}$
4. -1 and $-\frac{1}{2}$
5. $\frac{-4\pm\sqrt{8}}{4}$
6. -2 and $\frac{1}{2}$
7. $\frac{-2\pm\sqrt{8}}{2}$
8. $\frac{4\pm\sqrt{20}}{2}$
9. $-\frac{1}{2}$ and $-\frac{9}{2}$
10. $\frac{4\pm\sqrt{20}}{2}$
11. $\frac{-2\pm\sqrt{8}}{2}$
12. $-\frac{1}{6}$ and $\frac{7}{6}$

Document No. QER8491067

1. 1
2. $\frac{7\pm\sqrt{37}}{2}$
3. $-\frac{9}{2}$ and $-\frac{1}{2}$
4. $\frac{4\pm\sqrt{28}}{2}$
5. $\frac{2\pm\sqrt{20}}{4}$
6. $\frac{4\pm\sqrt{12}}{2}$
7. $\frac{-4\pm\sqrt{40}}{6}$
8. $\frac{6\pm\sqrt{28}}{4}$
9. $\frac{5\pm\sqrt{37}}{2}$
10. $\frac{4\pm\sqrt{24}}{2}$
11. -1
12. 1 and 2

Document No. QER8491068

1. $\frac{1}{2}$ and $-\frac{7}{2}$
2. $\frac{3\pm\sqrt{13}}{2}$
3. $-\frac{1}{3}$ and -1
4. $\frac{-4\pm\sqrt{24}}{4}$
5. $\frac{-8\pm\sqrt{40}}{6}$
6. 0 and $\frac{5}{2}$
7. $\frac{4\pm\sqrt{24}}{2}$
8. $\frac{-6\pm\sqrt{40}}{2}$
9. $\frac{5\pm\sqrt{13}}{2}$

10. $\frac{-4 \pm \sqrt{20}}{2}$
11. $\frac{-6 \pm \sqrt{52}}{4}$
12. $\frac{5 \pm \sqrt{29}}{2}$

Document No. QER8491069

1. $\frac{-4 \pm \sqrt{20}}{2}$
2. $\frac{6 \pm \sqrt{28}}{2}$
3. $\frac{6 \pm \sqrt{32}}{2}$
4. $\frac{6 \pm \sqrt{24}}{6}$
5. $\frac{-4 \pm \sqrt{24}}{2}$
6. $\frac{6 \pm \sqrt{40}}{2}$
7. $\frac{2 \pm \sqrt{12}}{4}$
8. $\frac{6 \pm \sqrt{20}}{4}$
9. $\frac{3 \pm \sqrt{5}}{2}$
10. -3 and 0
11. -6 and 0
12. $-\frac{1}{2}$ and $-\frac{9}{2}$

Document No. QER8491070

1. $-\frac{1}{2}$ and 2
2. 3 and 0
3. $\frac{-4 \pm \sqrt{8}}{4}$
4. $\frac{-6 \pm \sqrt{12}}{6}$
5. 3 and 1
6. $\frac{2 \pm \sqrt{8}}{2}$
7. $\frac{3 \pm \sqrt{13}}{2}$
8. -1
9. $\frac{8 \pm \sqrt{40}}{4}$
10. $-\frac{1}{4}$ and $\frac{7}{4}$
11. $\frac{-2 \pm \sqrt{12}}{4}$
12. 1 and 2

Document No. QER8491071

1. $\frac{-3 \pm \sqrt{13}}{2}$
2. 1
3. $-\frac{1}{3}$ and -1
4. $\frac{-6 \pm \sqrt{60}}{4}$
5. $\frac{6 \pm \sqrt{24}}{2}$
6. $\frac{5 \pm \sqrt{13}}{2}$
7. $\frac{-2 \pm \sqrt{28}}{4}$
8. -2 and $\frac{1}{2}$
9. $\frac{4 \pm \sqrt{28}}{6}$
10. 0 and $\frac{5}{2}$

11. 3 and 0
12. -1

Document No. QER8491072

1. $\frac{4 \pm \sqrt{12}}{2}$
2. -3 and 0
3. $\frac{-2 \pm \sqrt{28}}{6}$
4. $\frac{3 \pm \sqrt{13}}{2}$
5. 2 and $-\frac{1}{3}$
6. $\frac{6 \pm \sqrt{40}}{2}$
7. -1
8. $\frac{-6 \pm \sqrt{40}}{2}$
9. $\frac{1}{2}$ and $\frac{9}{2}$
10. $\frac{-2 \pm \sqrt{12}}{2}$
11. $\frac{-2 \pm \sqrt{8}}{2}$
12. $\frac{4 \pm \sqrt{20}}{2}$

Document No. QER8491073

1. -2 and -1
2. $\frac{4 \pm \sqrt{12}}{2}$
3. $\frac{1}{2}$ and $\frac{9}{2}$
4. $\frac{-6 \pm \sqrt{12}}{4}$
5. $\frac{-5 \pm \sqrt{29}}{2}$
6. 3 and 1
7. $\frac{15}{2}$ and $\frac{1}{2}$
8. $\frac{3 \pm \sqrt{13}}{2}$
9. 1 and $-\frac{1}{3}$
10. $\frac{-2 \pm \sqrt{8}}{2}$
11. $\frac{6 \pm \sqrt{20}}{4}$
12. 0 and -5

Document No. QER8491074

1. $\frac{4 \pm \sqrt{24}}{2}$
2. $-\frac{1}{2}$ and $\frac{7}{2}$
3. $\frac{-4 \pm \sqrt{12}}{2}$
4. -3 and 0
5. $\frac{-2 \pm \sqrt{8}}{2}$
6. $-\frac{4}{3}$ and $\frac{1}{3}$
7. $\frac{6 \pm \sqrt{28}}{2}$
8. 2 and $\frac{1}{2}$
9. $\frac{3 \pm \sqrt{5}}{2}$
10. $\frac{6 \pm \sqrt{40}}{2}$
11. $\frac{2 \pm \sqrt{8}}{2}$
12. $\frac{2 \pm \sqrt{8}}{2}$

Document No. QER8491075

1. $\frac{2\pm\sqrt{12}}{2}$
2. $-\frac{3}{2}$ and -1
3. $\frac{-2\pm\sqrt{12}}{2}$
4. $\frac{4\pm\sqrt{8}}{2}$
5. -1
6. $\frac{6\pm\sqrt{24}}{2}$
7. $-\frac{1}{4}$ and $-\frac{9}{4}$
8. $\frac{1}{2}$ and -2
9. $\frac{5\pm\sqrt{13}}{2}$
10. $\frac{-4\pm\sqrt{32}}{4}$
11. 1
12. $\frac{-2\pm\sqrt{8}}{2}$

Document No. QER8491076

1. $-\frac{1}{2}$ and $\frac{7}{2}$
2. $\frac{4\pm\sqrt{28}}{6}$
3. $-\frac{1}{3}$ and -1
4. $\frac{3\pm\sqrt{13}}{2}$
5. $\frac{5\pm\sqrt{13}}{6}$
6. -1
7. $\frac{4\pm\sqrt{20}}{2}$
8. $-\frac{11}{4}$ and $\frac{1}{4}$
9. $\frac{-4\pm\sqrt{24}}{4}$
10. $\frac{4\pm\sqrt{8}}{2}$
11. -3 and 0
12. $\frac{-3\pm\sqrt{13}}{2}$

Document No. QER8491077

1. $\frac{-6\pm\sqrt{40}}{2}$
2. $\frac{-6\pm\sqrt{40}}{2}$
3. -3 and 1
4. $\frac{4\pm\sqrt{20}}{2}$
5. $\frac{-4\pm\sqrt{8}}{4}$
6. $-\frac{3}{2}$ and -1
7. 1
8. $-\frac{9}{2}$ and $-\frac{1}{2}$
9. $\frac{2\pm\sqrt{8}}{2}$
10. $\frac{-6\pm\sqrt{32}}{2}$
11. $\frac{-6\pm\sqrt{24}}{6}$
12. $\frac{-4\pm\sqrt{24}}{4}$

Document No. QER8491078

1. $\frac{6\pm\sqrt{20}}{4}$
2. -3 and 0
3. $\frac{-6\pm\sqrt{28}}{4}$
4. $\frac{4\pm\sqrt{20}}{2}$
5. $\frac{-4\pm\sqrt{20}}{2}$
6. $\frac{4\pm\sqrt{12}}{2}$
7. $\frac{4\pm\sqrt{12}}{2}$
8. $\frac{-3\pm\sqrt{5}}{2}$
9. $\frac{-3\pm\sqrt{5}}{2}$
10. $\frac{4\pm\sqrt{28}}{2}$
11. $\frac{2\pm\sqrt{8}}{2}$
12. $\frac{-4\pm\sqrt{24}}{2}$

Document No. QER8491079

1. $\frac{-5\pm\sqrt{29}}{2}$
2. $\frac{-5\pm\sqrt{29}}{2}$
3. $\frac{-4\pm\sqrt{12}}{2}$
4. $\frac{6\pm\sqrt{40}}{2}$
5. -1
6. $\frac{-3\pm\sqrt{5}}{2}$
7. $\frac{7}{4}$ and $-\frac{1}{4}$
8. $\frac{1}{2}$ and -2
9. -3 and -1
10. $\frac{-4\pm\sqrt{12}}{2}$
11. $\frac{2\pm\sqrt{12}}{2}$
12. $\frac{-5\pm\sqrt{29}}{2}$

Document No. QER8491080

1. $\frac{6\pm\sqrt{32}}{2}$
2. $\frac{4\pm\sqrt{40}}{4}$
3. $-\frac{1}{2}$ and $-\frac{13}{2}$
4. $\frac{-2\pm\sqrt{8}}{2}$
5. $\frac{3\pm\sqrt{13}}{2}$
6. -5 and 0
7. 1 and 3
8. $\frac{3\pm\sqrt{13}}{2}$
9. $\frac{1}{2}$ and $\frac{9}{2}$
10. $\frac{-5\pm\sqrt{29}}{2}$
11. $\frac{-4\pm\sqrt{20}}{2}$
12. $\frac{-4\pm\sqrt{8}}{2}$

Document No. QER8491081

1. $\frac{4\pm\sqrt{20}}{2}$

2. $\frac{3\pm\sqrt{13}}{2}$
3. $-\frac{1}{2}$ and $-\frac{13}{2}$
4. $\frac{1}{4}$ and $\frac{9}{4}$
5. $\frac{6\pm\sqrt{40}}{2}$
6. 0 and 6
7. $\frac{4\pm\sqrt{8}}{2}$
8. $\frac{-2\pm\sqrt{8}}{2}$
9. $\frac{4\pm\sqrt{8}}{4}$
10. 3 and 0
11. 5 and 0
12. $\frac{-3\pm\sqrt{13}}{2}$

Document No. QER8491082

1. $\frac{-6\pm\sqrt{48}}{6}$
2. $\frac{5\pm\sqrt{29}}{2}$
3. $\frac{3\pm\sqrt{5}}{2}$
4. $\frac{3\pm\sqrt{5}}{2}$
5. $\frac{-6\pm\sqrt{28}}{2}$
6. $\frac{-6\pm\sqrt{28}}{4}$
7. $\frac{-2\pm\sqrt{8}}{2}$
8. 6 and 0
9. $\frac{-6\pm\sqrt{24}}{2}$
10. $\frac{-6\pm\sqrt{48}}{6}$
11. $\frac{6\pm\sqrt{60}}{4}$
12. $\frac{6\pm\sqrt{20}}{4}$

Document No. QER8491083

1. $-\frac{1}{4}$ and $-\frac{9}{4}$
2. 1
3. $\frac{-4\pm\sqrt{12}}{2}$
4. $\frac{1}{2}$ and $\frac{9}{2}$
5. $\frac{-2\pm\sqrt{12}}{4}$
6. $\frac{9}{4}$ and $\frac{1}{4}$
7. $\frac{-6\pm\sqrt{48}}{2}$
8. $\frac{-2\pm\sqrt{12}}{2}$
9. -2 and $\frac{1}{3}$
10. 1
11. 2 and $-\frac{1}{3}$
12. $\frac{3\pm\sqrt{5}}{2}$

Document No. QER8491084

1. 6 and 0
2. $\frac{9}{2}$ and $\frac{1}{2}$

3. $\frac{-4\pm\sqrt{8}}{2}$
4. $\frac{6\pm\sqrt{48}}{6}$
5. -3 and -1
6. -2 and -1
7. $\frac{-2\pm\sqrt{8}}{2}$
8. $\frac{-4\pm\sqrt{20}}{2}$
9. $\frac{6\pm\sqrt{28}}{4}$
10. $\frac{9}{2}$ and $\frac{1}{2}$
11. 3 and $-\frac{1}{2}$
12. $\frac{-6\pm\sqrt{24}}{2}$

Document No. QER8491085

1. 5 and 0
2. $-\frac{9}{2}$ and $-\frac{1}{2}$
3. $\frac{-2\pm\sqrt{8}}{2}$
4. $\frac{2\pm\sqrt{20}}{4}$
5. $\frac{5\pm\sqrt{29}}{2}$
6. $\frac{-4\pm\sqrt{24}}{2}$
7. 1 and $\frac{1}{3}$
8. $\frac{3}{2}$ and 1
9. $\frac{5\pm\sqrt{37}}{2}$
10. $\frac{2\pm\sqrt{8}}{2}$
11. $\frac{-5\pm\sqrt{13}}{6}$
12. $\frac{-7\pm\sqrt{37}}{6}$

Document No. QER8491086

1. -3 and 1
2. $\frac{6\pm\sqrt{12}}{6}$
3. $\frac{5}{2}$ and 0
4. $\frac{2\pm\sqrt{12}}{2}$
5. 1 and $\frac{1}{3}$
6. $\frac{-6\pm\sqrt{40}}{2}$
7. $\frac{-4\pm\sqrt{28}}{2}$
8. $\frac{6\pm\sqrt{60}}{6}$
9. 6 and 0
10. $\frac{4\pm\sqrt{8}}{4}$
11. $\frac{4\pm\sqrt{24}}{2}$
12. $\frac{4\pm\sqrt{12}}{2}$

Document No. QER8491087

1. $\frac{3\pm\sqrt{13}}{2}$
2. $\frac{4\pm\sqrt{20}}{2}$
3. 1 and $\frac{1}{3}$

4. $-\frac{1}{6}$ and $\frac{7}{6}$
5. $\frac{-4\pm\sqrt{8}}{4}$
6. $\frac{4\pm\sqrt{20}}{2}$
7. $\frac{-5\pm\sqrt{29}}{2}$
8. 1
9. $\frac{-6\pm\sqrt{60}}{6}$
10. 1
11. $\frac{-3\pm\sqrt{5}}{2}$
12. $\frac{8\pm\sqrt{48}}{4}$

Document No. QER8491088

1. $\frac{4\pm\sqrt{12}}{2}$
2. $\frac{-6\pm\sqrt{40}}{2}$
3. $-\frac{5}{2}$ and 0
4. 1
5. $\frac{-4\pm\sqrt{32}}{4}$
6. 2 and $-\frac{1}{3}$
7. $\frac{1}{2}$ and $\frac{9}{2}$
8. $\frac{-6\pm\sqrt{48}}{2}$
9. 1
10. $\frac{-4\pm\sqrt{20}}{2}$
11. $\frac{6\pm\sqrt{40}}{2}$
12. $\frac{-2\pm\sqrt{20}}{4}$

Document No. QER8491089

1. $\frac{4\pm\sqrt{12}}{2}$
2. $\frac{9}{2}$ and $\frac{1}{2}$
3. $\frac{-6\pm\sqrt{24}}{2}$
4. $\frac{4\pm\sqrt{32}}{4}$
5. $-\frac{1}{2}$ and -1
6. $\frac{4\pm\sqrt{20}}{2}$
7. $\frac{6\pm\sqrt{32}}{2}$
8. $\frac{5\pm\sqrt{37}}{2}$
9. -3 and 0
10. $\frac{-4\pm\sqrt{8}}{4}$
11. $-\frac{9}{2}$ and $-\frac{1}{2}$
12. $\frac{-6\pm\sqrt{60}}{4}$

Document No. QER8491090

1. $\frac{-6\pm\sqrt{72}}{6}$
2. $\frac{6\pm\sqrt{32}}{2}$
3. $\frac{-5\pm\sqrt{37}}{2}$
4. $\frac{-2\pm\sqrt{8}}{2}$

5. $\frac{13}{4}$ and $\frac{1}{4}$
6. $\frac{6\pm\sqrt{40}}{2}$
7. $-\frac{1}{4}$ and $-\frac{9}{4}$
8. $\frac{-5\pm\sqrt{13}}{6}$
9. $\frac{-6\pm\sqrt{28}}{2}$
10. $\frac{-6\pm\sqrt{28}}{2}$
11. $\frac{-6\pm\sqrt{20}}{4}$
12. $\frac{4\pm\sqrt{8}}{2}$

Document No. QER8491091

1. $\frac{-3\pm\sqrt{5}}{2}$
2. 2 and 1
3. $\frac{-3\pm\sqrt{13}}{2}$
4. $\frac{-5\pm\sqrt{29}}{2}$
5. $\frac{-2\pm\sqrt{12}}{2}$
6. $-\frac{5}{2}$ and 0
7. 1
8. $\frac{4\pm\sqrt{8}}{2}$
9. $\frac{4\pm\sqrt{20}}{2}$
10. -1
11. $\frac{-6\pm\sqrt{28}}{4}$
12. $\frac{6\pm\sqrt{24}}{6}$

Document No. QER8491092

1. $\frac{-6\pm\sqrt{52}}{4}$
2. $\frac{2\pm\sqrt{12}}{2}$
3. $\frac{6\pm\sqrt{28}}{2}$
4. $\frac{-3\pm\sqrt{5}}{2}$
5. -1 and 3
6. $\frac{-4\pm\sqrt{12}}{2}$
7. $\frac{-6\pm\sqrt{32}}{2}$
8. $\frac{-6\pm\sqrt{32}}{2}$
9. $\frac{1}{6}$ and $-\frac{7}{6}$
10. $\frac{-4\pm\sqrt{8}}{2}$
11. -3 and $-\frac{1}{2}$
12. $\frac{4\pm\sqrt{12}}{2}$

Document No. QER8491093

1. $-\frac{9}{4}$ and $-\frac{1}{4}$
2. -1 and -2
3. 1 and 2
4. $\frac{-3\pm\sqrt{13}}{2}$
5. $\frac{-4\pm\sqrt{20}}{2}$

6. $\frac{8 \pm \sqrt{52}}{2}$
7. 1
8. $\frac{9}{2}$ and $\frac{1}{2}$
9. $\frac{6 \pm \sqrt{24}}{2}$
10. $\frac{5 \pm \sqrt{29}}{2}$
11. $\frac{4 \pm \sqrt{12}}{2}$
12. $\frac{4 \pm \sqrt{24}}{2}$

Document No. QER8491094

1. $\frac{1}{4}$ and $\frac{9}{4}$
2. $\frac{4 \pm \sqrt{24}}{4}$
3. $\frac{15}{2}$ and $\frac{1}{2}$
4. $\frac{-4 \pm \sqrt{12}}{2}$
5. -1
6. $\frac{6 \pm \sqrt{28}}{4}$
7. $\frac{-3 \pm \sqrt{13}}{2}$
8. $-\frac{1}{4}$ and $-\frac{15}{4}$
9. 0 and -6
10. $\frac{2 \pm \sqrt{12}}{2}$
11. $\frac{-4 \pm \sqrt{20}}{2}$
12. $\frac{-4 \pm \sqrt{8}}{2}$

Document No. QER8491095

1. $\frac{4 \pm \sqrt{24}}{4}$
2. $\frac{1}{6}$ and $-\frac{7}{6}$
3. 0 and $\frac{5}{2}$
4. $\frac{-6 \pm \sqrt{48}}{2}$
5. $-\frac{1}{2}$ and -1
6. $\frac{4 \pm \sqrt{12}}{2}$
7. $\frac{4 \pm \sqrt{8}}{2}$
8. $-\frac{7}{4}$ and $\frac{1}{4}$
9. $\frac{-4 \pm \sqrt{8}}{4}$
10. $\frac{4 \pm \sqrt{12}}{2}$
11. $\frac{-6 \pm \sqrt{60}}{6}$
12. $\frac{6 \pm \sqrt{28}}{4}$

Document No. QER8491096

1. $\frac{-4 \pm \sqrt{24}}{2}$
2. $\frac{-6 \pm \sqrt{32}}{2}$
3. $\frac{5 \pm \sqrt{13}}{2}$
4. $\frac{-6 \pm \sqrt{40}}{2}$
5. $\frac{4 \pm \sqrt{12}}{2}$
6. $\frac{-6 \pm \sqrt{40}}{2}$

7. $\frac{6 \pm \sqrt{20}}{4}$
8. 1 and 2
9. $\frac{6 \pm \sqrt{28}}{2}$
10. $\frac{2 \pm \sqrt{12}}{2}$
11. $-\frac{1}{2}$ and $-\frac{9}{2}$
12. $\frac{9}{4}$ and $\frac{1}{4}$

Document No. QER8491097

1. $\frac{4 \pm \sqrt{24}}{2}$
2. $\frac{1}{2}$ and $\frac{9}{2}$
3. -1
4. $-\frac{3}{2}$ and -1
5. $-\frac{9}{2}$ and $-\frac{1}{2}$
6. $\frac{15}{2}$ and $\frac{1}{2}$
7. $\frac{-4 \pm \sqrt{12}}{2}$
8. $\frac{9}{4}$ and $\frac{1}{4}$
9. $-\frac{1}{2}$ and $\frac{7}{2}$
10. $\frac{-6 \pm \sqrt{40}}{2}$
11. $\frac{8 \pm \sqrt{40}}{6}$
12. $\frac{9}{4}$ and $\frac{1}{4}$

Document No. QER8491098

1. -5 and 0
2. $\frac{-3 \pm \sqrt{5}}{2}$
3. $\frac{7 \pm \sqrt{37}}{6}$
4. $\frac{-3 \pm \sqrt{5}}{2}$
5. $\frac{3 \pm \sqrt{13}}{2}$
6. 1
7. $\frac{-4 \pm \sqrt{12}}{2}$
8. $\frac{6 \pm \sqrt{52}}{4}$
9. -3 and 0
10. $\frac{5 \pm \sqrt{29}}{2}$
11. $-\frac{1}{4}$ and $\frac{11}{4}$
12. $\frac{5 \pm \sqrt{13}}{2}$

Document No. QER8491099

1. $\frac{6 \pm \sqrt{28}}{2}$
2. 3 and 1
3. $\frac{1}{2}$ and 1
4. $-\frac{5}{2}$ and 0
5. $\frac{4 \pm \sqrt{20}}{2}$
6. 3 and 1
7. $-\frac{9}{2}$ and $-\frac{1}{2}$
8. $-\frac{1}{4}$ and $-\frac{9}{4}$
9. $\frac{1}{3}$ and -1

10. $\frac{-7 \pm \sqrt{13}}{6}$
11. $\frac{1}{3}$ and 1
12. $\frac{1}{2}$ and -2

Document No. QER8491100

1. -1
2. 1
3. $\frac{-6 \pm \sqrt{32}}{2}$
4. $\frac{3 \pm \sqrt{5}}{2}$
5. 0 and -5
6. $-\frac{1}{2}$ and -1
7. $\frac{-6 \pm \sqrt{32}}{2}$
8. $\frac{2 \pm \sqrt{12}}{4}$
9. $\frac{1}{4}$ and $\frac{9}{4}$
10. -1 and $-\frac{1}{2}$
11. $\frac{-4 \pm \sqrt{8}}{4}$
12. $\frac{3 \pm \sqrt{5}}{2}$